

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Alabama conducted during 1986-87. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
AUTAUGA	9	1.5	0.8	0.6	2	6.3	11	0
BALDWIN	31	1	0.5	0.6	1.8	8.5	6	0
BARBOUR	9	0.4	0.3	0.4	0.3	0.8	0	0
BIBB	7	0.8	0.6	0.5	0.6	1.9	0	0
BLOUNT	11	0.9	0.7	1.1	0.6	1.9	0	0
BULLOCK	6	0.3	0.3	0.4	0.2	0.4	0	0
BUTLER	18	0.7	0.4	0.4	0.7	2.5	0	0
CALHOUN	23	9.3	1.4	1.3	37.2	180	9	4
CHAMBERS	9	0.4	0.3	0.3	0.4	1.4	0	0
CHEROKEE	1	0.5	0.5	0.5	0	0.5	0	0
CHILTON	9	0.6	0.5	0.5	0.4	1.3	0	0
CHOCTAW	15	0.6	0.4	0.5	0.4	1.7	0	0
CLARKE	8	0.7	0.4	0.4	0.9	2.9	0	0
CLAY	11	1.7	1	1.1	2.3	8.2	9	0
CLEBURNE	6	2.8	1.8	1.6	2.9	8.2	17	0
COFFEE	18	1.1	0.8	0.8	1	3.7	0	0
COLBERT	10	4	3.2	3.3	2.9	10	30	0
CONECUH	14	0.6	0.4	0.5	0.5	1.7	0	0
COOSA	8	1.4	0.8	0.9	1.8	5.7	13	0
COVINGTON	16	0.9	0.7	0.8	0.6	1.8	0	0
CRENSHAW	13	0.6	0.4	0.6	0.5	1.6	0	0
CULLMAN	30	2	0.9	1	3.7	19.8	7	0
DALE	3	1.5	1.1	1.9	1.1	2.3	0	0
DALLAS	18	0.7	0.5	0.5	0.5	2.2	0	0
DE KALB	31	1.6	0.9	0.8	2.4	11.7	6	0
ELMORE	25	1.1	0.8	0.8	1	5	4	0
ESCAMBIA	9	0.9	0.4	0.5	1.3	4.1	11	0
ETOWAH	21	0.7	0.5	0.6	0.7	3.1	0	0
FAYETTE	7	0.9	0.7	0.8	0.7	2	0	0
FRANKLIN	8	0.9	0.5	0.7	0.7	1.7	0	0
GENEVA	7	0.5	0.5	0.4	0.3	1.2	0	0
GREENE	8	0.9	0.8	0.7	0.6	2.2	0	0
HALE	10	0.9	0.5	0.5	1.2	4.1	10	0
HENRY	8	1	0.7	0.6	0.8	2.6	0	0
HOUSTON	10	0.8	0.6	0.8	0.5	1.8	0	0
JACKSON	21	1	0.7	0.9	0.6	2.4	0	0
JEFFERSON	78	1.5	1	0.9	1.6	10.3	8	0
LAMAR	12	1	0.7	0.8	0.8	2.6	0	0
LAUDERDALE	44	2.6	1.5	1.3	3.2	16	18	0
LAWRENCE	9	15.3	1.4	1	42.7	129.1	11	11
LEE	20	0.9	0.6	0.6	1	4.6	5	0
LIMESTONE	35	1.6	1	1	1.7	6.8	11	0
LOWNDES	4	0.6	0.4	0.4	0.7	1.6	0	0
MACON	5	0.5	0.4	0.5	0.3	0.7	0	0
MADISON	119	3.5	2.1	2	4.7	36.6	25	2

MARENGO	11	0.9	0.7	0.8	0.9	3.6	0	0
MARION	10	1.3	0.9	0.9	1.2	3.4	0	0
MARSHALL	34	1.1	0.6	0.5	1.8	10	6	0
MOBILE	43	0.6	0.4	0.5	0.5	2.3	0	0
MONROE	9	0.9	0.7	0.9	0.7	2	0	0
MONTGOMERY	25	0.9	0.7	0.7	0.7	2.8	0	0
MORGAN	47	1.6	0.9	1	2.3	12.4	6	0
PERRY	9	1.1	0.5	0.5	1.2	3.3	0	0
PICKENS	11	0.4	0.3	0.4	0.2	0.6	0	0
PIKE	8	1.1	0.8	1.1	0.7	2.2	0	0
RANDOLPH	9	1.1	0.9	1.3	0.6	1.9	0	0
RUSSELL	9	0.6	0.5	0.6	0.4	1.4	0	0
SHELBY	27	1.6	0.9	0.8	2.5	11.6	11	0
ST. CLAIR	14	1.4	1.1	0.9	1.3	5	7	0
SUMTER	8	0.3	0.2	0.2	0.4	1.1	0	0
TALLADEGA	37	1.4	1	1.1	1.2	5.4	5	0
TALLAPOOSA	19	1.3	0.8	0.8	1.3	5.3	5	0
TUSCALOOSA	14	1.1	0.9	0.9	0.7	2.7	0	0
WALKER	14	1.4	1	1.1	1.1	4.5	7	0
WASHINGTON	13	0.6	0.4	0.6	0.5	1.7	0	0
WILCOX	7	0.6	0.4	0.5	0.5	1.6	0	0
WINSTON	8	1.7	1.1	1.2	1.9	6.2	13	0

TABLE 2. Screening indoor radon data from the EPA/State Residential Radon Survey of Alaska conducted during 1988-89. Data represent 2-7 day charcoal canister lowest level of each home tested. measurements from the

BOROUGH	NO. OF MEAS	MEAN	GEOM. MEAN	MEDIAN	STD.DEV.	MAX	%>4pCi/L	%>20 pCi/L
ANCHORAGE	282	1	0.6	0.6	1.6	16.4	3	0
FAIRBANKS NORTHSTAR	281	3.5	1.7	1.6	12.3	191.9	13	2
HAINES	12	1	0.5	0.6	1.2	4.1	8	0
JUNEAU	137	0.4	0.3	0.3	0.6	4.1	1	0
KENAI PENINSULA	135	2.6	1.1	1.3	3.9	26.3	18	1
KETCHDANCAGATEWAY	56	0.2	0.2	0.2	0.3	2	0	0
KODIAK ISLAND	27	0.4	0.2	0.2	0.6	2.4	0	0
MATANUSKA-SUSITNA	60	2.8	1.6	1.5	3.2	15.3	22	0
SITKA	24	0.3	0.2	0.1	0.4	1.8	0	0
SKAGWAY-YAKUTAT-ANGOON	3	4.2	2.6	5.3	3.3	6.9	67	0
SOUTHEAST FAIRBANKS	31	6.4	4.1	4	6.4	28.5	48	6
VALDEE ORDOVA	31	1.6	0.6	0.7	2.1	9	6	0
WRANGELL-PETERSBURG	35	0.3	0.2	0.2	0.5	2.6	0	0
YUKON-KOYUKUK	13	5.5	2.5	2	7.8	27.9	31	8

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Arkansas conducted during 1990-91. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ARKANSAS	11	0.9	0.5	0.7	0.8	2.8	0	0
ASHLEY	6	0.8	0.3	0.6	0.8	2	0	0
BAXTER	33	2.9	1.4	1.2	3.7	15.7	27	0
BENTON	80	3	1.6	1.4	4.5	24.2	20	4
BOONE	18	3.2	2.3	2.2	3.3	12.6	17	0
BRADLEY	9	0.6	0.4	0.4	0.5	1.8	0	0
CALHOUN	6	0.3	0.2	0.2	0.3	0.8	0	0
CARROLL	7	5	1.4	0.7	7.9	20.8	29	14
CHICOT	12	0.6	0.3	0.4	0.8	2	0	0
CLARK	11	0.5	0.3	0.4	0.5	1.8	0	0
CLAY	17	1.1	0.5	0.7	1.9	8	6	0
CLEBURNE	13	1.5	0.9	0.8	1.7	6.6	8	0
CLEVELAND	5	0.4	0.2	0.2	0.4	0.8	0	0
COLUMBIA	16	0.5	0.3	0.3	0.5	1.8	0	0
CONWAY	24	0.6	0.4	0.4	0.5	1.7	0	0
CRAIGHEAD	31	1.1	0.8	0.7	1.2	6.6	3	0
CRAWFORD	25	0.8	0.5	0.8	0.8	2.3	0	0
CRITTENDEN	18	0.5	0.4	0.4	0.4	1.5	0	0
CROSS	4	1	0.7	1	0.8	2	0	0
DALLAS	2	0.1	0.1	0.1	0.1	0.2	0	0
DESHA	7	0.2	0.1	0.2	0.1	0.3	0	0
DREW	14	0.8	0.5	0.8	0.6	1.8	0	0
FAULKNER	71	0.9	0.6	0.7	0.9	4.5	1	0
FRANKLIN	10	0.9	0.5	0.6	1	3.3	0	0
FULTON	7	2.6	2.1	2	1.6	5.1	29	0
GARLAND	65	2.3	1.5	1.5	2.2	11.1	15	0
GRANT	9	0.7	0.6	0.5	0.3	1.2	0	0
GREENE	9	0.6	0.3	0.6	0.8	2.5	0	0
HEMPSTEAD	10	0.3	0.2	0.3	0.3	0.9	0	0
HOT SPRING	17	0.6	0.4	0.5	0.6	2.2	0	0
HOWARD	7	1	0.6	0.5	1.2	3.5	0	0
INDEPENDENCE	22	1.4	0.8	1.1	1.5	5.9	9	0
IZARD	18	1.9	1	1.3	2	7.9	11	0
JACKSON	9	1.8	0.6	0.5	3.3	10.5	11	0
JEFFERSON	33	0.5	0.3	0.3	0.5	2.3	0	0
JOHNSON	16	1	0.7	0.6	0.8	2.5	0	0
LAFAYETTE	13	0.6	0.4	0.4	0.6	1.6	0	0
LAWRENCE	12	1.3	1	1	0.9	3.2	0	0
LEE	4	1.3	1.2	1.3	0.6	2	0	0
LINCOLN	6	0.5	0.3	0.3	0.5	1.2	0	0
LITTLE RIVER	8	0.3	0.2	0.3	0.2	0.7	0	0
LOGAN	31	1	0.7	0.8	0.8	3.1	0	0
LONOKE	51	0.7	0.5	0.5	0.5	2.7	0	0
MADISON	8	1.5	1.1	1.1	1.1	3.8	0	0
MARION	11	1.1	0.7	1.2	0.8	2.3	0	0
MILLER	10	0.1	0.1	0.1	0.3	0.6	0	0

MISSISSIPPI	14	1.2	0.6	0.8	1.4	4.9	7	0
MONROE	6	0.7	0.5	0.7	0.4	1.2	0	0
MONTGOMERY	20	2.3	1.2	1.7	2.1	7.9	20	0
NEVADA	8	0.5	0.3	0.3	0.6	1.7	0	0
NEWTON	12	1.7	0.9	1.6	1.2	3.7	0	0
OUACffITA	21	0.4	0.3	0.5	0.3	0.8	0	0
PERRY	10	1	0.6	0.8	0.8	2.5	0	0
PHILLIPS	5	0.6	0.5	0.4	0.4	1.1	0	0
PIKE	13	1	0.7	0.8	0.7	2.1	0	0
POINSETT	10	0.9	0.5	0.6	0.9	2.9	0	0
POLK	16	2	1	1	2.7	10.1	13	0
POPE	57	1.3	0.7	0.7	1.7	8.3	7	0
PRAIRIE	8	0.7	0.3	0.5	0.8	2.2	0	0
PULASKI	127	0.9	0.6	0.6	1.4	15.2	2	0
RANDOLPH	5	1.3	1.1	1.3	0.6	1.9	0	0
SALINE	36	1.6	0.9	0.9	2.4	14.2	6	0
SCOTT	20	0.7	0.5	0.5	0.6	2.1	0	0
SEARCY	10	0.8	0.5	0.7	0.9	3	0	0
SEBASTIAN	68	0.7	0.5	0.5	0.8	3.7	0	0
SEVIER	11	1.2	0.6	0.8	1.4	4.8	9	0
SHARP	12	1.6	1.2	1.2	1.2	4.2	8	0
ST. FRANCIS	9	0.7	0.5	0.7	0.6	2	0	0
STONE	21	1	0.8	0.9	0.9	4.3	5	0
UNION	42	0.5	0.3	0.4	0.4	1.8	0	0
VAN BUREN	14	1.6	0.9	0.9	1.7	5.9	14	0
WASHINGTON	63	1.6	1.1	1.1	1.8	12.8	3	0
WHITE	48	1.2	0.6	0.7	1.9	11.5	4	0
WOODRUFF	1	1.2	1.2	1.2	0	1.2	0	0
YELL	22	0.9	0.6	0.8	0.8	2.7	0	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Arizona conducted during 1987-88. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
APACHE	15	1.4	0.9	0.6	1.6	5	13	0
COCHISE	39	1.6	0.9	0.8	2	11.1	5	0
COCONINO	89	1.9	0.9	0.9	2.5	13.5	9	0
GILA	13	1.1	0.8	0.9	0.7	2.4	0	0
GRAHAM	29	1.1	0.7	0.7	0.9	2.8	0	0
GREENLEE	8	1.1	0.9	0.9	0.8	2.4	0	0
LAPAZ	2	0.3	0.2	0.3	0.4	0.5	0	0
MARICOPA	765	1.7	1.1	1.2	2.4	50.8	8	0
MOHAVE	99	1	0.6	0.8	0.9	6.1	1	0
NAVAJO	57	1.6	1.1	1.2	1.3	5.9	5	0
PIMA	260	1.4	0.9	1	1.3	10	6	0
PINAL	33	1.5	0.9	1.2	1.2	4.4	6	0
SANTA CRUZ	13	1.7	1.4	1.5	1.2	4.2	8	0
YAVAPAI	51	1.2	0.8	0.9	1.1	4.6	2	0
YUMA	34	0.7	0.5	0.6	0.5	2.4	0	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of California conducted during 1989-90. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ALAMEDA	60	0.8	0.5	0.7	1	4	0	0
AMADOR	15	1.5	0.8	1.3	1.3	3.9	0	0
BUTTE	44	0.5	0.3	0.5	1.1	3.2	0	0
CALAVERAS	18	1.2	0.7	1.1	1.1	3.2	0	0
COLUSA	2	0.6	0.3	0.6	0.6	1	0	0
CONTRA COSTA	60	0.8	0.4	0.7	0.9	4	0	0
DEL NORTE	8	0.3	0.3	0.5	0.8	1.1	0	0
ELDORADO	34	1.3	0.7	0.9	1.6	5.7	9	0
FRESNO	106	1.3	0.8	0.9	1.3	9.4	2	0
GLENN	10	0.4	0.3	0.4	0.6	1.8	0	0
HUMBOLDT	36	0.4	0.2	0.1	1.6	8.6	3	0
IMPERIAL	2	1.5	1.4	1.5	0.5	1.8	0	0
INYO	1	1.7	1.7	1.7	0	1.7	0	0
KERN	100	1.4	1	1.3	1.2	8.5	2	0
KINGS	12	1.5	0.9	1.2	1.5	5.3	8	0
LAKE	16	1.4	0.5	0.8	2.7	11.1	6	0
LASSEN	18	1.1	0.8	1	0.9	3.4	0	0
LOS ANGELES	69	0.7	0.4	0.5	1	5.6	1	0
MADERA	24	2.6	1.3	1.4	5.7	29.1	4	4
MARIN	58	0.8	0.4	0.4	1.3	6.4	3	0
MARIPOSA	9	1	0.6	0.9	1	3.3	0	0
MENDOCINO	17	0.4	0.2	0.3	0.5	1.3	0	0
MERCED	10	2.1	1.3	1.7	1.8	6.1	10	0
MODOC	5	1	0.4	0.5	2.2	4.6	20	0
MONO	2	1.9	1.8	1.9	0.4	2.1	0	0
MONTEREY	20	1	0.2	0.2	2.2	7.4	10	0
NAPA	29	1	0.5	0.7	2.1	9.7	7	0
NEVADA	26	2.4	0.7	1.1	5.3	27.3	12	4
ORANGE	31	0.7	0.5	0.6	0.7	2.2	0	0
PLACER	82	0.9	0.4	0.6	1.7	9.1	5	0
PLUMAS	11	1.3	0.7	1	1.3	3.7	0	0
RIVERSIDE	24	0.3	0.3	0.5	0.8	1.7	0	0
SACRAMENTO	55	1	0.4	0.7	2.3	15.9	2	0
SAN BENITO	2	0.4	0.2	0.4	0.5	0.7	0	0
SAN BERNARDINO	17	0.7	0.5	0.7	1	2.9	0	0
SAN DIEGO	39	0.6	0.4	0.6	0.6	2.4	0	0
SAN FRANCISCO	20	0.6	0.4	0.6	0.6	2.1	0	0
SAN JOAQUIN	22	2.5	1.3	1.5	3.8	18	9	0
SAN LUIS OBISPO	15	2.7	0.7	0.7	5.7	22.1	13	7
SAN MATEO	38	0.8	0.4	0.5	1.3	6.6	3	0
SANTA BARBARA	90	1.5	0.7	0.9	2.6	19.5	7	0
SANTA CLARA	77	1.4	0.7	1	1.9	9.2	9	0
SANTA CRUZ	10	1.2	0.5	0.8	1.4	4.8	10	0
SHASTA	79	1.1	0.5	0.6	1.9	11.5	4	0

SIERRA	2	1.4	1.3	1.4	0.1	1.4	0	0
SISKIYOU	27	0.9	0.5	0.8	1.5	6.8	4	0
SOLANO	43	0.9	0.4	0.5	1.5	8.6	5	0
SONOMA	82	0.6	0.3	0.3	0.9	4.1	1	0
STANISLAUS	14	1.8	1.2	1.3	1.5	5.9	7	0
SUTTER	15	1.1	0.4	0.4	2	7.7	7	0
TEHAMA	17	0.9	0.3	0.8	1.8	7.5	6	0
TRINITY	6	0.4	0.2	0.2	0.8	1.7	0	0
TULARE	63	1.9	1.5	1.5	1.4	8	5	0
TUOLUMNE	24	1.2	0.7	0.9	1	3.2	0	0
VENTURA	140	1.2	0.8	0.9	1.3	8.2	4	0
YOLO	14	1.4	0.8	1.2	1.5	5.8	7	0
YUBA	15	1.3	0.6	0.8	2	8.3	7	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Colorado conducted during 1986-87. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAMS	33	5.7	3.7	3.3	7.3	39.8	36	3
ALAMOSA	6	2.5	2	1.9	1.9	6.1	17	0
ARAPAHOE	64	6.2	4.4	4.8	6.7	47.9	55	3
ARCHULETA	6	1.6	1.4	1.3	1	3.6	0	0
BACA	34	4.8	2.7	3.6	4.5	17	47	0
BENT	16	2.7	2.6	2.7	0.9	5	6	0
BOULDER	54	4.2	2.7	2.6	3.9	20.2	41	2
CHAFFEE	7	1.2	0.8	1	1	3.2	0	0
CHEYENNE	18	6.7	5.3	4.9	5.9	26.9	67	6
COSTILLA	14	4.8	3.6	3.2	3.5	12.6	43	0
CROWLEY	18	5	4.1	4.1	3	11.3	50	0
CUSTER	2	1.1	1.1	1.1	0.1	1.2	0	0
DELTA	19	4.2	3.4	3.3	3	11.5	42	0
DENVER	40	4.3	3.5	4	2.5	11.2	48	0
DOUGLAS	72	7.6	5.6	5.2	6.9	33.5	63	7
EAGLE	8	5.7	3.8	2.9	6	19	38	0
ELBERT	21	4.6	2.9	4.5	3	10.1	57	0
EL PASO	113	4.7	2.7	3	6.5	46.4	36	4
FREMONT	88	5	3.1	3.5	8.8	81.2	44	1
GRAND	23	5.4	2.3	4	7	34.1	48	4
GUNNISON	15	3.8	2.1	3.7	3.2	11	40	0
HUERFANO	19	5	4.1	4	3.9	18.7	47	0
JACKSON	6	6.8	4.6	4.3	6	15	50	0
JEFFERSON	50	5.1	3.6	3.5	4.4	24.1	48	2
KIOWA	13	14.7	3.6	4.9	22.3	70.9	69	23
KIT CARSON	8	7.2	5.6	7.8	4.5	13.8	63	0
LA PLATA	10	5.2	3.1	3.8	4.6	13.5	50	0
LARIMER	96	5.5	3.2	3.5	5.2	25.1	43	3
LAS ANIMAS	27	6	3.8	4.2	5.9	27.1	52	4
LINCOLN	14	4.6	3.1	4.1	4.5	18.4	50	0
MESA	73	2.7	2.1	2.2	2	11.5	15	0
MINERAL	3	14	5.4	3.5	20.3	37.4	33	33
MOFFAT	8	2.8	2.4	1.9	1.6	5.7	25	0
MONTEZUMA	17	2.6	1.7	1.5	3.2	13.4	12	0
MONTROSE	22	2.4	1	1	3.7	16.3	14	0
OTERO	19	3.5	2.5	3	3	12.7	21	0
OURAY	2	2.8	2	2.8	2.8	4.8	50	0
PARK	9	5.2	2.1	2.6	5.4	14.7	44	0
PROWERS	18	2.6	2.1	1.9	2.1	8.7	22	0
PUEBLO	32	2.5	1.7	1.7	2.3	10.4	28	0
RIO BLANCO	16	1.8	1.1	1.4	1.6	7	6	0
RIO GRANDE	6	2.9	2.7	2.7	1.3	5.1	17	0
ROUTT	14	5.5	3.6	3.3	5.8	21.4	43	7
SAGUACHE	9	1.4	1.2	1.2	0.8	2.8	0	0

SANMIGUEL	9	1.6	0.9	0.8	1.8	5.4	11	0
TELLER	3	99.7	57.6	71.6	104.2	215	100	67
WASHINGTON	1	7.8	7.8	7.8	***	7.8	100	0
YUMA	3	11	7.6	9.5	9.7	21.4	67	33

TABLE 1. Connecticut indoor radon summary by geologic terrane.

Numbers refer to map of geologic terranes (fig. 1). Data from the Connecticut Geological Survey (M.A. Thomas, personal communication, 1991).

Geologic Terrane	# of Homes	Geometric Mean	Arithmetic Mean
Newark Terrane (1)	589	1.18	1.55
Proto-NA Terrane			
Carbonate Shelf (2a)	116	1.83	2.8
Proterozoic Massifs (2b)	88	1.73	2.47
Iapetos Terrane			
Ct Valley Syn. (3a)	1568	2.19	3.46
Bronson Hill Ant. (3b)	493	2.68	5.56
Merrimack Syn. (3c)	802	1.84	2.69
Taconic Allochth. (3d)	208	1.58	2.7
Avalonian Terrane (4)	907	1.9	3.32
Lake Char Fault	4	1.24	1.1

TABLE 2. Connecticut indoor radon summary by county.

Data represent 2-7 day charcoal canister measurements. Data from M.A. Thomas (1990 and personal communication).

County	Number of Homes	Geometric Mean	Arithmetic Mean	Maximum	%>4pCi/L
Fairfield	865	2.09	3.16	98.4	21
Hartford	375	1.48	2.49	80.9	14
Litchfield	805	1.95	3.1	75	21
Middlesex	496	1.82	2.91	47.2	20
New Haven	701	2.24	5.04	485	29
New London	842	1.7	2.75	72.6	17
Tolland	307	1.7	2.29	18.9	14
Windham	407	2.09	3.04	45.4	21

TABLE 1. Screening indoor radon data complied by the Delaware Department of Public Health for homes tested during the period 1986-1990. Data represent 2-7 day measurements. Units for all columns of radon data are pCi/L.charcoal canister measurements. Units for all columns of radon data are pCi/L

ZIP CODE	CITY	COUNTY	NO. OF MEAS	AVERAGE	MEDIAN	GM	STD	MAX	%>4 pCi/L	%>20 pCi/L
19701	BEAR	NEWCASTLE	140	1.8	1.3	1.3	1.9	15.8	11	0
19702	NEWARK	NEWCASTLE	175	1.5	1	1.1	1.5	13.4	4	0
19703	CLAYMONT	NEW CASTLE	132	1.8	1.3	1.3	1.5	7.5	11	0
19706	DEL. CITY	NEW CASTLE	33	1	0.6	0.9	0.7	3	0	0
19707	HOCKESSIN	NEW CASTLE	352	2.4	1.6	1.7	2.5	17.5	15	0
19708	KIRKWOOD	NEW CASTLE	5	0.9	0.5	0.8	0.6	1.7	0	0
19709	MIDDLETOWN	NEW CASTLE	240	3	2	2	4	38.9	19	1
19710	MONTCHANIN	NEWCASTLE	15	1.7	1.5	1.4	1.1	4.2	7	0
19711	NEWARK	NEWCASTLE	821	2.7	1.5	1.5	7.5	163.9	14	1
19713	NEWARK	NEWCASTLE	197	1.5	0.9	1	1.6	13.1	5	0
19714	NEWARK	NEW CASTLE	2	2.7	2.7	2.6	0.2	2.8	0	0
19715	NEWARK	NEW CASTLE	4	1.7	1.8	1.6	0.6	2.4	0	0
19720	NEW CASTLE	NEW CASTLE	269	1.7	1.3	1.2	1.8	21	7	0
19730	ODESSA	NEW CASTLE	47	3.2	2	2	3.1	13	30	0
19731	PORTPENN	NEWCASTLE	13	1.2	0.5	0.9	1.4	5.4	8	0
19732	ROCKLAND	NEW CASTLE	6	1.7	1.5	1.3	1.2	3.2	0	0
19733	ST. GEORGES	NEW CASTLE	5	2.9	2.2	2.5	1.9	6.2	20	0
19734	TOWNSEND	NEWCASTLE	106	1.6	1	1.1	1.8	9.6	9	0
19735	YORKLYN	NEWCASTLE	1	0.8	0.8	0.8	***	0.8	0	0
19736	YORKLYN	NEWCASTLE	15	2.3	1.3	1.4	3.3	13.3	7	0
19800	WILMINGTON	NEWCASTLE	2	0.5	0.5	0.4	0.3	0.7	0	0
19801	WILMINGTON	NEW CASTLE	39	1.5	1.1	1.2	1.1	5.6	3	0
19802	WILMINGTON	NEWCASTLE	114	1.7	1.1	1.2	1.6	10.2	9	0
19803	WILMINGTON	NEW CASTLE	688	2.1	1.6	1.5	1.8	12.3	14	0
19804	WILMINGTON	NEW CASTLE	171	1.9	1.7	1.4	1.4	6.5	8	1
19805	WILMINGTON	NEW CASTLE	194	1.6	1	1	3	37.2	6	0
19806	WILMINGTON	NEW CASTLE	78	1.6	1.1	1.2	1.3	7.4	5	0
19807	WILMINGTON	NEW CASTLE	178	2.2	1.7	1.6	1.9	12.8	13	0
19808	WILMINGTON	NEW CASTLE	572	2.2	1.6	1.6	2.3	26.5	13	0
19809	WILMINGTON	NEW CASTLE	234	2.1	1.5	1.5	1.9	13	13	0
19810	WILMINGTON	NEW CASTLE	691	2.6	1.8	1.8	2.7	40.5	19	0
19901	DOVER	KENT	295	1.6	1.2	1.1	1.4	9.5	6	0
19930	BETHANY	SUSSEX	21	0.7	0.5	0.6	0.4	2	0	0
19931	BETHAL	SUSSEX	3	1	1	0.9	0.4	1.4	0	0
19933	BRIDGEVILLE	SUSSEX	49	1	0.8	0.9	0.5	3.3	0	0
19934	CAMDEN	KENT	58	1.1	0.9	0.9	0.9	5.5	3	0
19936	CHESWOLD	KENT	5	0.9	0.5	0.8	0.5	1.5	0	0
19938	CLAYTON	KENT	48	1.1	0.8	0.9	1	6	2	0
19939	DAGSBORO	SUSSEX	32	1.5	0.5	0.8	3.1	17.1	6	0
19940	DELMAR	SUSSEX	24	0.8	0.5	0.7	0.4	2.1	0	0
19941	ELLENDALE	SUSSEX	7	0.6	0.5	0.6	0.4	1.5	0	0
19942	FARMINGTON	KENT	1	0.5	0.5	0.5	***	0.5	0	0
19943	FELTON	KENT	52	1.1	0.9	0.9	1.1	8	2	0
19944	FENWICKIS.	SUSSEX	7	0.5	0.5	0.5	0	0.5	0	0
19945	FRANKFORD	SUSSEX	32	0.8	0.5	0.7	0.7	3.5	0	0

19946	FREDERICA	KENT	20	1.5	0.9	1.1	1.3	4.3	10	0
19947	GEORGETOWN	SUSSEX	70	0.9	0.5	0.7	0.8	5.1	16	0
19950	GREENWOOD	KENT	34	1.4	0.8	0.9	1.7	9.3	0	0
19951	HARBESON	SUSSEX	12	0.9	0.5	0.8	0.6	1.8	3	0
19952	HARRINGTON	KENT	38	0.8	0.5	0.7	0.7	4.6	0	0
19953	HARTLY	KENT	17	0.8	0.5	0.7	0.6	2.6	0	0
19954	HOUSTON	KENT	16	1.1	0.8	0.9	0.6	2.1	0	0
19955	KENTON	KENT	1	0.5	0.5	0.5	***	0.5	2	0
19956	LAUREL	SUSSEX	52	0.9	0.5	0.7	0.8	4.7	1	0
19958	LEWES	SUSSEX	88	1.1	0.7	0.8	0.9	5.9	4	0
19960	LINCOLN	SUSSEX	27	0.9	0.5	0.7	0.8	4.1	0	0
19961	LITTLE CREEK	KENT	1	2.1	2.1	2.1	***	2.1	7	0
19962	MAGNOLIA	KENT	28	1.6	1.2	1.2	1.4	6.3	3	0
19963	MILFORD	SUSSEX	87	1.5	1	1.1	1.2	7	0	0
19964	MARYDEL	KENT	6	0.7	0.7	0.7	0.2	1.1	0	0
19966	MILLSBORO	SUSSEX	64	0.9	0.5	0.7	0.6	3	2	0
19968	MILTON	SUSSEX	55	1	0.6	0.8	0.8	5	0	0
19969	NASSAU	SUSSEX	3	1.5	1	1.3	1	2.7	0	0
19970	MILLVILLE	SUSSEX	50	0.8	0.5	0.7	0.5	2.3	3	0
19971	REHOBOTH	SUSSEX	63	1.2	0.7	0.9	1.2	8.1	3	0
19973	SEAFORD	SUSSEX	105	1.1	0.8	0.9	1	5.2	0	0
19975	SELBYVILLE	SUSSEX	36	0.5	0.5	0.5	0.2	1.7	6	0
19977	SMYRNA	KENT	99	1.6	1	1.2	1.6	11.7	0	0
19979	VIOLA	NEW CASTLE	3	1.2	1.5	1	0.6	1.5	0	0
19980	WOODSIDE	KENT	1	0.5	0.5	0.5	***	0.5		0

TABLE 2. Indoor radon results from the Florida population-based radon survey, by county.

County	Number of Homes	Average pCi/L	Standard Deviation pCi/L	Maximum pCi/L	Percent	Percent	Percent
					Homes >4pCi/L	Homes >8pCi/L	Homes >12pCi/L
Alachua	67	2.4	3	14.4	22.4*	7.5	3
Baker	15	0.4	0.2	0.9	-	-	-
Bay	51	0.3	0.2	1.1	-	-	-
Bradford	13	0.3	0.4	1.6	-	-	-
Brevard	166	0.3	0.3	1.8	-	-	-
Broward	127	0.4	0.5	2.7	-	-	-
Calhoun	13	0.4	0.3	1.3	-	-	-
Charlotte	39	1.7	1.4	6.1	10.3*	-	-
Citrus	49	1.9	2.9	15.9	10.2*	4.1	2
Clay	39	0.3	0.2	1	-	-	-
Collier	51	0.9	1.1	7.5	2	-	-
Columbia	8	0.2	0	0.2	-	-	-
Dade	71	0.8	1	5.3	1.4	-	-
DeSoto	15	0.8	0.9	3.5	-	-	-
Dixie	12	0.2	0.1	0.6	-	-	-
Duval	126	0.3	0.3	1.3	-	-	-
Escambia	90	0.5	0.2	1.5	-	-	-
Flagler	5	0.3	0.2	0.7	-	-	-
Franklin	9	0.3	0.2	0.8	-	-	-
Gadsden	11	0.5	0.6	2.3	-	-	-
Gilchrist	15	1.8	2.2	7.2	13.3	-	-
Glades	6	0.4	0.4	1.1	-	-	-
Gulf	11	0.2	0	0.2	-	-	-
Hamilton	9	0.3	0.1	0.5	-	-	-
Hardee	15	0.8	1.1	3.9	-	-	-
Hendry	13	0.6	0.7	2.2	-	-	-
Hernando	46	0.5	0.3	1.4	-	-	-
Highlands	37	0.4	0.3	1.2	-	-	-
Hillsborough	134	1	2	17.8	3.7*	2.2	0.8
Holmes	11	0.4	0.3	1.1	-	-	-
Indian River	46	0.3	0.2	1.1	-	-	-
Jackson	11	0.4	0.2	0.9	-	-	-
Jefferson	8	0.2	0.1	0.5	-	-	-
Lafayette	12	0.5	0.2	0.8	-	-	-
Lake	44	0.3	0.3	2	-	-	-
Lee	101	1.6	3.2	28.2	5.9*	2	2
Leon	51	1.7	1.7	7	13.9*	-	-
Levy	11	2.2	4.1	14	18.2	9.1	9.1
Liberty	12	0.3	0.2	0.8	-	-	-
Madison	8	0.5	0.6	1.8	-	-	-
Manatee	69	0.8	1.7	13.3	2.9	1.5	1.5
Marion	39	4.3	5.6	25.4	30.8*	18	12.8
Martin	23	0.3	0.1	0.7	-	-	-
Monroe	9	0.2	0	0.2	-	-	-
Nassau	18	0.3	0.2	0.7	-	-	-
Okaloosa	63	0.3	0.2	1.3	-	-	-

Okeechobee	13	0.4	0.3	1	-	-	-
Orange	157	0.5	0.7	4.6	1.9*	-	-
Osceola	28	0.4	0.3	1.4	-	-	-
Palm Beach	141	0.4	0.4	2.3	-	-	-
Pasco	121	0.8	1.4	8	5.0*	0.8	-
Pinellas	185	0.4	0.4	4.4	0.5	-	-
Polk	128	0.9	1.7	15.1	3.1*	1.6	0.8
Putnam	25	0.2	0.1	0.5	-	-	-
St. Johns	17	0.3	0.1	0.7	-	-	-
St. Lucie	49	0.3	0.3	1.2	-	-	-
Santa Rosa	24	0.5	0.6	2.5	-	-	-
Sarasota	135	0.7	0.8	5.6	1.5	-	-
Seminole	65	0.6	0.7	4.4	1.5	-	-
Sumter	15	1.9	2.6	8.5	13.3	6.7	-
Suwanee	15	0.5	0.9	3.7	-	-	-
Taylor	11	0.8	0.7	2.1	-	-	-
Union	18	0.7	0.5	1.6	-	-	-
Volusia	126	0.4	0.3	1.7	-	-	-
Wakulla	7	0.4	0.4	1.1	-	-	-
Walton	18	0.3	0.2	0.7	-	-	-
Washington	9	0.5	0.3	1	-	-	-
Total, all counties	3,106	0.7	1.5	28.2	2.6	0.8	0.5

*- Counties for which the proportion homes with measured concentrations at or above 4 pCi/L is significantly different from zero.

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Georgia conducted during 1988-89. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
APPLING	9	0.6	0.5	0.7	0.4	1.3	0	0
ATKINSON	5	1	0.5	0.5	1.4	3.5	0	0
BACON	6	1.3	0.8	1.1	1.1	3.2	0	0
BALDWIN	5	1	1	0.9	0.3	1.4	0	0
BANKS	6	1.7	1.5	1.6	0.8	2.7	0	0
BARROW	8	1.9	1.8	1.9	0.7	2.9	0	0
BARTOW	9	1.6	1.4	1.5	0.8	2.9	0	0
BEN HILL	4	1	0.7	0.9	0.7	1.8	0	0
BERRIEN	4	0.7	0.6	0.8	0.4	1.1	0	0
BIBB	23	1.2	0.9	1.1	0.9	4.2	4	0
BLECKLEY	7	1.5	1.3	1.6	0.5	2.1	0	0
BRANTLEY	4	0.6	0.6	0.6	0.3	0.9	0	0
BROOKS	2	0.9	0.7	0.9	0.6	1.3	0	0
BRYAN	9	0.8	0.6	1	0.5	1.3	0	0
BULLOCH	20	1	0.8	0.8	0.7	2.5	0	0
BURKE	5	0.9	0.9	0.9	0.4	1.5	0	0
BUTTS	6	2	1.7	1.9	1.2	4	0	0
CALHOUN	1	1.7	1.7	1.7	0	1.7	0	0
CAMDEN	15	0.3	0.2	0.2	0.3	0.9	0	0
CANDLER	2	0.8	0.7	0.8	0.1	0.8	0	0
CARROLL	25	1.4	1	1	1.2	5.1	4	0
CATOOSA	5	2.4	1.9	1.3	2.4	6.7	20	0
CHARLTON	5	0.4	0.3	0.4	0.4	1	0	0
CHATHAM	20	0.9	0.7	0.7	0.7	3.4	0	0
CHATTOOGA	5	1	0.7	1.1	0.6	1.8	0	0
CHEROKEE	10	1.5	1.3	1.2	1	3.6	0	0
CLARKE	8	2.7	2.3	2.9	1.4	5.1	13	0
CLAY	1	0.4	0.4	0.4	0	0.4	0	0
CLAYTON	30	1.8	1.4	1.4	1.4	5.6	13	0
CLINCH	4	0.3	0.2	0.2	0.3	0.7	0	0
COBB	83	1.8	1.3	1.5	1.4	6.7	8	0
COFFEE	22	0.8	0.7	0.7	0.4	2.1	0	0
COLQUITT	17	0.8	0.7	0.8	0.5	1.6	0	0
COLUMBIA	24	1.4	1	1	1.2	6.1	4	0
COOK	1	1.4	1.4	1.4	0	1.4	0	0
COWETA	13	1.2	0.9	0.7	1.2	4.9	8	0
CRAWFORD	3	1.4	1.2	0.8	1	2.6	0	0
CRISP	8	0.6	0.4	0.7	0.4	1.1	0	0
BADE	7	1.5	1.1	0.9	1.2	3.8	0	0
DAWSON	2	1.5	1.3	1.5	1	2.2	0	0
DEKALB	76	2.6	1.8	1.8	2.7	15.4	11	0
DECATUR	9	0.8	0.6	0.7	0.6	2	0	0
DODGE	4	0.6	0.4	0.6	0.5	1.2	0	0

DOOLY	2	1.7	1.6	1.7	0.2	1.8	0	0
DOUGHERTY	11	2.1	1.7	1.8	1.7	6.8	9	0
DOUGLAS	26	2.9	2.3	2.4	2	9.4	15	0
EARLY	3	2	1.1	0.8	2.5	4.9	33	0
ECHOLS	1	0.6	0.6	0.6	0	0.6	0	0
EFFINGHAM	12	0.5	0.4	0.5	0.2	1	0	0
ELBERT	5	2.5	1.6	1.9	2.2	5.7	20	0
EMANUEL	9	0.5	0.5	0.5	0.2	1	0	0
EVANS	5	0.6	0.5	0.4	0.4	1.1	0	0
FANNIN	5	7.1	4.8	4.4	7	18.7	60	0
FAYETTE	31	2	1.5	1.3	1.9	10.1	6	0
FLO YD	18	1.6	1.2	1.2	1.2	4.3	6	0
FORSYTH	11	1.1	0.9	0.9	0.8	3.3	0	0
FRANKLIN	7	2	1.7	1.2	1.2	3.5	0	0
FULTON	75	2.1	1.6	1.5	1.8	8.8	12	0
GILMER	5	4	3.2	2.7	3.5	10.3	20	0
GLASCOCK	2	1.4	1.1	1.4	1.1	2.2	0	0
GLYNN	6	0.3	0.2	0.3	0.1	0.5	0	0
GORDON	7	0.7	0.5	0.8	0.5	1.3	0	0
GRADY	6	0.9	0.8	1	0.3	1.3	0	0
GREENE	3	3.2	2.1	2.7	3	6.5	33	0
GWINNETT	73	2.6	1.9	1.8	2.6	15	11	0
HABERSHAM	12	1.6	1.2	1.4	1.1	3.4	0	0
HALL	37	2.9	2	1.8	2.7	9.8	19	0
HANCOCK	6	1.5	0.9	1	1.5	4.2	17	0
HARALSON	9	2.1	1.6	1.2	1.7	5.5	22	0
HARRIS	2	3.7	2.8	3.7	3.4	6.1	50	0
HART	11	2	1.6	2	1.3	5	9	0
HEARD	1	0.1	0.1	0.1	0	0.1	0	0
HENRY	17	1.9	1.6	1.9	0.9	3.8	0	0
HOUSTON	18	1.6	1.3	1.3	1.1	4.7	6	0
IRWIN	1	0.9	0.9	0.9	0	0.9	0	0
JACKSON	6	2.5	1.9	1.6	2.2	6.8	17	0
JASPER	3	3	2.3	2.6	2.3	5.4	33	0
JEFFDAVIS	5	0.4	0.3	0.4	0.4	0.9	0	0
JEFFERSON	2	1	1	1	0.1	1.1	0	0
JENKINS	5	1.6	1.3	0.8	1.3	3.6	0	0
JOHNSON	4	0.7	0.5	0.9	0.5	1.1	0	0
JONES	6	2.3	2.1	2.4	0.8	3.5	0	0
LAMAR	3	0.7	0.6	0.8	0.3	0.9	0	0
LANIER	2	0.6	0.5	0.6	0.4	0.8	0	0
LAURENS	13	1.3	1.1	1.2	0.8	2.5	0	0
LIBERTY	12	0.6	0.5	0.4	0.4	1.5	0	0
LINCOLN	8	1.1	0.8	0.8	1	2.9	0	0
LONG	3	1.1	1.1	1	0.3	1.5	0	0
LOWNDES	10	0.9	0.7	1.1	0.5	1.6	0	0
LUMPKIN	1	1.8	1.8	1.8	0	1.8	0	0
MACON	1	0.8	0.8	0.8	0	0.8	0	0
MADISON	8	3.5	1.8	1.5	5.5	16.9	13	0
MCDUFFfffi	18	1.1	0.8	0.7	1	3.4	0	0
MCINTOSH	2	0.8	0.7	0.8	0.5	1.1	0	0
MERIWETHER	9	1.3	1.1	1.1	0.7	2.8	0	0

MILLER	2	2.2	2.1	2.2	0.5	2.5	0	0
MITCHELL	8	0.7	0.5	0.6	0.5	1.8	0	0
MONROE	3	0.7	0.6	0.5	0.5	1.2	0	0
MONTGOMERY	3	0.8	0.8	0.7	0.3	1.2	0	0
MORGAN	6	1.4	1.1	1.5	0.9	2.5	0	0
MURRAY	9	1.1	0.9	0.9	1	3.4	0	0
MUSCOGEE	22	1.1	0.9	0.9	0.8	3.8	0	0
NEWTON	8	1.3	1.1	1.2	0.7	2.8	0	0
OCONEE	1	1.9	1.9	1.9	0	1.9	0	0
OGLETHORPE	4	2.9	2.6	2.7	1.5	4.7	25	0
PAULDING	4	1	0.6	0.7	1	2.5	0	0
PEACH	5	1.6	1.3	1.6	0.8	2.3	0	0
PICKENS	4	2.1	1.5	1.3	2.2	5.3	25	0
PIERCE	13	1.5	1.1	1	1.8	7.1	8	0
PIKE	6	1.7	0.5	0.8	2.2	5.3	17	0
POLK	8	1.2	0.9	1.3	0.8	2.6	0	0
PULASKI	3	1.9	1.6	1.5	1.2	3.2	0	0
PUTNAM	11	1.4	1.2	1.1	0.8	3.1	0	0
RABUN	6	1.5	1.3	1.4	0.9	3.1	0	0
RANDOLPH	2	1.3	1.2	1.3	0.7	1.8	0	0
RICHMOND	26	1	0.8	0.9	0.5	2.4	0	0
ROCKDALE	24	2.1	1.4	1.4	3.2	16.5	8	0
SCHLEY	2	0.9	0.9	0.9	0.3	1.1	0	0
SCREVEN	5	1.5	0.8	0.6	2.2	5.4	20	0
SEMINOLE	1	1.1	1.1	1.1	0	1.1	0	0
SPALDING	19	2.3	1.5	1.3	2.4	8.9	21	0
STEPHENS	12	2.1	1.9	1.9	1.1	4.6	17	0
STEWART	1	1.6	1.6	1.6	0	1.6	0	0
SUMTER	12	1.7	1.5	1.6	0.9	3.8	0	0
TALBOT	3	1.4	1.4	1.2	0.3	1.8	0	0
TALIAFERRO	3	1	0.9	1.3	0.6	1.4	0	0
TATTNALL	7	0.8	0.6	0.7	0.6	1.7	0	0
TAYLOR	1	2.4	2.4	2.4	0	2.4	0	0
TELFAIR	5	0.4	0.3	0.5	0.2	0.5	0	0
TERRELL	2	1.1	1	1.1	0.7	1.6	0	0
THOMAS	11	1.7	1.3	1.4	1.3	4.9	9	0
TIFT	3	1.1	0.5	1.5	1	1.8	0	0
TOOMBS	20	0.9	0.6	1	0.6	2.4	0	0
TOWNS	5	1.5	1.3	1.8	0.7	2.2	0	0
TREUTLEN	3	0.9	0.9	0.8	0.2	1.1	0	0
TROUP	19	1.3	1.1	1.2	0.7	3.4	0	0
TURNER	3	0.8	0.8	0.8	0.2	1	0	0
TWIGGS	2	1.5	1.2	1.5	1.2	2.3	0	0
UNION	8	2.7	1.9	2.3	2.5	8.5	13	0
UPSON	11	1.2	0.9	1.1	0.6	2.6	0	0
WALKER	16	2.5	1.6	1.4	2.6	8.3	25	0
WALTON	13	2.7	1.6	1.1	2.9	10.1	31	0
WARE	22	0.6	0.5	0.6	0.3	1	0	0
WARREN	3	0.6	0.5	0.7	0.2	0.7	0	0
WASHINGTON	6	1.6	1	1.4	1.6	4.5	17	0
WAYNE	11	1.1	0.8	0.8	1	3.8	0	0
WEBSTER	3	0.8	0.6	0.8	0.6	1.4	0	0

WHEELER	1	1.3	1.3	1.3	0	1.3	0	0
WHITE	8	2.5	1.2	1.4	3.9	12.1	13	0
WHITFIELD	8	1.9	1.1	2.1	1.4	3.6	0	0
WILCOX	3	0.2	0.2	0.1	0.2	0.4	0	0
WILKES	9	1.8	1.4	1.3	1.4	4.8	11	0
WILKINSON	4	1	1	1	0.3	1.5	0	0
WORTH	1	2.5	2.5	2.5	0	2.5	0	0

TABLE 1. Screening indoor radon data from the State/EPA Residential Radon Survey of Hawaii conducted during 1989-90. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
HAWAH	138	0.1	0.1	0	0.6	5.6	1	0
HONOLULU	257	0.1	0.1	0	0.6	4.8	0	0
KAUAI	49	0.2	0.2	0.3	0.5	2.3	0	0
MAUI	79	0.1	0.1	0	0.7	2.3	0	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Idaho conducted during 1989-90. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADA	769	2.8	1.9	2.1	2.8	29.5	18	0
ADAMS	4	1.2	0.9	1.1	0.9	2.3	0	0
BANNOCK	16	3	1.8	2.1	2.8	10.4	19	0
BEAR LAKE	10	4.6	3.6	3.4	3	8.8	40	0
BENEWAH	3	0.3	0.3	0.4	0.2	0.5	0	0
BINGHAM	10	2.9	1.9	2	2.7	8.3	20	0
BLAINE	6	8.4	5.5	7.6	7.4	21.4	67	17
BOISE	1	4.5	4.5	4.5	0	4.5	100	0
BONNER	17	3.1	1	0.8	5.3	16.7	18	0
BONNEVILLE	21	2.6	1.3	1.6	3.6	13.3	10	0
BOUNDARY	6	2.2	1.7	2.2	1.2	3.9	0	0
BUTTE	7	3.9	1.9	3.6	3.6	10.9	43	0
CAMAS	1	3.9	3.9	3.9	0	3.9	0	0
CANYON	37	1.7	1	1.2	1.8	9.8	5	0
CARIBOU	19	5.8	4.4	5.7	4	13.8	58	0
CASSIA	15	10.1	2.9	5.9	16.1	59.3	60	13
CLARK	2	5.9	5.9	5.9	0.6	6.3	100	0
CLEARWATER	8	3.4	1.1	2.4	4.9	14.6	25	0
CUSTER	5	5.9	4.6	5.1	4	12	80	0
ELMORE	4	0.9	0.6	0.9	0.7	1.7	0	0
FRANKLIN	16	4.1	2.4	2.4	4.2	15	25	0
FREMONT	1	2.6	2.6	2.6	0	2.6	0	0
GEM	5	2	1.4	1.5	1.6	4	0	0
GOODING	5	4.7	1.2	1.3	8	18.7	20	0
IDAHO	18	1.6	0.5	0.6	2.2	6.8	17	0
JEFFERSON	2	3	2.1	3	2.9	5	50	0
JEROME	3	0.9	0.5	0.4	1	2	0	0
KOOTENAI	29	7	2.5	2.6	10	49	41	3
LATAH	55	2.1	0.8	0.9	3.5	18.1	13	0
LEMFFL	17	4.1	3.4	3	2.6	10.5	41	0
LEWIS	2	13.5	11.2	13.5	10.7	21.1	100	50
LINCOLN	1	3	3	3	0	3	0	0
MADISON	32	6.4	3.8	4.8	6.1	23.5	59	6
MINIDOKA	9	1.6	1.2	1.5	1	3.9	0	0
NEZPERCE	50	1.9	1.3	1.6	1.5	5.9	16	0
OWYHEE	2	5.8	1.8	5.8	7.8	11.3	50	0
PAYETTE	5	0.8	0.6	0.8	0.4	1.2	0	0
POWER	2	0.6	0.2	0.6	0.8	1.1	0	0
SHOSHONE	11	6.7	2.8	2.8	9.3	30.1	45	9
TETON	6	14.9	4.6	8.1	20	54.3	83	17
TWIN FALLS	30	1.7	1.1	1.5	1.3	5	7	0
WASHINGTON	4	5.4	3.5	4.5	5	11.4	50	0

TABLE 2. Screening indoor radon data from the IDNS statewide radon survey conducted in Illinois during 1987-91. Data represent 2-week to 3-month alpha-track measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
Adams	65	2.8	1.9	2.1	2.7	13.6	23	0
Alexander	25	3	2.7	3.1	1.3	5.6	24	0
Bond	27	2.2	1.5	1.5	1.8	6.2	19	0
Boone	55	5	4.4	4.7	2.5	13.3	62	0
Brown	35	3.9	2	2	9.1	55.1	23	3
Bureau	24	3	2.6	3.1	1.6	7	21	0
Calhoun	25	3.9	3.4	3.1	2.3	10.8	32	0
Carroll	28	5.1	3.5	3.4	5.5	25.4	43	4
Cass	28	5.2	4.6	4.7	2.5	11.3	68	0
Champaign	33	5	4	3.9	3.6	17.6	48	0
Christian	50	4.7	3.8	3.7	3.2	15.5	48	0
Clark	26	2.6	1.5	1	3.3	14.2	19	0
Clay	24	2.3	1.7	1.8	1.8	5.7	25	0
Clinton	15	2.7	2	1.7	2.3	8.2	20	0
Coles	36	3.7	2.6	2.7	3.7	18.5	33	0
Cook	261	2.8	2.3	2.2	1.8	11.6	19	0
Crawford	30	1.5	1.1	0.8	1.7	9.7	3	0
Cumberland	35	1.8	1.5	1.6	1	4.8	3	0
DeKalb	56	4.3	3.7	3.9	2.7	18.9	43	0
DeWitt	27	7.5	4.2	4.9	13.9	75.6	56	4
Douglas	22	4.5	2.3	2.8	8.5	41.6	23	5
DuPage	167	4.4	3.2	3.1	6	64.5	31	2
Edgar	31	3	2.3	2	2.7	14.3	26	0
Edwards	29	2.3	1.4	1	3.5	17.8	10	0
Effingham	36	3.5	2.2	1.6	4.1	19.3	28	0
Fayette	40	2.9	2.5	2.5	1.7	8.4	20	0
Ford	28	3.3	2.5	3.3	2.2	9.1	36	0
Franklin	34	2	1.5	1.1	1.6	5.7	21	0
Fulton	34	3.7	2.7	2.9	3.9	18.1	29	0
Gallatin	30	2.4	2.1	2.2	1.3	6	13	0
Greene	13	3.8	2.4	2.5	4.3	16.3	31	0
Grundy	10	2.2	1.6	1.7	1.8	5.6	20	0
Hamilton	30	2.7	2.1	2.3	1.9	8.2	23	0
Hancock	17	2.1	1.4	1.1	2.3	8.8	18	0
Hardin	29	4.4	3.7	3.2	3.3	13.5	38	0
Henderson	28	1.7	1.4	1	1.2	4.6	7	0
Henry	36	7.7	6.2	6.9	5.5	25.4	81	6
Iroquois	30	2.9	1.9	1.7	3.3	16.9	20	0
Jackson	35	1.6	1.1	0.9	1.5	6.6	6	0
Jasper	30	1.5	1.1	1	1.4	7	7	0
Jefferson	33	1.7	1.3	1.1	1.6	7.4	9	0
Jersey	10	3	2.2	2.7	2	8.1	10	0
Jo Daviess	21	7.1	3.6	2.8	9.5	37.5	43	10
Johnson	28	2.2	1.9	1.9	1.3	5.6	14	0
Kane	70	5.5	4	4	5.2	34.4	51	3

Kankakee	35	2.7	1.8	1.7	3	16.8	26	0
Kendall	27	6	4.8	4.9	4.4	19.1	59	0
Knox	57	5.9	4.7	5.5	4.1	21.1	65	2
Lake	90	2.3	1.6	1.6	2	9.6	14	0
LaSalle	86	4.6	3.7	3.8	3.1	15.5	47	0
Lawrence	29	1.1	1	0.9	0.9	5.1	3	0
Lee	34	3.4	2.4	2.1	3.2	15	24	0
Livingston	26	7.7	5.9	6	7.4	39.8	81	4
Logan	57	5	3.9	3.9	3.7	19.2	46	0
Macon	72	3	2	2	3.3	15.7	21	0
Macoupin	30	2.3	1.7	1.5	1.9	7.5	20	0
Madison	66	2.6	1.6	1.6	4.3	34.2	11	2
Marion	30	1.5	1.1	1	1.2	4.6	10	0
Marshall	26	6	3.5	3.3	6.9	23.4	35	12
Mason	29	5.9	4.8	5	4	20.8	62	3
Massac	26	4.5	3.2	2.9	5.7	28.1	23	4
McDonough	66	4.5	3	3.4	4.1	17.8	41	0
McHenry	77	4.3	3.4	3.2	3.7	23.6	30	1
McLean	52	6.3	4.8	5.7	4.7	23.2	62	4
Menard	30	4.9	3	3.1	4.9	20	43	3
Mercer	28	8.5	6.5	7.8	6.1	23.1	64	11
Monroe	26	5.5	4.5	4	3.8	15.4	54	0
Montgomery	32	3.5	2.4	2.5	3.3	16.9	31	0
Morgan	59	6.8	5.6	5.9	4.3	19.2	68	0
Moultrie	26	3	2.2	2.2	2.7	11	23	0
Ogle	29	3.9	2.8	2.9	3.4	16.8	34	0
Peoria	55	5	3.5	3.6	4.5	22.4	42	2
Perry	35	1.8	1.5	1.3	1	4.2	6	0
Piatt	35	3.2	2.5	2.6	3	17.9	23	0
Pike	27	5.5	4.2	4.4	3.9	15.9	52	0
Pope	30	3.8	3.1	2.6	3.2	17.6	30	0
Pulaski	27	2.3	2.2	2.1	0.7	4	4	0
Putnam	26	4.5	2.4	2.5	8.4	43.8	27	4
Randolph	36	1.8	1.4	1.1	1.4	4.8	14	0
Richland	29	2	1.7	1.5	1.4	5.3	10	0
Rock Island	66	6	4.1	4.7	6.5	46.2	53	3
Saline	26	2.1	1.8	1.7	1.2	4.9	8	0
Sangamon	103	3.9	3	2.7	3.8	23.2	29	2
Schuyler	28	5.5	4.2	4	4.2	19	50	0
Scott	30	5.1	4.4	4.4	2.7	10.9	57	0
Shelby	28	3	2.2	2.1	2.5	10.2	21	0
St. Clair	48	2.7	2.1	2.3	2	12.3	17	0
Stark	28	6.7	4.9	4.4	5.4	21.3	61	4
Stephenson	56	4.6	3.7	4.3	2.9	14.9	52	0
Tazwell	59	5.5	4.6	4.8	3.2	14.3	64	0
Union	30	3.1	2.8	2.9	1.4	5.9	27	0
Vermillion	36	3.9	2.9	2.5	3.1	12.8	36	0
Wabash	32	1.6	1.3	1.2	1	5.5	3	0
Warren	50	11.4	8.5	8.6	10.3	59.5	84	16
Washington	36	2.4	1.8	1.9	1.7	7.2	14	0
Wayne	20	1	0.8	0.9	0.7	3.1	0	0
White	32	2	1.6	1.7	1.5	6.4	13	0

Whiteside	36	2.8	2.3	2.5	1.8	8.1	19	0
Will	58	3.6	2.6	3	3.3	16.8	29	0
Williamson	35	2.2	1.4	0.9	2.9	11.7	9	0
Winnebago	55	4.1	3.4	3.3	2.9	19	38	0
Woodford	27	9.7	7.3	8.3	7.7	33.7	78	11

TABLE 1. Screening indoor radon data from the EP A/State Residential Radon Survey of Indiana conducted during 1987-88. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAMS	14	3.2	2.3	2.3	2.5	7.4	36	0
ALLEN	169	3	1.8	1.6	4.3	37.4	17	1
BARTHOLOMEW	28	5.5	3.6	4.4	4.8	18.1	57	0
BENTON	2	3.4	2.7	3.4	2.8	5.3	50	0
BLACKFORD	4	1.2	0.8	0.9	1	2.6	0	0
BOONE	9	4	3.1	4.4	2.4	6.8	56	0
BROWN	3	4.4	3.6	2.3	3.6	8.5	33	0
CARROLL	7	2.4	1.2	1.7	2.2	5.6	29	0
CASS	6	3.6	2.8	4.4	2.2	6	50	0
CLARK	92	3	1.8	1.7	4.1	32.3	18	1
CLAY	8	2	1.2	1.6	1.9	5.2	25	0
CLINTON	7	4.1	2.3	2.8	5.1	15.3	29	0
CRAWFORD	2	1.2	1	1.2	1	1.9	0	0
DAVIESS	5	3.6	2.3	1.7	4.3	11.1	20	0
DEKALB	21	4.6	3.7	4.5	2.9	12.1	57	0
DEARBORN	6	2.5	1.8	1.5	2.9	8.4	17	0
DECATUR	5	3.1	2.9	2.6	1.2	4.8	20	0
DELAWARE	16	3.2	2.2	2.5	2.5	7.7	25	0
DUBOIS	5	1.2	1.2	1.3	0.4	1.7	0	0
ELKHART	76	4	2.9	3.5	3.2	18.1	41	0
FAYETTE	6	8	5.8	5.9	6.8	19.8	50	0
FLO YD	32	3	2.1	1.8	3	13.3	25	0
FOUNTAIN	13	10.1	4.4	3.8	11.7	33.6	46	23
FRANKLIN	4	1	0.8	0.8	0.7	1.9	0	0
FULTON	9	3.1	2.5	2.6	2.2	8	22	0
GIBSON	16	2.6	1.8	1.9	2.5	10.9	13	0
GRANT	13	5.8	3.7	5.5	5.8	22.4	54	8
GREENE	16	1.1	0.9	1	0.8	2.9	0	0
HAMILTON	23	3.5	2.3	2.7	3.7	17	26	0
HANCOCK	8	3.5	2.1	1.6	4.9	15.5	13	0
HARRISON	19	6.2	3.1	3	7.7	28.8	42	11
HENDRICKS	22	2	1.3	1	1.8	6.4	14	0
HENRY	11	3.5	2.1	2.7	3.7	13.3	27	0
HOWARD	22	3.4	2.3	2.6	2.8	9.7	32	0
HUNTINGTON	13	2.9	2.4	2.8	1.8	7.8	8	0
JACKSON	7	2	1	1	2	5.9	14	0
JASPER	11	1.5	1.1	1.2	1.1	3.4	0	0
JAY	5	3.4	2.2	2.6	3.2	8.4	40	0
JEFFERSON	16	2.1	1.3	1.2	2.3	7.7	19	0
JENNINGS	19	2.4	1.4	1.8	2.6	10.4	11	0
JOHNSON	34	2.7	1.7	1.8	2.3	8.7	29	0
KNOX	9	3.4	2.2	2.2	2.9	9	44	0
KOSCIUSKO	30	5.9	3.8	4.5	6.3	28.7	60	3
LA PORTE	66	4.7	2.2	2.1	5.8	23	32	3
LAGRANGE	9	8.9	5.2	7.5	8.7	27.6	56	11

LAKE	125	1.3	0.9	1	1	5.2	2	0
LAWRENCE	28	3	1.8	1.7	4.2	21.5	18	4
MADISON	27	3.6	2.2	2.5	4	19.6	37	0
MARION	115	4.9	2.8	3.2	7	60.3	37	3
MARSHALL	3	0.9	0.9	0.9	0.5	1.4	0	0
MARTIN	5	1.9	1.6	1.2	1.3	3.9	0	0
MIAMI	28	6.5	3.7	4.7	6.8	28.3	54	4
MONROE	30	4.6	2.5	3	7.7	41.5	30	3
MONTGOMERY	21	5.7	3.8	4.1	4.8	16.2	52	0
MORGAN	7	3.8	2.2	3.2	3.2	9.4	43	0
NEWTON	12	4.2	2.5	2.6	4.3	13.8	33	0
NOBLE	20	5.3	2.7	3.8	5.2	18.2	50	0
OHIO	4	2.3	2	2.3	1.2	3.6	0	0
ORANGE	11	9.2	2.6	3.2	20.9	71.8	36	9
OWEN	5	2	0.7	1.9	2.2	5.6	20	0
PARKE	7	1.9	1.7	1.6	1	4	0	0
PERRY	3	2	1.7	2.3	1.2	3.1	0	0
PIKE	8	2	1.3	2	1.3	3.8	0	0
PORTER	84	2.8	1.7	1.8	3.2	15.5	19	0
POSEY	6	2.9	2.3	2.6	1.8	5.8	17	0
PULASKI	5	1.5	1.2	1.1	1.1	3.3	0	0
PUTNAM	6	1.7	1	1.4	1.5	4	0	0
RANDOLPH	9	4.1	2.2	4.1	3	7.3	56	0
RIPLEY	6	1.3	1.1	1.2	0.7	2.2	0	0
RUSH	1	0.6	0.6	0.6	0	0.6	0	0
SCOTT	21	1.8	0.9	0.9	2.7	12.2	10	0
SHELBY	7	5.1	3.3	2.3	4.8	13.7	43	0
SPENCER	11	1.9	1.6	1.5	1.3	5.2	9	0
ST. JOSEPH	114	3.7	2.5	2.5	4	25.7	26	2
STARKE	8	1.3	1.1	1.2	0.9	3.3	0	0
STEUBEN	13	5.2	4.3	5	2.9	10.8	69	0
SULLIVAN	12	1.3	0.8	0.7	1.4	4.8	8	0
SWITZERLAND	2	1.9	1.8	1.9	0.4	2.1	0	0
TIPPECANOE	39	7.1	3.7	3.4	9.1	45.7	49	5
TIPTON	5	3	1.4	1.3	4.6	11.1	20	0
VANDERBURGH	32	2.5	1.5	1.7	2.3	9.9	19	0
VERMILLION	8	7.9	2.6	3.7	13.5	40.4	50	13
VIGO	34	4.8	3	3.3	4.7	20.2	44	3
WABASH	15	5.3	3.8	4.7	3.7	11	60	0
WARREN	4	6.6	3	2.5	9.5	20.7	25	25
WARRICK	21	1.5	0.9	1	1.6	7.5	5	0
WASHINGTON	10	4.6	2.9	3.1	4.6	15.4	30	0
WAYNE	18	8.8	5.5	5.1	10.3	44.4	67	6
WELLS	7	1.9	1.3	1.2	1.7	5.2	14	0
WHITE	16	1.7	1.1	1.3	1.7	6.2	13	0
WHITLEY	23	4.9	3	2.9	4.6	16.7	43	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Iowa conducted during 1988-89. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAIR	3	10.1	6.3	13.1	7.8	15.9	67	0
ADAMS	5	12.8	9.6	12	7.6	20	80	0
ALLAMAKEE	6	8.1	4.7	9.8	6.1	13.9	67	0
APPANOOSE	13	8.1	5.1	6.3	7.6	30	77	8
AUDUBON	6	13.8	13	12.6	5.2	21.6	100	17
BENTON	11	12.6	10.7	11.6	8.1	32.3	91	18
BLACK HAWK	55	7.6	5.5	5.6	8.4	53.5	67	5
BOONE	11	11.4	7	4.3	12.3	36.5	55	18
BREMER	17	8.3	6.1	5.9	8.8	39.2	65	6
BUCHANAN	14	4.6	3.6	3.8	3.1	10.4	50	0
BUENA VISTA	17	7.1	6.2	7.7	3.6	15.8	76	0
BUTLER	17	8.4	7	6.4	5.8	22	88	6
CALHOUN	5	11.9	8.6	7.5	12.3	33.5	100	20
CARROLL	17	12.3	10.2	9.6	9.4	42.9	94	12
CASS	14	10.8	8.8	8.3	6.6	23.6	79	7
CEDAR	6	7.9	6.3	8.8	4.3	12.4	83	0
CERRO GORDO	24	6.7	5.1	4.3	5.4	19.6	63	0
CHEROKEE	15	11.7	10.2	10.5	6.1	27.3	93	7
CHICKASAW	4	5.3	4.3	4.4	3.9	10.5	50	0
CLARKE	9	7.1	4.8	7	5.6	15.1	56	0
CLAY	9	7	6	5.4	4.5	16.3	78	0
CLAYTON	13	8.4	4.8	6.7	9.1	33.5	62	8
CLINTON	15	6.5	3.9	4.8	6.2	22.9	60	7
CRAWFORD	12	10.6	9.7	9.6	5.1	23.2	100	8
DALLAS	10	9.3	6.2	7.3	8.5	27.7	70	10
DAVIS	8	5.8	3.8	4.6	5.5	17.3	50	0
DECATUR	11	6.7	5	4.8	7	26.7	55	9
DELAWARE	9	4.7	3.7	2.9	3.9	13	33	0
DES MOINES	24	8	5.8	5.8	6.3	22.1	71	8
DICKINSON	12	10.2	8.6	7.7	6.6	22.6	92	8
DUBUQUE	38	5.6	4	5	4.7	24	58	3
EMMET	11	12.5	7.7	6.1	18.8	68.3	91	9
FAYETTE	11	8.3	5.3	7.2	6.9	22.4	73	9
FLOYD	12	5	3.9	4.3	4.4	17.9	58	0
FRANKLIN	17	7.5	6.5	7.9	3.8	15.4	76	0
FREMONT	5	11.9	10	13	6.4	19.8	80	0
GREENE	8	6.1	3.9	4.6	5.9	18.5	50	0
GRUNDY	6	10.2	7.1	8.2	8.5	24.3	67	17
GUTHRIE	10	9.1	8	7.4	4.8	19.9	90	0
HAMILTON	10	7.4	6	6.4	5.1	18.6	70	0
HANCOCK	8	4.3	3.4	4	2.5	8.1	50	0
HARDIN	4	10.9	9.6	11.2	5.6	16.8	100	0
HARRISON	12	7.1	5.5	4.8	5.1	17.4	67	0
HENRY	7	8.8	7.2	7.2	5.8	18.9	71	0

HOWARD	10	18.5	7.2	6.2	39.3	130.1	70	10
HUMBOLDT	9	9.3	6.7	9.9	6.3	17.2	67	0
IDA	3	10	9.5	10	3.7	13.7	100	0
IOWA	8	9	7	8.2	5.5	18.8	88	0
JACKSON	9	9.1	6.2	5.2	9.8	33	56	11
JASPER	13	12.5	9.4	11.1	9.9	37.6	85	15
JEFFERSON	13	13.3	5.6	8.8	16.2	59	62	23
JOHNSON	16	7.3	5.7	7	4.2	15.1	75	0
JONES	8	10.8	6.2	5.5	14.8	46.5	63	13
KEOKUK	7	17.5	11.4	10.9	13.6	35	86	43
KOSSUTH	19	5.4	3.7	4.3	4.9	21.1	58	5
LEE	17	5.5	3.9	3.9	4.8	20.5	47	6
LINN	41	6.3	3.7	3.7	7.4	32.6	44	10
LOUISA	8	6.5	5.7	5.8	3.7	13	75	0
LUCAS	8	4.3	3	2.5	4.3	13.9	38	0
LYON	11	8.4	8.2	8.3	2.3	12.1	100	0
MADISON	11	10.4	8.5	10.4	5.5	23	91	9
MAHASKA	12	9.1	7.4	8.5	5.7	19.8	75	0
MARION	33	8.5	4.9	7.5	7	30.5	67	9
MARSHALL	10	10.5	9.7	10.9	4.3	16.9	100	0
MILLS	12	9.2	6.9	8.1	8	31.1	67	8
MITCHELL	6	13	11.2	12.8	7.2	21.3	100	33
MONONA	10	10.2	8.8	10.4	5.2	21	80	10
MONROE	11	5.8	4.3	3.6	4.6	14.7	45	0
MONTGOMERY	7	9.5	8.8	9.4	3.7	14.1	100	0
MUSCATINE	20	6.4	4.1	4.4	6.4	23	60	10
O'BRIEN	13	9.1	8.2	8.1	3.9	15.9	92	0
OSCEOLA	4	7	6.5	5.9	3.4	11.9	100	0
PAGE	17	10.9	8.6	10.8	7.1	30.2	82	12
PALO ALTO	10	7.1	5.6	7.8	4.2	14.7	70	0
PLYMOUTH	15	16.4	11.4	9.2	15.3	49.9	87	20
POCAHONTAS	6	8.1	6.4	5.8	6.1	17.7	67	0
POLK	77	11.4	8.4	8.8	8.2	45.6	86	12
POTTAWATTAMIE	45	6.3	4.4	5	4.7	20.4	56	2
POWESHffiK	12	15.9	8.8	12.8	11.5	37.4	92	33
RINGGOLD	3	15	14.5	13.2	4.9	20.5	100	33
SAC	9	11.4	9.1	10.9	8.7	32.2	78	11
SCOTT	35	8.2	5.2	6.7	8.5	47.4	60	6
SHELBY	14	12.4	10.6	12.3	6.6	25.2	93	14
SIOUX	21	8.6	7.9	8.1	3.3	14.2	90	0
STORY	19	7.8	5.9	6.8	6.1	25.9	68	5
TAMA	8	11.3	8	8.9	8.9	27	75	25
TAYLOR	6	9.6	8.4	8.1	5.4	19	83	0
UNION	11	10.3	8.6	9.2	5.9	21.3	82	9
VAN BUREN	7	8.3	5.7	8.7	6.5	17.2	57	0
WAPELLO	15	7.7	5.2	4.1	10.2	42.8	53	7
WARREN	29	13.5	8.4	9.2	19.2	106.9	86	10
WASHINGTON	7	23.2	8.5	9.8	33	92.8	71	29
WAYNE	6	2.5	1.6	2.4	1.9	5.1	17	0
WEBSTER	11	6.7	6.1	5.9	3.1	13	91	0
WINNEBAGO	10	10.4	9.1	8	6.4	25.9	90	10
WINNESffIEK	10	8.6	6.1	5.6	7.5	25.7	70	10

WOODBURY	62	9.1	6	6.9	9.5	65.4	71	6
WORTH	6	8.3	4.7	3.7	10.2	27.7	50	17
WRIGHT	10	7	4.1	3.6	7.5	25.2	40	10

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Kansas conducted during 1986-87. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ALLEN	20	0.6	0.3	0.4	0.6	2.4	0	0
ANDERSON	9	0.8	0.6	0.7	0.6	2	0	0
ATCffISON	10	2.9	2.3	2.3	2.1	6.9	20	0
BARBER	9	1.9	1.6	1.7	1	3.7	0	0
BARTON	24	3.4	2	1.9	4.7	23	21	4
BOURBON	15	1.7	1.2	1.3	1.3	4.3	7	0
BROWN	7	2.4	2.1	2.5	1.2	4	0	0
BUTLER	29	1.6	0.9	1.1	1.7	7.6	7	0
CHASE	10	2	1.5	1.3	1.9	6.7	10	0
HAUTAUQUA	6	0.8	0.5	0.4	1	2.7	0	0
CHEROKEE	20	0.9	0.5	0.4	1.1	4	0	0
CHEYENNE	11	3.9	3.1	2.9	3.2	12.6	36	0
CLARK	6	4.6	3.7	4.4	3	9.3	50	0
CLAY	7	9	3.7	2.4	12	28.1	29	29
CLOUD	11	4.2	3.1	3.1	3.2	9.5	36	0
COFFEY	4	2.6	1.7	2.5	1.9	4.9	25	0
COMANCHE	5	2	1	1	2.9	7.1	20	0
COWLEY	29	1.9	1.6	1.6	1.1	4.4	7	0
CRAWFORD	46	1.1	0.7	0.8	1.2	6	4	0
DECATUR	4	3.1	2.4	2.4	2.4	6.4	25	0
DICKINSON	15	4.1	3.2	3.3	3.8	16.5	33	0
DONIPHAN	5	3	2.6	3.2	1.4	4.5	20	0
DOUGLAS	36	2.6	1.6	2	2.5	12.9	19	0
EDWARDS	4	3.1	2.5	2.9	2	5.6	25	0
ELK	3	0.7	0.7	0.6	0.3	1	0	0
ELLIS	26	3.6	3.2	3.6	1.8	8.6	38	0
ELLSWORTH	17	5.9	4.5	5.7	3.7	13.2	65	0
FINNEY	15	2	1.9	1.7	0.9	4.7	7	0
FORD	14	5.4	4.2	4.3	3.8	12.2	50	0
FRANKLIN	22	1.6	1.1	1	1.5	5.9	5	0
GEARY	8	6.6	5.2	5.2	5.6	19.3	63	0
GOVE	8	4.4	3.7	3.7	2.5	8.2	50	0
GRAHAM	6	4	2.8	3.1	3.2	9.2	33	0
GRANT	8	4.2	3.4	3.2	3.1	10.1	50	0
GRAY	5	6.2	5.8	6.4	2.5	8.8	80	0
GREELEY	5	2.9	2.6	3	1.4	4.9	20	0
GREENWOOD	5	1.9	1.2	1.1	1.9	4.9	20	0
HAMILTON	8	4.7	3.4	2.8	4.5	14.8	38	0
HARPER	7	1.6	1.4	1	1.1	3.7	0	0
HARVEY	13	3	2.3	2.2	2.5	9.9	23	0
HASKELL	2	3.4	3.2	3.4	1.7	4.6	50	0
HODGEMAN	6	3.5	2.7	3.6	2.1	6.7	33	0
JACKSON	8	1.1	1	1	0.6	2.1	0	0
JEFFERSON	10	4	2.7	4.3	2.7	7.5	60	0
JEWELL	8	3.4	2.6	3.3	2.4	7.4	50	0
JOHNSON	339	3.8	2.5	2.6	4.1	32	29	1

KEARNY	9	3	2.4	3.4	1.7	5.6	33	0
KINGMAN	7	1.3	0.8	1.2	1.2	3	0	0
KIOWA	8	5.2	3.7	4.2	4.8	16.2	50	0
LABETTE	17	1.9	0.5	0.4	4.6	19.5	6	0
LANE	3	2.9	1.9	1.6	3.1	6.4	33	0
LEAVENWORTH	28	2.5	1.6	2	2	7.3	18	0
LINCOLN	7	2	1.7	1.2	1.2	3.5	0	0
LINN	8	1.4	0.9	1.1	1.1	3.1	0	0
LOGAN	8	5.3	4.7	6.1	2.4	8.7	63	0
LYON	17	1.2	0.9	0.7	1	3.6	0	0
MARION	2	3.2	3.2	3.2	0.1	3.3	0	0
MARSHALL	12	8.5	3.7	3.9	13.4	48	50	8
MCPHERSON	21	4.6	3.6	3.7	3.6	17	43	0
MEADE	12	4.9	3.3	3.3	4.3	13.4	50	0
MIAMI	22	1.8	1.4	1.5	1.3	5.6	5	0
MITCHELL	8	6.7	4.8	5.4	5.2	16.1	63	0
MONTGOMERY	41	0.7	0.5	0.4	0.7	3.5	0	0
MORRIS	5	6.3	2.3	2.6	9.8	23.7	20	20
MORTON	8	2.5	1.7	1.4	2.4	7.8	13	0
NEMAHA	9	3.3	2.2	2.9	3	9.8	33	0
NEOSHO	11	1.3	1	0.9	0.9	3.2	0	0
NESS	19	4.8	3.1	3.8	5.4	24.6	47	5
NORTON	10	4.8	4.2	4.2	2.4	8.6	50	0
OSAGE	12	2.5	1.8	1.6	2.5	9.6	17	0
OSBORNE	9	7	5.6	7.7	4.6	16.1	67	0
OTTAWA	6	3.7	1.5	1.2	6.4	16.6	17	0
PAWNEE	2	8.9	7.8	8.9	6.1	13.2	100	0
PHILLIPS	27	4.5	3.5	3.9	2.9	13.5	48	0
POTTOAWATOMIE	11	3.6	1.8	1.4	4.9	15.3	27	0
PRATT	9	2	1.9	1.7	0.8	3.5	0	0
RAWLINS	10	2.7	2.2	2.3	1.7	5.8	20	0
RENO	45	2.2	1.4	1.7	2.2	11.7	7	0
REPUBLIC	8	2.8	2.2	2.8	1.9	6.8	13	0
RICE	7	2.5	1.9	1.8	2.4	7.8	14	0
RILEY	32	4.6	2.4	2.5	5.6	25.5	41	3
ROOKS	10	3.9	2.9	3.8	2.7	9.3	40	0
RUSH	8	5.1	3.6	4.2	4.8	15.6	50	0
RUSSELL	8	4.5	3.9	3.4	2.7	10	38	0
SALINE	32	4.8	3.4	3.5	4.5	20.7	38	3
SCOTT	21	5.8	4.9	5.4	3.2	15.7	81	0
SEDWICK	217	2.1	1.6	1.6	1.7	8	12	0
SEWARD	12	2.9	2.6	2.7	1.2	5.6	8	0
SHAWNEE	109	2.9	1.9	2.1	3.1	19.7	22	0
SHERIDAN	8	4.6	3.3	3	4	12.2	38	0
SHERMAN	8	4	3.2	2.8	2.9	9.3	38	0
SMITH	7	4.6	4.1	4.4	2.2	7.5	57	0
STAFFORD	7	3.8	3	3.7	2.4	7	43	0
STANTON	4	5.7	5	6.5	2.8	7.9	75	0
STEVENS	3	13	6.4	9.1	14.4	29	67	33
SUMMER	10	1.5	1.1	1.7	1	3.2	0	0
THOMAS	14	3.6	3	3	2.3	9.9	36	0
TREGO	14	3.8	3.1	3.1	2.5	9.1	43	0

WABAUNSEE	7	1.9	1.7	1.7	1	3.4	0	0
WALLACE	3	4.8	4.8	4.7	0.4	5.2	100	0
WASHINGTON	7	3.4	2.4	2.7	2.4	7	43	0
WICHITA	3	5.5	5.4	5	1.1	6.8	100	0
WILSON	15	1.4	0.8	0.5	2.1	7.7	7	0
WOODSON	17	0.7	0.5	0.5	0.6	2.1	0	0
WYANDOTTE	110	3.6	2.5	3.1	3.1	16.3	35	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Kentucky conducted during 1986-87. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
AD AIR	1	0.4	0.4	0.4	0	0.4	0	0
ALLEN	4	0.9	0.6	0.9	0.7	1.8	0	0
ANDERSON	2	0.9	0.9	0.9	0	0.9	0	0
BALLARD	8	0.8	0.7	0.7	0.4	1.4	0	0
BARREN	7	1.2	1.1	1.1	0.7	2.5	0	0
BATH	7	2.7	1.5	1.8	2.8	8.5	14	0
BELL	4	1.2	0.9	0.8	1.1	2.7	0	0
BOONE	13	1.3	1.1	1	0.8	2.8	0	0
BOURBON	10	8.3	4.8	5.8	9.2	31.2	60	10
BOYD	19	1.4	0.9	1.2	1.2	4.9	5	0
BOYLE	2	1.5	1.1	1.5	1.4	2.5	0	0
BRACKEN	4	2.8	1.9	1.7	2.9	7.1	25	0
BREATHITT	1	1.5	1.5	1.5	0	1.5	0	0
BRECKINRIDGE	4	1.4	1	1.3	1.2	2.9	0	0
BULLITT	11	11.5	5	4.8	19	65.5	55	18
BUTLER	14	0.8	0.5	0.5	0.6	1.9	0	0
CALDWELL	5	1.3	1.1	1.3	0.6	2	0	0
GALLOWAY	8	0.9	0.8	0.8	0.3	1.3	0	0
CAMPBELL	25	1.8	1	0.9	2.3	9.6	12	0
CARLISLE	4	0.9	0.8	0.9	0.5	1.5	0	0
CARROLL	1	1.5	1.5	1.5	0	1.5	0	0
CARTER	3	0.8	0.8	0.7	0.3	1.2	0	0
CASEY	7	1.9	1.5	1.8	1.3	4.2	14	0
CHRISTIAN	16	1.5	0.8	0.9	1.4	4.3	6	0
CLARK	4	1.3	1.2	1.3	0.8	2.2	0	0
CLAY	1	4.4	4.4	4.4	0	4.4	100	0
CLINTON	3	5	4	3.3	4.2	9.8	33	0
CRITTENDEN	6	0.7	0.6	0.5	0.5	1.6	0	0
CUMBERLAND	3	8.6	3.6	1.5	12.3	22.8	33	33
DAVIESS	20	1	0.7	1	0.7	2.6	0	0
EDMONSON	5	1.7	1.2	0.9	1.7	4.7	20	0
ELLIOTT	2	2	1.9	2	0.8	2.6	0	0
ESTILL	4	9	5.9	6.5	8.7	21.4	75	25
FAYETTE	52	6.4	4.2	4.1	5.2	20.2	50	2
FLEMING	2	4.8	3.6	4.8	4.3	7.8	50	0
FLO YD	5	0.6	0.5	0.5	0.3	0.9	0	0
FRANKLIN	17	5.2	3.6	5.7	3.4	10.6	53	0
FULTON	1	0.4	0.4	0.4	0	0.4	0	0
GALLATIN	1	0.6	0.6	0.6	0	0.6	0	0
GARRARD	5	1.1	0.9	0.7	0.9	2.6	0	0
GRANT	1	0.7	0.7	0.7	0	0.7	0	0
GRAVES	12	0.8	0.6	0.6	0.6	1.8	0	0
GRAYSON	6	1	0.7	1.2	0.7	1.8	0	0
GREEN	2	2.7	1.7	2.7	3	4.8	50	0

GREENUP	12	2	0.9	0.9	3	10.6	17	0
HANCOCK	1	0.9	0.9	0.9	0	0.9	0	0
HARDIN	26	1.7	1.2	1.2	1.8	8.9	8	0
HARLAN	1	1.2	1.2	1.2	0	1.2	0	0
HARRISON	5	0.6	0.5	0.6	0.4	1.1	0	0
HART	9	10.2	7	8.9	8.4	25.3	78	22
HENDERSON	8	1.4	1.1	1.3	0.7	2.5	0	0
HENRY	3	3.9	1.8	1.6	5	9.6	33	0
HICKMAN	3	3.8	3.2	3.1	2.7	6.8	33	0
HOPKINS	8	0.6	0.5	0.5	0.5	1.6	0	0
JACKSON	4	0.7	0.5	0.5	0.6	1.6	0	0
JEFFERSON	111	3.2	1.8	1.5	4.2	25	25	2
JESSAMINE	11	3.1	1.4	2.3	4.5	16	18	0
JOHNSON	2	0.9	0.6	0.9	0.8	1.4	0	0
KENTON	40	1.3	0.8	0.8	1.7	10.4	3	0
KNOTT	2	1.4	0.7	1.4	1.7	2.6	0	0
KNOX	4	1.3	1.1	1.1	0.8	2.3	0	0
LARUE	3	0.9	0.8	1.1	0.4	1.1	0	0
LAUREL	5	1	0.8	0.9	0.6	1.9	0	0
LAWRENCE	4	1	0.9	0.9	0.5	1.7	0	0
LEE	4	1.5	0.7	0.9	1.8	4.1	25	0
LESLIE	4	4.8	1.2	0.6	8.6	17.6	25	0
LETCHER	5	1.4	1	1	1.3	3.7	0	0
LEWIS	2	0.6	0.5	0.6	0.1	0.6	0	0
LIVINGSTON	3	0.4	0.3	0.6	0.4	0.7	0	0
LOGAN	8	1.2	1.1	1.1	0.6	2.5	0	0
LYON	3	3.4	2	3.3	3.1	6.5	33	0
MADISON	5	2.1	1.2	2.2	1.9	4.7	20	0
MAGOFFIN	1	2.3	2.3	2.3	0	2.3	0	0
MARION	3	1.6	1.4	1.2	1	2.7	0	0
MARSHALL	9	0.8	0.5	0.6	0.6	1.6	0	0
MASON	8	1.2	0.9	1.1	0.8	2.5	0	0
MCCRACKEN	15	0.8	0.6	0.8	0.4	1.4	0	0
MCCREARY	6	1.3	0.8	1.1	1.3	3.7	0	0
MCLEAN	5	1	0.7	1.3	0.6	1.5	0	0
MEADE	4	8.2	4.4	5.3	9.2	21	50	25
MENIFEE	2	7.2	7.2	7.2	0.1	7.3	100	0
MERCER	10	2.2	1.5	1.4	1.7	4.5	30	0
METCALFE	5	2.2	1.2	1.5	2.5	6.5	20	0
MONROE	3	1.7	0.7	2	1.6	3.1	0	0
MONTGOMERY	5	4.6	3.7	3.9	3.7	11.1	20	0
MORGAN	7	1.2	0.7	0.6	1.3	3.9	0	0
MUHLENBERG	6	2.2	0.7	0.8	3.3	8.5	17	0
NELSON	13	4	3	3.1	3.6	14.8	38	0
NICHOLAS	5	1.2	1.2	1.1	0.3	1.6	0	0
OHIO	3	0.8	0.8	0.9	0.3	1.1	0	0
OLDHAM	2	2.5	1.8	2.5	2.3	4.1	50	0
OWEN	1	0.7	0.7	0.7	0	0.7	0	0
PENDLETON	8	3.5	1.9	3	3.1	8.2	38	0
PERRY	4	1.1	0.9	1.2	0.6	1.6	0	0
PIKE	9	1.5	1.4	1.2	0.6	2.2	0	0
POWELL	4	1.4	1	1.1	1.1	2.9	0	0

PULASKI	8	2.9	2	2.1	2.3	6.5	38	0
ROBERTSON	2	0.4	0.2	0.4	0.4	0.6	0	0
ROCKCASTLE	4	6.1	1.4	0.7	11.1	22.8	25	25
ROWAN	3	3	2.9	3	1.3	4.3	33	0
RUSSELL	2	0.4	0.3	0.4	0.1	0.4	0	0
SCOTT	8	5.5	2.4	1.6	9.6	29	25	13
SHELBY	6	2.6	0.9	2.3	2.7	6.5	33	0
SIMPSON	8	1.9	1.2	1	2.6	8.2	13	0
SPENCER	1	0.5	0.5	0.5	0	0.5	0	0
TAYLOR	4	1.8	1.6	1.8	0.8	2.7	0	0
TODD	6	1.1	0.9	1.2	0.6	1.8	0	0
TRIGG	8	1.1	0.6	0.9	1.1	3.3	0	0
TRIMBLE	1	0.2	0.2	0.2	0	0.2	0	0
UNION	6	0.6	0.5	0.5	0.5	1.7	0	0
WARREN	25	7.6	4.3	5.4	8	31.7	60	8
WASHINGTON	3	1.6	1.3	1.5	1.2	2.9	0	0
WAYNE	1	1.7	1.7	1.7	0	1.7	0	0
WEBSTER	3	1.3	1	1	1	2.4	0	0
WHITLEY	6	0.9	0.8	0.9	0.5	1.8	0	0
WOLFE	2	0.2	0.1	0.2	0.2	0.3	0	0
WOODFORD	6	3.1	1.9	2.1	3.3	9.3	17	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Louisiana conducted during 1989-90. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

PARISH	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ACADIA	13	0.5	0.2	0.4	0.6	1.6	0	0
ALLEN	5	0.2	0.1	0.1	0.4	0.8	0	0
ASCENSION	23	0.4	0.3	0.4	0.5	1.5	0	0
ASSUMPTION	5	0.3	0.1	0	0.6	1.3	0	0
AVOYELLES	6	0.2	0.2	0.2	0.2	0.4	0	0
BEAUREGARD	8	0.4	0.3	0.4	0.6	1.7	0	0
BIENVILLE	15	0.2	0.2	0.2	0.5	1.5	0	0
BOSSIER	35	0.6	0.3	0.4	0.5	1.8	0	0
CADDOW	83	0.7	0.4	0.5	1.1	7.6	2	0
CALCASJEU	60	0.3	0.2	0.2	0.7	2.3	0	0
CALDWELL	13	0.3	0.2	0.1	0.5	1.6	0	0
CAMERON	2	0.3	0.2	0.3	0.5	0.6	0	0
CATAHOULA	7	0.3	0.2	0.5	0.5	0.8	0	0
CLAIBORNE	16	0.5	0.3	0.4	0.7	2.1	0	0
CONCORDIA	7	0.4	0.3	0.4	0.6	1.4	0	0
DE SOTO	6	0.4	0.3	0.5	0.5	1.1	0	0
EAST BATON RO	170	0.4	0.3	0.4	0.5	2.4	0	0
EAST CARROLL	9	0.9	0.3	0.3	1.1	2.8	0	0
EASTFELICIANA	5	0.2	0.2	0.2	0.4	0.6	0	0
EVANGELINE	6	0.3	0.2	0.2	0.4	1	0	0
FRANKLIN	9	0.8	0.5	0.7	0.9	2.9	0	0
GRANT	9	0.6	0.5	0.4	0.6	1.5	0	0
IBERIA	12	0.4	0.2	0.4	0.6	1.5	0	0
IBERVILLE	7	0.5	0.3	0.3	0.6	1.3	0	0
JACKSON	2	0.8	0.7	0.8	0.2	0.9	0	0
JEFFERSON	104	0.3	0.2	0.3	0.5	2.4	0	0
JEFFERSON DA V	8	0.4	0.3	0.5	0.3	0.9	0	0
LASALLE	10	0.3	0.2	0.2	0.7	2	0	0
LAFAYETTE	71	0.8	0.4	0.5	1	5	3	0
LAFOURCHE	12	0.6	0.4	0.5	0.8	2.4	0	0
LINCOLN	11	0.6	0.5	0.6	0.4	1.3	0	0
LIVINGSTON	29	0.5	0.3	0.3	0.7	3	0	0
MADISON	2	1.4	0.7	1.4	1.6	2.5	0	0
MOREHOUSE	12	0.8	0.4	0.8	0.9	2.7	0	0
NATCHITOCHES	27	0.6	0.3	0.4	0.6	2.3	0	0
ORLEANS	51	0.3	0.2	0.3	0.5	1.4	0	0
OUACffITA	44	0.6	0.3	0.4	0.8	4.1	2	0
PLAQUEMINES	3	0.4	0.2	0	0.9	1.4	0	0
POINTE COUPEE	6	0.1	0.1	0.1	0.1	0.3	0	0
RAPIDES	47	0.6	0.3	0.5	1.2	8	2	0
RED RIVER	4	0.8	0.7	0.9	0.4	1.3	0	0
HIGHLAND	8	0.6	0.3	0.3	0.8	2.4	0	0
SABINE	8	0.2	0.1	0.1	0.3	0.7	0	0
ST. BERNARD	18	0.2	0.2	0.3	0.3	0.7	0	0

ST. CHARLES	15	0.2	0.2	0.2	0.3	0.7	0	0
ST. JAMES	12	0.4	0.3	0.4	0.4	1.1	0	0
ST. JOHN	11	0.2	0.2	0.3	0.5	0.9	0	0
ST. LANDRY	28	0.3	0.2	0.3	0.5	1.5	0	0
ST. MARTIN	8	0.3	0.2	0.3	0.3	0.8	0	0
ST. MARY	17	0.2	0.2	0.2	0.3	1	0	0
ST. TAMMANY	73	0.5	0.3	0.4	1	5.2	3	0
TANGIPAHOA	18	0.3	0.2	0.1	0.6	2.2	0	0
TENSAS	6	0.1	0.1	0	0.4	0.8	0	0
TERREBONNE	35	0.4	0.3	0.5	0.4	1.5	0	0
UNION	12	1.1	0.6	0.6	1.4	4.5	8	0
VERMILION	13	0.5	0.3	0.4	0.9	3	0	0
VERNON	15	0.3	0.2	0.3	0.4	1.2	0	0
WASHINGTON	7	0.7	0.5	0.7	0.4	1	0	0
WEBSTER	14	0.4	0.3	0.2	0.5	1.1	0	0
WEST BATON ROUGE	7	0.6	0.4	0.6	0.3	0.9	0	0
WESTCARROLL	7	1.4	0.6	0.5	1.9	5.3	14	0
WESTFELICIANA	3	1.5	1.4	1.7	0.6	1.9	0	0
WINN	5	0.3	0.2	0.3	0.4	0.7	0	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Maine conducted during 1988-89. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ANDROSCOGGIN	47	3.1	2.2	2.4	2.7	11.4	23	0
AROOSTOOK	102	4.9	3	3.6	5.1	25.2	41	5
CUMBERLAND	132	5.6	3.2	3.2	8.5	82.7	39	3
FRANKLIN	22	6.8	1.8	1.7	21.7	103.2	18	5
HANCOCK	53	3.5	1.8	2.2	3.8	19.4	28	0
KENNEBEC	61	3.5	1.9	2	4.2	19.4	28	0
KNOX	30	2.8	1.6	1.6	2.9	9.7	23	0
LINCOLN	18	2.2	1.7	1.7	1.7	6.9	11	0
OXFORD	42	5.6	3.2	4.2	5.9	30.2	52	5
PENOBCOT	79	2.1	1.4	1.7	1.8	7.5	15	0
PISCATAQUIS	42	3.8	2.1	1.9	4.8	22.5	26	2
SAGADAHOC	34	2.2	1.4	1.6	2.1	8	18	0
SOMERSET	31	2.1	1.6	1.6	1.5	5.8	19	0
WALDO	27	3.1	2	2.1	3.3	13	22	0
WASHINGTON	40	2.5	1.5	1.6	2.7	12.2	15	0
YORK	79	5.6	3.1	2.9	6.7	33	41	4

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Maryland conducted during 1990-9 from the lowest level of each home tested. measurements from the lowest level of each home tested

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ALLEGANY	74	2.7	1.3	1.3	5.8	46	12	1
ANNE ARUNDEL	86	1.6	0.8	1	2.2	13.2	6	0
BALTIMORE	40	2.3	1	1	2.8	10.8	23	0
BALTIMORE CITY	79	2.1	0.5	0.4	7.4	63.2	8	1
CALVERT	16	4.9	1.4	1.1	9.4	37.9	31	6
CAROLINE	23	0.4	0.2	0.2	0.6	2.8	0	0
CARROLL	16	16.3	5.5	6.3	33.7	139.6	50	13
CECIL	61	2.1	1.1	1.3	2.4	11.2	15	0
CHARLES	19	2.6	0.6	0.4	7.3	32.1	16	5
DORCHESTER	18	0.2	0.1	0.1	0.4	1.5	0	0
FREDERICK	96	5.3	2.7	2.7	6.8	35.8	40	4
GARRETT	31	3.6	1.2	1.4	7.5	40.4	19	3
HARFORD	27	1.7	1	0.9	2	8.4	7	0
HOWARD	30	5.4	3.3	3.4	4.8	18	43	0
KENT	16	1.1	0.3	0.2	2	6.5	13	0
MONTGOMERY	101	3.1	1.7	1.8	3.9	26.1	24	1
PRINCE GEORGE'S	126	2	1	1.1	2.7	18.7	13	0
QUEEN ANNE'S	19	0.4	0.2	0.2	0.9	4	0	0
SOMERSET	17	0.2	0.1	0.1	0.7	2.8	0	0
ST. MARY'S	15	1.1	0.6	0.9	1.1	4	0	0
TALBOT	25	0.4	0.2	0.1	0.6	2.5	0	0
WASHINGTON	115	8.1	4.9	5.3	8.4	63.7	59	6
WICOMICO	50	0.2	0.2	0.1	0.4	1.3	0	0
WORCESTER	26	0.1	0.1	0	0.3	1.1	0	0

1. Data represent 2-7 day charcoal canister

TABLE 1. Screening indoor radon data from the State/EPA Residential Radon Survey of Massachusetts conducted during 1988. Data represent 2-7 day charcoal canister tests.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
BARNSTABLE	99	2.1	2	1.6	1.5	12.5	14	0
BARNSTABLE +DUKES	105	2.2	2.6	1.6	1.6	19.5	15	0
BERKSHIRE	47	3.3	3.8	1.9	1.8	15.7	21	0
BRISTOL	115	2.8	3.4	1.8	1.8	28.8	22	1
DUKES	6	4.6	7.4	1.2	1.9	19.5	33	0
ESSEX	203	4.1	5.1	2.8	2.6	52.4	36	1
FRANKLIN	26	3.3	3.4	1.6	2.1	12.6	31	0
FRANKLIN +HAMPSHIRE	80	2.8	2.9	1.6	1.9	14.1	23	0
HAMPDEN	125	2	2.4	1.3	1.4	22.9	11	1
HAMPSHIRE	54	2.6	2.6	1.6	1.8	14.1	19	0
MIDDLESEX	400	4.1	7	2.2	2.3	61.3	26	3
NORFOLK	171	3	3.5	1.9	2	30.1	21	1
PLYMOUTH	141	2	2	1.4	1.4	14.7	12	0
SUFFOLK	61	1.7	1.3	1.2	1.4	8	5	0
WORCESTER	216	4.6	5.3	2.8	2.9	41.1	38	3
STATEWIDE	1664	3.3	4.9	1.9	2	61.3	24	1

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Michigan conducted during 1986-88. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ALCONA	4	0.6	0.4	0.4	0.5	1.3	0	0
ALGER	11	1.1	0.8	0.6	1	3.3	0	0
ALLEGAN	8	1.3	1.1	1.4	0.6	2.1	0	0
ALPENA	18	0.8	0.7	0.7	0.5	1.9	0	0
ANTRIM	8	1.1	0.7	1	1	2.5	0	0
ARENAC	3	0.7	0.7	0.7	0.1	0.7	0	0
BARAGA	22	2.4	1.1	1	6	29.1	5	5
BARRY	14	1.5	1	1.4	1.1	3.1	0	0
BAY	18	1.2	0.9	0.9	1	3.5	0	0
BENZffi	3	0.9	0.8	0.9	0.4	1.3	0	0
BERRIEN	44	1.8	1.3	1.4	1.6	8.2	9	0
BRANCH	9	3.7	2.1	2.4	4.5	14.9	22	0
CALHOUN	31	3.8	2.9	2.8	3	14.9	45	0
CHARLEVOIX	12	2.5	1.9	1.7	1.7	4.7	33	0
CHEBOYGAN	14	1	0.5	0.7	1.3	5.1	7	0
CffIPPEWA	8	1	0.8	0.9	0.6	2.1	0	0
CLARE	3	1.1	1	1.3	0.7	1.7	0	0
CLINTON	18	3.8	2.4	3.2	3.2	11.9	33	0
CRAWFORD	1	0.3	0.3	0.3	0	0.3	0	0
DELTA	41	2	1.2	1.1	3.1	16.8	7	1
DICKINSON	77	3.7	2.5	2.3	4	23.9	29	0
EATON	21	3.4	2.4	2.4	3.2	13.8	29	0
EMMET	4	1.2	0.6	0.8	1.3	2.9	0	0
GENESEE	42	1.8	1.3	1.5	1.4	6.3	7	0
GLAD WIN	4	1.4	1	1.5	1	2.3	0	0
GOGEBIC	11	1	0.7	0.5	0.9	3.1	0	0
GRAND TRAVE	21	1.9	1.4	1.1	1.5	5.1	14	0
GRATIO	7	1.3	1.2	1.1	0.6	2.3	0	8
HILLSDALE	12	6.7	4.3	4.9	8.5	32.8	67	0
HOUGHTON	18	1.8	0.7	0.8	4.1	18.1	6	0
HURON	15	1.5	0.9	0.7	1.5	4.7	13	2
INGHAM	42	3.3	2.4	2.2	4.1	26.2	17	0
IONIA	10	1.7	1.2	1.6	1.2	3.6	0	0
IOSCO	9	0.5	0.4	0.5	0.3	1.1	0	0
IRON	38	3.8	2.3	2	4.3	14.4	24	0
ISABELLA	12	2.1	1.5	1.5	2.4	9.4	8	0
JACKSON	23	3.9	3.3	3.1	2.4	9.6	35	0
KALAMAZOO	55	4.5	3.2	3.5	3.7	18.1	44	0
KALKASKA	5	1	0.6	1.1	0.9	2.3	0	0
KENT	73	1.8	1.4	1.5	1.5	8.3	7	0
KEWEENAW	6	2.1	1.4	1	2.1	5.1	33	0
LAPEER	13	2.7	1.9	1.4	2.8	10.3	23	0
LEELANAU	6	1.6	1.3	1.5	1	2.7	0	0
LENAWEE	37	8.2	4.5	5	11.7	69.7	51	5
LIVINGSTON	21	3.3	2	2.4	3.1	13	33	0

LUCE	7	1	0.8	0.7	0.9	2.7	0	0
MACKINAC	6	0.8	0.5	0.6	0.9	2.4	0	0
MACOMB	92	1.2	0.9	1	0.9	5.8	2	0
MANISTEE	6	1.7	1.2	1	1.9	5.5	17	0
MARQUETTE	139	3.4	1.5	1.5	13.9	162.1	12	1
MASON	6	1.3	0.9	0.7	1.2	3.2	0	0
MECOSTA	5	2.2	1.8	1.6	1.8	5.2	20	0
MENOMNEE	22	1.5	1.1	1.1	1.3	5.3	5	0
MIDLAND	16	0.7	0.5	0.5	0.5	1.6	0	0
MISSAUKEE	7	1.9	1.7	1.9	0.9	3.1	0	0
MONROE	20	1.8	1.3	2	1.1	3.9	0	0
MONTCALM	10	1.6	1.4	1.5	0.8	2.9	0	0
MONTMORENC	8	1.5	1.2	1.2	1.1	4	0	0
MUSKEGON	34	1.1	0.9	1	0.7	3.5	0	0
OAKLAND	158	2.5	1.5	1.3	3.4	29.5	16	1
OGEMAW	7	1.1	0.9	0.9	0.9	3.1	0	0
ONTONAGON	24	0.9	0.7	0.7	0.5	2	0	0
OSCEOLA	9	1.2	1	1	0.8	2.5	0	0
OSCODA	4	0.9	0.7	0.8	0.7	1.9	0	0
OTSEGO	15	2.3	1.5	1.9	1.8	6.3	13	0
OTTAWA	36	1.8	1.2	1.1	1.9	9.8	8	0
PRESQUE ISLE	12	3	1.8	1.7	3.3	11.9	33	0
ROSCOMMON	9	0.9	0.7	0.7	0.8	2.9	0	0
SAGINAW	41	1.4	1	1.1	1.2	5.8	5	0
SANILAC	21	2.1	1.3	1.4	3.1	14.9	10	0
SCHOOLCRAFT	8	0.6	0.5	0.5	0.5	1.4	0	0
SHIAWASSEE	18	2.7	2.1	1.9	2.1	9.5	11	0
ST. CLAIR	60	1.1	0.7	0.9	1.1	7.2	2	0
ST. JOSEPH	13	2.7	2.3	2.3	2	8.5	15	0
TUSCOLA	17	2	1.6	1.7	1.4	5.2	12	0
VANBUREN	15	0.7	0.5	0.5	0.5	1.7	0	0
WASHTENAW	93	4.8	2.8	3.3	6.7	47.7	37	3
WAYNE	177	1.3	1.1	1	1.2	10.5	3	0
WEXFORD	2	1.4	1.4	1.4	0	1.4	0	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Minnesota conducted during 1987-88. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
AITKIN	4	2.1	1.9	2.2	0.8	2.9	0	0
ANOKA	52	3	2.3	2.3	2	8.1	27	0
BECKER	3	3.3	2.9	4.3	1.9	4.5	67	0
BELTRAMI	7	4	3.1	4.6	2.1	6.3	71	0
BENTON	4	3.8	3.5	2.9	1.9	6.6	25	0
BIG STONE	3	4.9	4.5	5	2.3	7.2	67	0
BLUE EARTH	14	7.7	6.7	6.9	3.7	14.3	86	0
BROWN	4	5.8	5.1	5.4	3.3	10.1	50	0
CARLTON	10	3	2.5	2.8	1.6	5.6	30	0
CARVER	6	7.3	3	7.2	6.1	14.7	67	0
CASS	5	4.5	4.1	4	2	7.4	40	0
CffIPPEWA	4	7.1	5.6	8.6	3.9	10	75	0
CffISAGO	6	3.7	2.8	3.3	2.7	8.1	50	0
CLAY	14	8.9	5.9	7.9	7.5	26.6	57	7
CLEARWATER	4	3.1	2.7	3.4	1.6	4.8	25	0
COOK	2	2.1	1.9	2.1	0.9	2.7	0	0
COTTONWOOD	4	5.1	1.8	4.7	4.9	11.1	50	0
CROW WING	12	3.1	2.6	2.7	1.9	6.7	42	0
DAKOTA	63	4.7	3.6	4.3	3.6	21.2	52	2
DODGE	3	6.1	6.1	5.7	1	7.2	100	0
DOUGLAS	9	5.5	5.2	5.5	1.7	7.8	78	0
FARIBAULT	6	2.8	1.7	2.9	1.9	5.2	33	0
FILLMORE	2	2.9	2.8	2.9	0.5	3.2	0	0
FREEBORN	9	9.5	7	6.3	9.3	32.6	78	11
GOODHUE	14	8.8	6.3	5.3	10.5	43.5	71	7
HENNEPIN	105	4.6	3.6	3.9	3.5	23.6	45	1
HOUSTON	6	5.3	4.6	4.2	2.8	9	50	0
HUBBARD	5	2.7	2.2	2.8	1.6	4.6	20	0
ISANTI	3	2.9	2.9	3	0.7	3.6	0	0
ITASCA	11	3	2.5	2.5	2.3	9.4	18	0
JACKSON	5	8.9	7.5	8.4	5.2	15.3	80	0
KANABEC	4	4	3.4	3.2	2.7	7.9	25	0
KANDIYOFF	4	8.6	7.9	9	3.9	12.3	100	0
KITTSON	3	4.1	3	4.5	3	6.9	67	0
KOOCffIChING	7	1.6	1.5	1.4	0.6	2.8	0	0
LAC QUI PARLE	2	13.7	13.4	13.7	3.3	16	100	0
LAKE	9	1.9	1.4	1.3	2.1	7.1	11	0
LAKE OF THE WOO	4	5.2	4.5	3.8	3.4	10.1	50	0
LESLEUR	5	5.7	5	4.2	3.8	12.5	60	0
LINCOLN	4	9.9	8.5	9.3	5.9	17.5	75	0
LYON	8	6.9	6.5	6.2	2.5	12	100	0
MAHNOMEN	1	3.9	3.9	3.9	0	3.9	0	0
MARSHALL	9	9.9	3.3	1.5	16.2	48.2	33	22
MARTIN	7	4.3	2.6	4.1	3.6	9.2	57	0
MCLEOD	13	5.8	2.8	2.8	7	25.4	38	8

MEEKER	5	3.7	3.4	3.2	2.1	7.2	20	0
MLLELACS	2	3.1	1.7	3.1	3.7	5.7	50	0
MORRISON	9	3.1	2.9	3	1.1	4.9	22	0
MOWER	13	7.1	4.9	6.4	6.2	24	62	8
MURRAY	1	12.1	12.1	12.1	0	12.1	100	0
NICOLLET	4	9.7	8.7	9.5	4.8	15.7	100	0
NOBLES	3	7.1	6.9	6.2	2.3	9.7	100	0
NORMAN	3	3.8	2.7	1.6	3.8	8.1	33	0
OLMSTED	23	4.3	3.4	3.2	3	11.2	43	0
OTTER TAIL	8	5.2	3.8	3.5	4.5	12.6	38	0
PENNINGTON	3	3.3	1.9	3.7	2.8	5.8	33	0
PINE	6	2.1	1.9	1.7	1.1	4.1	17	0
PIPESTONE	4	6.9	5.4	6.9	4.7	12.1	75	0
POLK	4	5.1	3.9	4.7	3.8	9.6	50	0
POPE	2	3.6	3.6	3.6	0.3	3.8	0	0
RAMSEY	32	3.6	3	3.3	2.3	10.1	31	0
REDWOOD	5	8.5	6.3	7.4	7.3	20.7	60	20
RENVILLE	3	4.6	4.2	5.8	2.2	6	67	0
RICE	11	6.9	5.9	5.6	4.6	19	82	0
ROCK	2	5	3.7	5	4.8	8.4	50	0
ROSEAU	14	4.3	3.5	3.6	3.1	11.4	36	0
SCOTT	13	7.5	4.9	4.3	7.5	25.2	54	8
SHERBURNE	8	3.2	3	3	1.2	5.1	25	0
SIBLEY	4	3.8	3.5	4.4	1.6	5	50	0
ST. LOUIS	116	3.1	2.2	2	3.7	32.2	18	1
STEARNS	25	4.9	4	5	3.2	14.5	52	0
STEELE	10	5.6	4.9	4.8	2.9	10.6	60	0
STEVENS	2	6.3	6	6.3	2.5	8	100	0
SWIFT	4	2.9	2.7	2.7	1.4	4.8	25	0
TODD	3	5	4.4	6	2.5	6.8	67	0
TRAVERSE	4	8.2	6.2	5.4	7.6	19.3	50	0
WABASHA	7	6.9	5.6	8.4	3.7	11.5	71	0
WADENA	5	3.3	2.7	3.2	1.7	4.8	40	0
WASECA	4	3.1	1.5	1.3	4.2	9.3	25	0
WASHINGTON	46	4.7	3.5	3.8	4	20.4	46	2
WATONWAN	3	9.9	9.3	10.2	4.1	13.8	100	0
WILKIN	1	9.3	9.3	9.3	0	9.3	100	0
WINONA	13	6.1	4.3	4.7	4.1	11.8	69	0
WRIGHT	13	5.8	4.9	5.1	3.7	15.9	69	0
YELLOW MEDICIN	2	3.3	3.3	3.3	0.6	3.7	0	0

TABLE 1. Screening indoor radon data from the State/EPA Residential Radon Survey of Mississippi, conducted during 1990-91. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAMS	12	2	1.1	0.7	2.5	7.3	17	0
ALCORN	47	1	0.8	0.5	1.1	6.8	4	0
AMITE	4	2.6	1.3	0.9	3.7	8.1	25	0
ATTALA	5	1.1	0.8	0.5	1.1	3	0	0
BENTON	7	1.8	1.2	0.9	1.8	4.6	29	0
BOLIVAR	12	2.9	1.1	0.7	6.3	22.8	8	8
CALHOUN	3	1.5	1	0.6	1.7	3.5	0	0
CARROLL	5	0.7	0.7	0.5	0.3	1.3	0	0
CFFICKASAW	1	3.8	3.8	3.8	~	3.8	0	0
CHOCTAW	5	0.6	0.5	0.5	0.1	0.8	0	0
CLAIBORNE	3	0.8	0.7	0.5	0.5	1.3	0	0
CLARKE	7	0.7	0.6	0.5	0.4	1.6	0	0
CLAY	5	1.3	0.9	0.5	1.4	3.8	0	0
COAHOMA	10	1	0.7	0.5	1.4	4.9	10	0
COPIAH	6	0.9	0.8	0.7	0.6	2	0	0
COVINGTON	7	0.8	0.7	0.7	0.3	1.4	0	0
DE SOTO	21	1.2	0.9	0.6	1.1	5	5	0
FORREST	38	0.7	0.6	0.5	0.6	3.5	0	0
FRANKLIN	1	0.8	0.8	0.8	~	0.8	0	0
GEORGE	11	1.3	1	0.6	1.5	4.6	9	0
GREENE	9	1.9	1.1	0.5	2.1	5.8	22	0
GRENADA	10	1.1	0.9	0.8	1	3.7	0	0
HANCOCK	9	0.6	0.6	0.5	0.3	1.4	0	0
HARRISON	47	0.8	0.6	0.5	1.3	8	4	0
HINDS	62	1	0.8	0.6	0.8	4.5	2	0
HOLMES	4	0.5	0.5	0.5	0	0.5	0	0
HUMPHREYS	31	1.1	0.8	0.5	1	3.6	0	0
ISSAQUENA	1	0.5	0.5	0.5	0.8	0.5	0	0
ITAWAMBA	26	1.2	1	0.9	0.2	2.7	0	0
JACKSON	40	0.6	0.5	0.5	1	1.2	0	0
JASPER	8	0.9	0.7	0.5	0.8	3.4	0	0
JEFFERSON	4	1.3	1.1	1.1	0.1	2.3	0	0
JEFFERSON DAV	3	0.7	0.7	0.6	0.8	0.8	0	0
JONES	19	0.9	0.8	0.5	0.1	3.7	0	0
KEMPER	2	0.6	0.5	0.6	0.6	0.6	0	0
LAFAYETTE	11	1	0.8	0.8	0.7	2.2	0	0
LAMAR	18	0.8	0.7	0.5	0.7	3.2	0	0
LAUDERDALE	14	1	0.8	0.6	0	2.7	0	0
LAWRENCE	3	0.5	0.5	0.5	1.6	0.5	0	0
LEAKE	9	1.1	0.7	0.5	1.1	5.4	11	0
LEE	70	1.1	0.8	0.5	1.2	5.3	3	0
LEFORE	10	1.4	1	1	1	4	10	0
LINCOLN	6	1.2	0.9	0.7		3.1	0	0
LOWNDES	14	1.2	1	0.9	1.1	4.5	7	0
MADISON	12	0.6	0.6	0.5	0.2	0.9	0	0

MARION	5	1.9	0.9	0.5	3.1	7.5	20	0
MARSHALL	1	0.5	0.5	0.5	0.2	0.5	0	0
MONROE	11	0.6	0.6	0.5	0	1.1	0	0
MONTGOMERY	3	0.5	0.5	0.5	0.1	0.5	0	0
NESHoba	2	0.6	0.6	0.6	2.4	0.7	0	0
NEWTON	7	2.2	1.5	1.3	2.1	7.5	14	0
NOXUBEE	2	2	1.3	2	2	3.4	0	0
OKTIBBEHA	18	1.6	1.2	0.9	1.1	8.1	11	0
PANOLA	8	1.3	0.9	0.5	0.7	3.3	0	0
PEARL RIVER	13	0.8	0.7	0.5	0.3	2.5	0	0
PERRY	8	0.8	0.7	0.7	0.9	1.3	0	0
PIKE	9	1.1	0.9	0.5	2.8	2.7	0	0
PONTOTOC	9	2	1	0.5	0.7	9	11	0
PRENTISS	26	0.9	0.8	0.5	0	3.3	0	0
QUITMAN	3	0.5	0.5	0.5	0.5	0.5	0	0
RANKIN	25	0.7	0.6	0.5	0.2	2.3	0	0
SCOTT	4	0.6	0.6	0.5	1.1	0.8	0	0
SHARKEY	23	1.3	1	0.7	0	3.9	0	0
SIMPSON	5	0.5	0.5	0.5	1.5	0.6	0	0
SMITH	7	1.3	0.9	0.7	1.3	4.6	14	0
STONE	12	1.2	0.8	0.5	0.3	5	8	0
SUNFLOWER	6	0.7	0.7	0.6	0.3	1.3	0	0
TALLAHATCffIE	3	0.7	0.7	0.5	1	1.1	0	0
TATE	5	1.3	0.9	0.5	0.5	2.4	0	0
TIPPAH	15	0.8	0.7	0.6	2.1	2.3	0	0
TISHOMINGO	25	1.6	1	0.9	0.3	10.5	4	0
TUNICA	3	0.7	0.7	0.6	1.7	1	0	0
UNION	14	1.5	1	0.8	0.8	7.1	7	0
WALTHALL	5	1	0.8	0.6	1.7	2.3	0	0
WARREN	15	1.6	1.2	1.2	2	7	7	0
WASHINGTON	71	1.2	0.8	0.5	1.2	16.1	3	0
WAYNE	8	1.3	1	0.9	0.2	4.1	13	0
WEBSTER	5	1.2	1.2	1.2	0.2	1.5	0	0
WILKINSON	3	0.6	0.6	0.5	0.3	0.9	0	0
WINSTON	7	0.6	0.6	0.5	1.3	1.2	0	0
YALOBUSA	6	1.1	0.8	0.6	1	3.7	0	0
YAZOO	8	1.2	0.9	0.7		3.3	0	0

TABLE 1. Screening indoor radon data from the EP A/State Residential Radon Survey of Missouri conducted during 1987-88. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
AD AIR	6	2.4	1.9	2.2	1.7	5.6	17	0
ANDREW	6	6.5	2.6	1.9	10.7	28	33	17
ATCffISON	4	10.8	8.2	9.5	8.2	22	75	25
AUDRAIN	6	0.9	0.5	0.5	0.8	1.9	0	0
BARRY	10	1.9	1.5	1.6	1.4	4.5	20	0
BARTON	10	1.1	0.8	0.7	1.1	3.4	0	0
BATES	11	2.8	2	2.3	2.2	7	18	0
BENTON	7	0.9	0.6	0.9	0.6	1.7	0	0
BOLLINGER	10	1.8	1.3	1.4	1.6	5.1	20	0
BQONE	13	3	2	1.9	3.1	11.9	23	0
BUCHANAN	39	4.5	3.1	3.3	3.8	19.9	38	0
BUTLER	12	2.4	1	1	3.9	14.4	8	0
CALDWELL	3	2.3	2.1	2.5	1.3	3.5	0	0
CALLAWAY	3	2.1	1.5	2.3	1.6	3.5	0	0
CAMDEN	24	3.3	1.8	1.7	4.8	22.8	17	4
CAPE GIRARDEAU	10	3.1	2.4	2	2.9	10.2	20	0
CARROLL	4	3.2	2.8	3.3	1.8	4.9	50	0
CARTER	2	2.5	2.4	2.5	0.1	2.5	0	0
CASS	57	2.1	1.6	1.5	2	10.2	14	0
CEDAR	8	1.3	0.9	0.8	1.6	5.2	13	0
CHARITON	4	1.6	1.3	1.7	1	2.8	0	0
CHRISTIAN	7	1.1	0.9	0.9	0.6	2	0	0
CLARK	5	2	1.7	2	1.3	4.1	20	0
CLAY	94	3.8	2.5	2.4	4.5	25.3	29	3
CLINTON	4	2.6	2	1.6	2.4	6.2	25	0
COLE	34	2.4	1.6	1.8	2	8.8	21	0
COOPER	4	3.1	2.2	2.3	2.7	6.9	25	0
CRAWFORD	7	2.5	1	0.9	3.4	9.7	14	0
DADE	1	2.7	2.7	2.7	0	2.7	0	0
DALLAS	4	1.1	1	1.1	0.5	1.6	0	0
DAVffiss	7	2	1.3	1.2	1.7	4.6	29	0
DEKALB	4	1.6	0.8	1.7	1.5	3.1	0	0
DENT	6	0.8	0.5	0.6	0.7	1.6	0	0
DOUGLAS	8	2.9	1.4	1.1	3.8	10.7	25	0
DUNKLIN	12	1.5	1.1	1.1	1.3	4.9	8	0
FRANKLIN	40	1.8	1.4	1.5	1.5	6.9	8	0
GASCONADE	7	0.6	0.4	0.5	0.4	1.2	0	0
GENTRY	5	2.2	1.6	1.1	2.2	6	20	0
GREENE	42	3.8	2.2	2.1	7.8	51.8	24	2
GRUNDY	4	1.3	1.2	1.3	0.4	1.7	0	0
HARRISON	6	3.3	2.6	2	3.2	9.7	17	0
HENRY	28	1.6	1.3	1.3	1.1	4.1	4	0
HICKORY	2	0.6	0.5	0.6	0.1	0.6	0	0
HOLT	2	1.8	1	1.8	2.1	3.3	0	0
HOWARD	10	1.8	1.4	1.6	1.2	3.8	0	0

HOWELL	15	3.6	2.3	2.1	3.6	12.5	33	0
IRON	7	0.8	0.6	0.6	0.5	1.5	0	0
JACKSON	271	3.9	2.7	2.8	4.1	29.9	30	1
JASPER	40	1.5	1	1.1	1.4	7.8	5	0
JEFFERSON	49	2.8	1.8	1.8	3.2	17	16	0
JOHNSON	32	2.3	1.6	1.7	2.4	11.2	19	0
KNOX	3	1.2	0.7	1.6	0.9	1.8	0	0
LACLEDE	12	2	0.9	0.9	3.4	12.3	8	0
LAFAYETTE	34	3.5	2.8	3.1	2.3	8.8	38	0
LAWRENCE	11	1.5	1.1	1.1	1	2.9	0	0
LEWIS	1	0.4	0.4	0.4	0	0.4	0	0
LINCOLN	6	1.3	0.8	0.9	1.6	4.5	17	0
LINN	5	2.2	2	2.1	1.3	4.2	20	0
LIVINGSTON	2	3.5	3	3.5	2.3	5.1	50	0
MACON	5	1.2	1	1.2	0.6	2	0	0
MADISON	7	3.1	2.1	1.7	3	8	29	0
MARIES	2	0.4	0.2	0.4	0.4	0.6	0	0
MARION	8	5.5	3	3.7	6.4	19.6	50	0
MCDONALD	5	1	0.4	0.5	1.4	3.4	0	0
MERCER	2	1.1	1.1	1.1	0.3	1.3	0	0
MILLER	10	1.2	0.9	1	1	3	0	0
MISSISSIPPI	3	0.4	0.3	0.2	0.3	0.8	0	0
MONITEAU	4	0.8	0.6	0.7	0.7	1.8	0	0
MONROE	7	0.6	0.5	0.7	0.3	1	0	0
MONTGOMERY	2	2.8	1.6	2.8	3.3	5.1	50	0
MORGAN	8	0.9	0.7	0.8	0.8	2.7	0	0
NEW MADRID	7	1.2	0.8	0.8	1.3	3.8	0	0
NEWTON	11	3	1.5	1.4	4.1	12	18	0
NODAWAY	8	4.1	2.9	2.4	4.3	14.2	38	0
OREGON	3	3.6	3.4	3.1	1.4	5.2	33	0
OSAGE	6	1.3	0.9	0.8	1.3	3.8	0	0
OZARK	5	2	1.9	2.1	0.5	2.4	0	0
PEMISCOT	1	2.7	2.7	2.7	0	2.7	0	0
PERRY	4	6.4	3.3	5.7	6.4	13.4	50	0
PETTIS	18	2.5	1.6	1.7	2.8	12.4	11	0
PHELPS	14	1	0.8	0.8	1	4.1	7	0
PIKE	9	2.2	1.5	1.5	2.2	7.2	11	0
PLATTE	25	5.6	3.6	4.2	5.5	21.3	52	4
POLK	15	2.2	1.3	1.3	2.9	11.6	13	0
PULASKI	12	0.7	0.6	0.6	0.5	2.2	0	0
PUTNAM	3	0.7	0.6	0.7	0.3	0.9	0	0
RALLS	1	0.9	0.9	0.9	0	0.9	0	0
RANDOLPH	6	1.3	1.1	1.3	0.6	2.1	0	0
RAY	17	2.7	1.8	1.6	3.1	10.8	12	0
REYNOLDS	1	2.7	2.7	2.7	0	2.7	0	0
RIPLEY	11	3.1	1.9	1.4	3	8.3	27	0
SALINE	9	4.7	3.4	3.8	3.8	12.5	44	0
SCHUYLER	1	2.3	2.3	2.3	0	2.3	0	0
SCOTLAND	4	1.1	0.7	1	0.9	2.2	0	0
SCOTT	13	1.3	0.9	1	1	3.4	0	0
SHANNON	6	5	2.6	2.2	7.5	20.3	17	17
SHELBY	3	3.2	2.3	1.4	3.1	6.8	33	0

ST. CHARLES	50	2.5	1.7	1.7	2.8	13.9	16	0
ST. CLAIR	3	2.9	2.5	3.3	1.6	4.2	33	0
ST. FRANCOIS	48	2.5	1.6	1.6	2.8	15.8	17	0
ST. LOUIS	91	2.3	1.7	1.6	2.6	17.8	13	0
ST. LOUIS CITY	207	2.3	1.6	1.6	3.1	37.5	13	0
STE. GENEVIEVE	11	1.4	0.8	1.2	1.4	5.2	9	0
STODDARD	9	1.3	0.9	0.9	1	3.1	0	0
STONE	9	2.3	1.5	2.4	2.1	7	11	0
SULLIVAN	2	1.4	1.3	1.4	0.2	1.5	0	0
TANEY	10	1.8	1.5	1.4	1.1	3.7	0	0
TEXAS	8	5	0.9	0.6	11.8	34	13	13
VERNON	13	1.1	0.9	0.7	0.8	2.9	0	0
WARREN	6	1.3	1.1	1	0.8	2.6	0	0
WASHINGTON	4	0.9	0.8	0.7	0.6	1.7	0	0
WAYNE	8	2.5	1.4	1.2	2.8	8.2	25	0
WEBSTER	15	1.8	1	0.9	2.3	8	13	0
WORTH	2	1	0.9	1	0.1	1	0	0
WRIGHT	7	1.1	0.9	0.8	0.8	2.7	0	0

USGS

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Montana conducted during 1991-92. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
BEAVERHEAD	15	6.3	3.5	2.8	10	40.7	33	7
BIG HORN	9	2.5	2	1.9	2.1	7.7	11	0
BLAINE	10	2.8	2.4	2.6	1.7	6.8	10	0
BROADWATER	4	8.3	2	2.2	13.6	28.5	25	25
CARBON	11	3.2	2.4	2.5	2.3	6.7	45	0
CARTER	9	3.8	3.2	3.3	1.9	6.5	44	0
CASCADE	70	3.8	2.5	2	4.2	19.7	26	0
CHOUTEAU	12	4.3	3.6	4.1	2.7	11.8	50	0
CUSTER	14	3.1	2.4	2.5	2.8	12	21	0
DANIELS	5	1.8	1.5	1.2	1.4	4.2	20	0
DAWSON	10	1.8	1.2	1.3	2.1	7.6	10	0
DEER LODGE	9	7.2	5	4.1	6.7	21.6	56	11
FALLON	5	3.7	3.1	4	2.2	6.4	40	0
FERGUS	12	3.9	2.9	3.6	2.7	8.9	42	0
FLATHEAD	43	8.9	3.3	2.6	22.5	133.6	30	5
GALLATIN	49	6.1	4.2	5.3	4.9	20.2	57	2
GARFIELD	5	6	4.2	4.4	5	13.8	60	0
GLACIER	5	2.3	1.8	2.1	1.6	4.4	20	0
GOLDEN VALLEY	6	4.9	4.5	4.6	2.2	8.9	67	0
GRANITE	4	5	4.5	4.2	2.8	9.1	50	0
HILL	9	2.9	2.3	2.7	1.8	6	22	0
JEFFERSON	6	9.2	4.4	6.9	9.6	26.9	67	17
JUDITH BASIN	7	6.7	5.4	6.7	4.3	14.7	71	0
LAKE	9	3	1.6	1.4	4.3	13.9	22	0
LEWIS AND CLARK	58	10.7	5	4	17.8	115.1	48	16
LIBERTY	4	8.5	6.7	8.7	6	13.9	50	0
LINCOLN	20	3.9	1.9	1.8	6.8	31.7	30	5
MADISON	8	2.7	2.2	2.1	2	7.3	13	0
MCCONE	8	4.4	3.7	3.9	2.5	9.3	50	0
MEAGHER	6	4.9	4.2	3.8	3.1	10.6	50	0
MINERAL	5	2.5	1.5	2.5	1.9	4.4	40	0
MISSOULA	60	6.6	4.6	4.6	6.5	42.2	58	3
MUSSELSHELL	4	2.7	2.6	2.4	1.2	4.4	25	0
PARK	14	10.4	3.3	4.5	17.1	63.4	64	14
PETROLEUM	3	5	3.7	4.3	4	9.3	67	0
PHILLIPS	11	6.4	4.4	6.4	5.3	17	55	0
PONDERA	6	5.9	5.1	5.1	3.6	12.2	83	0
POWDER RIVER	12	4.3	3.2	3.9	3.4	13.1	42	0
POWELL	6	6	4.7	3.8	4.5	12.8	33	0
PRAIRIE	6	6.9	5.2	7.2	3.4	10.5	83	0
RAVALLI	30	9.3	4.9	3.4	12.4	51.6	47	13
RICHLAND	11	4.8	4.4	5.4	1.9	7.7	64	0
ROOSEVELT	4	3.6	3.4	4	1.1	4.5	25	0
ROSEBUD	11	3	2.4	3.3	1.7	5.6	27	0

SANDERS	14	9.9	2.7	1.8	20.2	69.1	21	14
SHERIDAN	9	9.3	7.1	6.7	7.6	27.1	89	11
SILVER BOW	35	9.5	6.1	6.7	9.3	44.3	69	11
STILLWATER	9	4	3.2	4.9	2.3	6.8	56	0
SWEET GRASS	10	5.3	3.6	4.3	4.3	12.5	50	0
TETON	5	4	2	2.3	4.9	12.2	40	0
TOOLE	2	2.4	2.3	2.4	1.1	3.2	0	0
TREASURE	6	2.6	2	2.1	1.8	5.8	17	0
VALLEY	7	3.8	3.6	3	1.4	5.6	43	0
WHEATLAND	5	7.8	5.1	5	8.6	22.8	80	20
WIBAUX	5	26.3	24.7	22.1	11.5	46	100	80
YELLOWSTONE	101	3.7	2.9	3.2	2.7	14.6	32	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Nebraska conducted during 1989-90. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAMS	75	4.7	3.7	4.2	3.4	19.7	52	0
ANTELOPE	20	4.8	3.3	3.8	3.4	12.6	40	0
ARTHUR	4	1	0.8	1	0.7	1.9	0	0
BANNER	6	3.4	2.7	2.2	2.6	8.2	33	0
BLAINE	5	1.5	0.7	0.4	2.3	5.5	20	0
BOONE	17	6.1	5	5.7	3.6	14.8	59	0
BOXBUTTE	37	2.8	2.2	2.2	1.8	9.3	19	0
BOYD	11	7.2	5	4.2	7.2	26.2	64	9
BROWN	6	2.3	2	2.5	1.2	3.6	0	0
BUFFALO	81	4.8	3.4	4.2	3.8	24.4	54	1
BURT	13	9.5	7.7	8.6	5.6	19.3	77	0
BUTLER	9	4.2	3.1	2.8	3.8	12.7	33	0
CASS	10	8.2	6.7	7.6	5.1	15.9	70	0
CEDAR	32	9	6.3	7.8	6.4	24.5	72	9
CHASE	15	4.2	3.3	4.6	1.9	9.1	60	0
CHERRY	40	2	1.4	1.8	1.6	9.8	5	0
CHEYENNE	45	3.5	3	2.8	2.2	12.7	24	0
CLAY	14	7	5.3	5.4	5.4	20	57	0
COLFAX	10	5	3	2.6	4.7	14.4	40	0
CUMING	26	6.3	4.7	4.6	5.5	24.6	58	4
CUSTER	40	3.6	3	3.2	2.2	11.5	28	0
DAKOTA	27	11.8	5.6	5.9	23.3	123.4	63	15
DAWES	34	4.3	3.3	3.6	3	13.9	38	0
DAWSON	40	2.6	2.1	2.3	1.8	8.4	13	0
DEUEL	5	3.1	2.1	3.6	2.4	6.3	20	0
DIXON	17	8.8	7	9.4	5.5	19.4	82	0
DODGE	16	5.4	4.2	4.6	4	16.2	50	0
DOUGLAS	148	6.4	4.9	5.3	5.9	51.7	65	4
DUNDY	7	2.6	2.3	2.1	1.5	4.8	29	0
FILLMORE	6	7.7	5.7	5.4	6.7	20.1	67	17
FRANKLIN	14	6.1	5.1	5.3	3.7	13.3	64	0
FRONTIER	8	2.9	1.9	3.6	1.8	4.9	25	0
FURNAS	12	4.5	3	4.3	2.6	8.8	58	0
GAGE	10	6	5	5.7	3.5	12.3	70	0
GARDEN	28	3	1.6	1.7	3.8	16.9	21	0
GARFIELD	9	3.5	2.5	3.5	1.6	5.6	44	0
GOSPER	4	4.9	3.9	5	3.1	8.2	50	0
GRANT	2	0.6	0.3	0.6	0.6	1	0	0
GREELEY	18	7.2	4.6	3.9	9.5	42.8	44	6
HALL	109	2.5	2	2.5	1.6	9	12	0
HAMILTON	18	5.4	4.3	4.1	4	17	50	0
HARLAN	8	5.2	4.5	5.3	2.7	9.4	63	0
HA YES	8	4.4	3.4	4	3.2	11	50	0

HITCHCOCK	10	4.2	2.9	4.4	2.7	9.6	60	0
HOLT	34	2.4	1.3	1.8	2.1	8.4	18	0
HOOKER	15	1.3	1.1	1.3	0.8	2.9	0	0
HOWARD	13	2.8	2	1.9	2	6	23	0
JEFFERSON	7	6.2	6	6.2	1.8	9.9	100	0
JOHNSON	1	21	21	21	0	21	100	100
KEARNEY	17	4.3	3.5	3.8	2.5	10.1	47	0
KEITH	31	3.9	3	3.5	2.9	15	42	0
KEYA PAHA	6	1.3	0.8	1.1	1	3.1	0	0
KIMEALL	17	2.8	2.1	2.3	2.8	12.7	12	0
KNOX	25	7.9	5	5	8.7	40.9	64	8
LANCASTER	74	6	4.9	5.6	3.2	15.2	72	0
LINCOLN	77	2.2	1.6	1.7	1.7	10.7	10	0
LOGAN	11	1.7	1	1.6	1.3	4	0	0
LOUP	6	1.5	0.9	0.9	1.4	3.6	0	0
MADISON	89	6.4	4.3	5.5	5.3	31.2	60	2
MCPHERSON	4	1.7	0.9	1.3	1.7	3.8	0	0
MERRICK	21	1.9	1.3	1.4	2.1	10	10	0
MORRILL	26	2.2	1.3	2	1.9	7.7	15	0
NANCE	16	5.4	4.1	5	3.6	13.7	63	0
NEMAHA	7	7.8	6.3	4.6	5.3	16.2	86	0
NUCKOLLS	19	7.6	6.3	7.6	4	15.2	79	0
OTOE	7	5.2	4.7	5.1	2.5	9.3	57	0
PAWNEE	2	3.5	3.5	3.5	0	3.5	0	0
PERKINS	9	3.3	1.6	3.6	2.7	8.5	44	0
PHELPS	24	3	2.4	2.8	1.7	6.5	21	0
PIERCE	14	7.4	3.7	4.8	7.4	22.9	57	7
PLATTE	11	3.3	2.6	2.6	2.6	9.1	18	0
POLK	6	6.2	5.5	5.3	3.6	13.2	83	0
RED WILLOW	25	4.2	3.5	3.4	2.7	13	44	0
RICHARDSON	7	5.2	4	5.1	3.5	11.5	71	0
ROCK	15	0.8	0.5	0.7	0.8	3.3	0	0
SALINE	9	8.3	6.6	9.6	4.9	14.3	67	0
SARPY	33	5.6	4.5	4	4.4	24.2	48	3
SAUNDERS	8	6.9	6.2	6.5	3.3	10.9	63	0
SCOTTS BLUFF	113	3.5	2.8	2.9	2.5	17.3	28	0
SEWARD	7	5.1	4.9	4.9	1.3	6.8	86	0
SHERIDAN	33	3.8	2.6	2.9	3.6	18.4	30	0
SHERMAN	8	4	3.7	4.2	1.6	6.3	63	0
SIOUX	6	3.4	1.9	1.6	4.5	12.4	17	0
STANTON	11	4.9	2.4	3.1	4.9	13.8	36	0
THAYER	6	4.2	3.4	3.6	2.9	9	33	0
THOMAS	10	1.5	1.2	1.1	1.3	5	10	0
THURSTON	4	8.3	7.7	9.7	3.1	10.2	75	0
VALLEY	13	4	3.5	4.2	1.9	7	54	0
WASHINGTON	8	8.3	5.2	4.6	12	37.9	63	13
WAYNE	18	9.3	7.1	7.2	6.4	20.2	72	6
WEBSTER	12	4	2.4	3.5	3.1	9	42	0
WHEELER	6	1.4	0.8	1.3	1.1	3	0	0
YORK	12	5.8	4.5	5.1	4.1	15.9	67	0

TABLE 2. Screening indoor radon data for cities in Nevada with 10 or more usable indoor radon measurements. Data represent charcoal-canister tests made between 1989 and 1991.

CITY	NO. OF MEAS.	HIGH pCi/L	LOW pCi/L	AVERAGE pCi/L	%>4 pCi/L
Alamo	30	7	0	1.3	10
Austin	22	46.7	0	6.7	40.9
Battle Mountain	48	7.7	0	1.3	6.3
Beatty	14	10	0	2.3	14.3
Boulder City	21	5.3	0	1.8	9.5
Caliente	44	41.8	0	5.1	34.1
Carlin	25	11.5	0	2.9	24
Carson City	105	31.6	0	4.1	30.5
Dayton	17	8.1	0	1.9	11.8
Elko	173	17.2	0	2.6	17.9
Ely	163	23.7	0	4.3	39.3
Eureka	30	35.4	0	5.5	33.3
Fallon	141	20.1	0	2.2	8.5
Fernley	18	7	0.3	1.5	5.6
Gabbs	13	2.6	0	1.1	0
Gardnerville	44	21.9	0	4.2	34.1
Goldfield	17	2.8	0	1	0
Hawthorne	67	23.6	0	4.5	37.3
Henderson	22	3.4	0.1	1.1	0
Las Vegas	193	11	0	0.9	3.1
Lovelock	32	40.7	0.7	7.9	56.3
Lund	15	4	0.7	2.1	6.7
McDermitt	10	43.4	0.1	5.8	10
McGill	47	3.8	0	1.2	0
Minden	15	8.9	0.4	2.8	26.7
North Las Vegas	10	2.9	0.6	1.5	0
Orovada	13	30.5	0	6.9	61.5
Pahrump	67	17.5	0	1.8	7.5
Panaca	29	16.8	1	5.2	55.2
Paradise Valley	10	5.8	0.4	1.7	10
Pioche	31	39.8	0	5.4	38.7
Reno	311	40.6	0	3.3	21.2
Round Mountain	12	3.1	0	1.4	0
Ruby Valley	10	18	0.5	5	40
Ruth	15	6.6	0.3	1.8	13.3
Sparks	82	9	0	1.4	6.1
Tonopah	42	7.6	0	1.5	7.1
Wells	23	13.3	0	4.3	39.1
Wendover	14	6.4	0.1	2	14.3
Winnemucca	210	20.8	0	2	11
Yerington	23	11	0.5	3.8	34.8
Zephyr Cove	13	19.1	1.4	7.4	69.2

Table 1. New Hampshire 1987-1990 Winter Indoor Radon Survey data by Town. Data are from short-term charcoal canister measurements.

Town	No. of Meas.	Mean		Town	No. of Meas.	Mean
Acworth	6	2.2		Conway	8	9.6
Albany	2	7.7		Cornish	6	2
Alexandria	4	1.6		Croydon	5	5.2
Allenstown	8	6.7		Dalton	5	3.1
Alstead	5	1.8		Danbury	2	6.8
Alton	5	2.2		Danville	5	11.4
Amherst	16	8.6		Deerfield	16	4.4
Andover	7	4.5		Deering	7	1.2
Antrim	7	0.7		Derry	21	4.9
Ashland	7	3.4		Dixville	2	1.8
Atkinson	15	8.6		Dorchester	4	2
Auburn	14	3.9		Dover	10	3
Barnstead	3	4.7		Dublin	5	1.2
Barrington	11	3.1		Dummer	3	3.5
Bartlett	3	7.7		Dunbarton	8	9.7
Bath	7	2.5		Durham	11	2.8
Bedford	19	7.6		East Kingston	6	5.4
Bennington	6	0.8		Easton	4	2.4
Benton	5	3.0		Eaton	5	25.4
Berlin	26	5.4		Effingham	5	3.8
Bethlehem	6	3.8		Ellsworth	1	1.8
Boscawen	2	0.8		Enfield	5	2.6
Bow	17	3.6		Epping	11	3.6
Bradford	2	7.7		Epsom	4	3
Brentwood	6	3.1		Errol	3	4.5
Bridgewater	4	2.8		Exeter	8	2.4
Bristol	6	2.4		HillFamiington	6	4.4
Brookfield	4	3.2		Fitzwilliam	6	2.3
Brookline	6	3.5		Francesstown	3	1.3
Campton	5	5.9		Franconia	3	3
Canaan	8	2.1		Franklin	14	2.6
Candia	13	4.9		Freedom	3	33.4
Canterbury	6	2.4		Fremont	4	11.1
Carroll	5	7.4		Gilford	10	3.7
Center Harbor	2	0.9		Gilmanton	7	2.1
Charlestown	7	2.2		Gilsum	6	3
Chatham	2	6.8		Goffstown	14	3.2
Chester	10	4.5		Gorham	15	14.7
Chesterfield	6	3.3		Goshen	6	2
Chichester	2	3.0		Grantham	5	4.5
Claremont	8	1.7		Greenfield	6	7.4
Clarksville	2	35.5		Greenland	7	3
Colebrook	8	5.6		Greenville	6	4.1
Columbia	4	19.9		Groton	3	1.1
Concord	21	2.5		Hampstead	17	5

Hampton	7	8.9		Merrimack	28	3.1
Hampton Falls	4	4.8		Middleton	4	4.3
Hancock	4	0.8		Milan	5	3.7
Hanover	13	1.4		Milford	10	4.9
Harrisville	5	1.3		Milton	6	3
Hart's Location	2	266.6		Monroe	4	1.3
Haverhill	17	4.3		Mont Vernon	6	3.9
Hebron	4	2.0		Moultonboro	3	0.8
Henniker	9	1.6		Nashua	37	7
Hill	4	2.1		Nelson	6	1.1
Hillsboro	13	0.8		New Boston	6	3.8
Hinsdale	11	2		New Castle	6	3.7
Holderness	4	2.2		New Durham	7	13.3
Hollis	21	7.3		New Hampton	2	3.4
Hooksett	14	6.9		New Ipswich	9	3
Hopkinton	5	0.9		New London	7	2.8
Hudson	18	5.5		Newbury	4	5.6
Jackson	3	11.8		Newington	5	2.6
Jaffrey	14	2.6		Newmarket	5	4
Jefferson	5	1.8		Newport	5	3
Keene	23	1.7		Newton	10	7
Kensington	5	5.8		North Hampton	13	6.4
Kingston	12	3.9		Northfield	8	1.1
Laconia	12	1.8		Northumberland	3	14.1
Lancaster	13	2.9		Northwood	10	4.4
Landaff	2	1.0		Nottingham	8	4.1
Lebanon	27	4.5		Orange	4	2.6
Lee	3	7.5		Orford	1	1.3
Lempster	5	2.7		Ossipee	7	7.5
Lincoln	1	1.3		Pelham	15	3.9
Lisbon	5	5.3		Pembroke	9	4.1
Litchfield	18	2.6		Peterborough	12	1.2
Littleton	13	2.2		Piermont	3	1.3
Londonderry	15	7.8		Pittsburg	3	2
Loudon	5	1.4		Pittsfield	5	0.8
Lyman	4	5.8		Plainfield	7	0.9
Lyme	3	2.5		Plainstow	10	4.1
Lyndeborough	8	4.8		Plymouth	15	3.9
Madbury	5	1.9		Portsmouth	36	3.5
Madison	5	17.3		Randolph	4	7.1
Manchester	38	5.1		Raymond	8	3.4
Marlborough	7	2.7		Richmond	6	2.4
Marlow	2	2.5		Rindge	7	2.8
Mason	6	4.5		Rochester	42	4.9
Meredith	12	1.7		Rollinsford	8	2.8
Roxbury	2	1.6		Winchester	5	19.2
Rumney	7	6.8		Windham	16	4.2
Rye	13	7		Windsor	1	0.4
Salem	19	2.6		Wolfeboro	9	1.2
Salisbury	4	1		Woodstock	4	15.2
Sanbornton	4	0.8				
Sandown	7	2.5				

Sandwich	2	3.5				
Seabrook	7	1.9				
Sharon	7	6.3				
Shelburne	7	17.6				
Somersworth	8	4.5				
South Hampton	5	6.1				
Springfield	4	1.5				
Stark	4	17.1				
Stewartstown	3	2.9				
Stoddard	5	0.7				
Stratford	7	20.3				
Stratford	4	54.2				
Stratham	10	6.2				
Sugar Hill	4	1.3				
Sullivan	3	1.4				
Sunapee	5	1.5				
Surry	7	2.8				
Sutton	5	1				
Swanzey	11	0.9				
Tamworth	10	9.9				
Temple	7	2.9				
Thornton	3	4				
Tilton	10	1.5				
Troy	6	1.6				
Tuftonboro	3	2.2				
Unity	4	1				
Wakefield	3	4.8				
Walpole	8	2.4				
Warner	6	2				
VVdi i tfll	5	2.2				
Washington	2	1.1				
Weare	7	1.9				
Webster	7	1				
Wentworth	4	2.6				
Westmoreland	6	1.6				
Whitefield	7	2.3				
Wilmot	4	2.5				
Wilton	5	3.2				

TABLE 1. Screening indoor radon data for New Jersey compiled by the New Jersey Department of Environmental Protection and Energy. Data are compiled from vendor reports collected by NJDEP from 1986 through 1992 and represent primarily 2-7 day charcoal canister measurements, although some alpha-track and e-perm detector data are also included.

COUNTY	NO. OF MEAS.	ARITHMETIC MEAN	%>4 pCi/L
Atlantic	225	1.3	4
Bergen	14887	1.8	8
Burlington	3631	2.2	12
Camden	4029	2.6	15
Cape May	55	1.1	4
Cumberland	287	3.5	16
Essex	10598	1.9	8
Gloucester	1229	3	19
Hudson	1390	1.5	5
Hunterdon	9465	9.4	47
Mercer	11535	6.1	30
Middlesex	12325	2.8	19
Monmouth	11176	4	26
Morris	27624	4.5	28
Ocean	997	1.5	4
Passaic	6031	2.6	17
Salem	215	2.6	18
Somerset	16382	5.1	35
Sussex	6536	6.5	41
Union	7855	2.2	11
Warren	4981	9.5	54
STATEWIDE	151,453	4.3	25

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of New Mexico conducted during 1988-89. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
BERNALILLO	406	3.7	2.7	2.6	3.5	27	28	1
CATRON	16	1.4	1	1	1.2	4.2	6	0
CHAVES	52	2.7	2.2	2.3	1.7	6.6	17	0
CIBOLA	6	2.3	1.8	2.3	1.5	4.7	17	0
COLFAX	91	6	3.8	3.9	11.5	105.4	49	3
CURRY	47	2.6	1.9	2.1	2.1	11.3	13	0
DEBACA	12	1.3	1.1	1	1	4.2	8	0
DONA ANA	86	1.8	1.4	1.3	1.4	9	7	0
EDDY	51	2	1.2	1.3	1.9	7.5	16	0
GRANT	60	2.1	1.3	1.5	2.1	13.4	10	0
GUADALUPE	8	1.3	1	1.1	0.8	2.7	0	0
HARDING	12	1.9	1.2	1.1	1.9	6.9	8	0
HIDALGO	18	3.7	2.8	3.4	2.8	12.5	39	0
LEA	50	1.6	1.1	1.1	1.4	7.6	6	0
LINCOLN	18	2.6	1.9	1.7	2.5	10.1	11	0
LOS ALAMOS	42	3	2.4	2.7	2.2	13	24	0
LUNA	49	3.8	2.5	2.4	4.6	27.7	22	2
MCKINLEY	53	6	2.8	3.2	13	87.3	34	6
MORA	17	4.6	3.5	3.9	3.2	11.5	41	0
OTERO	46	2.7	1.6	1.9	3.4	21.6	17	2
QUAY	10	3.2	2.7	2.6	1.8	6	30	0
RIO ARRIBA	72	3.4	2.3	2.2	4	24.7	21	1
ROOSEVELT	44	2.2	1.7	1.7	1.7	7.4	11	0
SAN JUAN	196	2.4	2	1.9	2.2	24.8	11	1
SAN MIGUEL	78	4.9	3.1	3.2	5.9	36.2	45	4
SANDOVAL	76	4.6	2.3	2	10.2	76.7	20	3
SANTA FE	73	4.6	3.2	3.5	3.8	21.6	41	1
SIERRA	41	1.3	1	1	0.9	3.9	0	0
SOCORRO	41	2.5	1.9	2	1.7	7.2	17	0
TAOS	47	6.3	3.8	4.7	6.6	31.4	57	4
TORRANCE	10	3.9	2.4	2.8	3.6	9.4	50	0
UNION	32	3.4	2.5	2.1	3.1	15.1	31	0
VALENCIA	25	1.9	1.8	1.7	0.8	3.6	0	0

Table 1. Screening indoor radon data compiled by the New York State Department of Health.
Data represent 1-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
Albany	1183	3.7	8.3	1.5	1.6	100.6	19	3
Allegany	212	10.2	14	4.7	4.6	113.7	55	17
Bronx	1123	1.4	2	0.8	0.8	21.9	5	0
Broome	1826	5.7	13.1	2.4	2.6	319.9	35	5
Cattaraugus	394	6.5	12.4	2.7	3	119.4	40	6
Cayuga	440	4.4	7	2.5	2.5	81.9	31	3
Chautauqua	651	5.3	9.4	1.9	2.2	102.1	31	4
Chemung	1195	12.4	13.6	7.6	6.9	98.4	69	21
Chenango	255	8.5	13.8	3.6	3.8	105.5	47	11
Clinton	132	2.2	3.3	1.3	1.2	23.2	13	1
Columbia	304	7	18	3.8	3.6	298	49	6
Cortland	380	14.2	15.1	9.9	8	107.4	73	23
Delaware	348	7	13.8	2.8	3.1	152.4	39	7
Dutchess	2454	6.3	8	4.1	3.8	135.2	51	4
Erie	4671	4.4	14.2	1.1	1.3	371.9	18	4
Essex	122	1.5	2.7	0.9	0.9	26.3	5	1
Franklin	71	1.3	1.3	0.9	0.8	6.2	3	0
Fulton	103	2.1	2.3	1.4	1.3	13.5	12	0
Genesee	339	7.7	20.6	3.1	3.4	322.7	39	8
Greene	137	4.4	8.4	2.1	2.1	72.4	28	3
Hamilton	20	1.6	1.5	1	1	5.5	10	0
Herkimer	147	4.6	6.1	2.5	2.5	44.2	33	3
Jefferson	127	3	4.2	1.6	1.5	28.8	23	1
Kings	1123	1.4	2	0.8	0.8	21.9	5	0
Lewis	56	4.4	4.9	2.5	2.5	26.4	41	2
Livingston	139	6.2	9.3	3.5	3.4	76.6	47	4
Madison	265	4.8	6.8	2.7	2.6	57.7	35	4
Monroe	1298	2.8	8.4	1.4	1.5	214.4	12	2
Montgomery	147	3.6	4.5	1.9	2	32.7	31	1
Nassau	589	1.2	1.2	1	0.9	9.6	3	0
New York	1123	1.4	2	0.8	0.8	21.9	5	0
Niagara	712	1.7	2.2	1	1	17.3	8	0
Oneida	729	5.1	7.6	2.5	2.6	79	35	4
Onondaga	4749	8.5	16.2	3.6	3.7	341.8	47	10
Ontario	352	5.3	10.1	2.4	2.7	125	32	5
Orange	1098	4.5	6.8	2.5	2.4	85.5	33	3
Orleans	476	3.2	6.3	1.7	1.7	86.4	18	2
Oswego	170	2	2.9	1.2	1.3	29.6	9	1
Otsego	494	8	17.4	4.2	3.8	299.7	52	7
Putnam	624	4	5.6	2.3	2.2	47.5	31	2
Queens	1123	1.4	2	0.8	0.8	21.9	5	0
Rensselaer	648	6.4	9.4	3.5	3.3	103.2	46	5
Richmond	1123	1.4	2	0.8	0.8	21.9	5	0
Rockland	2469	2.2	4.3	1.3	1.3	123.7	11	1
St. Lawrence	195	2.3	4.5	1.4	1.3	56.8	12	1

Saratoga	578	3.2	5.1	1.8	1.8	56.9	20	1
Schenectady	506	3	6	1.7	1.7	84.9	19	1
Schoharie	151	5.4	8.8	2.8	2.7	58.9	38	5
Schuyler	70	4	3.4	3.1	2.7	18.5	40	0
Seneca	144	2.5	2.9	1.7	1.6	19.5	15	0
Steuben	593	11.2	14.6	5.8	5.5	133.4	63	17
Suffolk	356	1.6	2.6	1.1	1	42.6	6	0
Sullivan	154	3.1	4.6	1.8	1.7	38	21	2
Tioga	541	8.3	14.9	3.7	3.8	236.8	48	9
Tompkins	460	4.4	5.8	2.6	2.7	54.6	32	2
Ulster	596	4	7.9	2.3	2.2	114.3	28	2
Warren	121	2.1	2.5	1.4	1.3	20.1	10	1
Washington	119	4.7	7.1	2.1	2.3	43.6	29	3
Wayne	142	3.8	5.8	1.8	2	35.3	20	4
Westchester	2365	2.4	3.8	1.5	1.5	95.4	13	1
Wyoming	233	8.9	14.7	3.9	4.1	137.4	48	12
Yates	97	5.8	9.3	2.8	2.8	69	38	5

EPA/State Residential Radon Survey, the North Carolina Cooperative Extension Service Radon Survey, and non-random data collected from vendors of charcoal canister radon detectors. Data represent 2-7 day screening tests.

COUNTY	NO. OF MEAS.	AVERAGE	MINIMUM	MAXIMUM
Alamance	58	0.9	0	29
Alexander	22	2.1	0.3	8.9
Alleghany	19	6.1	0	44.1
Anson	96	1.3	0	4.9
Ashe	39	3.2	0.1	19
Avery	25	3.3	0.4	14.3
Beaufort	23	0.9	0	3.5
Bertie	99	1	0	4.6
Bladen	6	0.6	0	2.4
Brunswick	14	0.3	0	0.8
Buncombe	231	5	0	100
Burke	55	2.5	0	11.2
Cabarrus	44	1.4	0	9.2
Caldwell	51	2.3	0	12
Camden	4	0.3	0	1.1
Carteret	27	0.4	0	1.1
Caswell	105	2.8	0	20
Catawba	114	2.1	0	15.9
Chatham	13	1	0	3.1
Cherokee	25	4.4	0.4	18.6
Chowan	9	0.5	0.2	1.3
Clay	17	3.7	0.6	17.2
Cleveland	346	3.5	0	39.8
Columbus	19	0.4	0	0.8
Craven	20	0.5	0.1	1.8
Cumberland	98	1	0	4
Currituck	9	0.5	0.2	1.2
Dare	8	0.1	0	0.4
Davidson	65	2	0	39
Davie	30	2.2	0	7.3
Duplin	11	0.5	0	2.7
Durham	230	1.4	0	20
Edgecombe	43	0.9	0	4.2
Forsyth	429	3.6	0	26.2
Franklin	23	3.1	0	21.6
Gaston	323	3	0	59.6
Gates	74	1	0	3.8
Graham	12	3.5	0.5	11.1
Granville	25	1.2	0	10.7
Greene	5	0.6	0.2	1.3
Guilford	338	1.8	0	21
Halifax	17	1.6	0	7
Harnett	19	0.6	0	1.4
Haywood	130	3.5	0	37

Henderson	225	7.1	0.4	51.7
Hertford	8	0.3	0	0.8
Hyde	6	0.1	0	0.4
Iredell	85	2.3	0	9.5
Jackson	48	2.5	0	11.9
Johnston	14	0.4	0	2.2
Jones	63	1	0.2	4.4
Lee	135	1.2	0	6
Lenoir	18	0.4	0	1
Lincoln	50	3.3	0.1	36.2
McDowell	38	3.1	0.3	8.7
Macon	70	2.8	0.3	10.8
Madison	15	1.5	0	7.1
Martin	11	0.7	0.1	4.3
Mecklenburg	257	1.1	0	8.3
Mitchell	22	8.1	0	25.5
Montgomery	14	1.5	0	5.9
Moore	41	2	0	20.7
Nash	100	1	0	5.1
New Hanover	70	0.6	0	4
Northampton	22	2.8	0	16.8
Onslow	44	0.9	0	7.4
Orange	99	2	0	14
Pamlico	68	0.8	0	2.6
Pasquotank	13	0.3	0	0.9
Fender	11	1.1	0	5.2
Perquimans	6	0.1	0	0.2
Person	15	2.4	0.3	6.9
Pitt	42	0.6	0	4.1
Polk	25	3.3	0.2	17.3
Randolph	49	1.7	0	8
Richmond	16	1	0	3.5
Robeson	25	0.6	0	2.3
Rockingham	74	5.4	0.1	61.5
Rowan	49	1.2	0	8
Rutherford	149	2.7	0	27.1
Sampson	20	0.7	0.1	1.5
Scotland	9	1.2	0.1	2.4
Stanly	22	1.7	0	8.7
Stokes	120	2.8	0	15.3
Surry	99	2.2	0	11.9
Swain	26	3.5	0	11.4
Transylvania	44	6.8	0.3	31.4
Tyrrell	6	0.2	0	0.3
Union	23	1	0.1	6
Vance	33	2.1	0	9.5
Wake	755	2.5	0	30
Warren	5	4.1	0.1	12.8
Washington	7	0.6	0	1.5
Watauga	85	7	0	52.6
Wayne	11	1.1	0	2.1
Wilkes	51	2.8	0.2	11.1

Wilson	101	1.3	0	6.6
Yadkin	30	2.4	0	8.1
Yancey	11	2.7	0.1	4.9
STATEWIDE	6825	2.5	0	100

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of North Dakota conducted during 1987-88. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAMS	23	9.3	7.4	7.3	7.1	27.8	78	13
BARNES	38	8	5.6	5.8	8	44.1	74	8
BENSON	8	7.2	4	4.2	10.5	32.7	50	13
BILLINGS	9	8.7	6.3	9.2	6.1	20.6	78	11
BOTTINEAU	33	6	4	4.2	8.7	52.6	52	3
BOWMAN	31	10.7	5.5	6.6	22.2	126.6	71	6
BURKE	4	2.6	2.4	2.7	0.9	3.5	0	0
BURLEIGH	101	4.9	4	3.8	4	32.1	47	1
CASS	171	7.9	5.6	5.4	9.3	85.6	66	6
CAVALIER	14	3.7	1.7	3.1	3.6	14.4	36	0
DICKEY	11	5.5	4.7	5.2	2.7	10.1	82	0
DIVIDE	4	8.8	7.5	8.7	5.3	13.8	100	0
DUNN	28	8.7	6.4	6.7	6.6	25.3	75	11
EDDY	4	4.6	2.3	3.6	4.8	10.7	50	0
EMMONS	15	6.6	4.8	4.1	6.1	25	53	7
FOSTER	7	3.7	2.9	4	2.3	7.4	43	0
GOLDEN VALLEY	7	4	3.6	2.7	2.1	7.2	43	0
GRAND FORKS	172	11.7	9.3	9.5	9.3	77.7	90	10
GRANT	23	8.1	5.8	6.1	7.6	34.9	61	4
GRIGGS	10	3.3	2.8	3	2	8	20	0
HETTINGER	31	7.2	5.4	5.7	5.7	25.4	61	6
KIDDER	8	4	3.3	4	2.5	9	50	0
LAMOURE	5	5.2	5	5.6	1.7	7.1	60	0
LOG AN	13	5.7	5	4.8	3.3	14.6	69	0
MCHENRY	30	3.6	2.8	2.9	2.7	12.6	33	0
MCINTOSH	9	7.1	2.9	3.6	11.1	35.7	44	11
MCKENZffi	6	3.5	3	3.3	2.1	6.1	50	0
MCLEAN	17	5	4.6	4.4	2.3	10.6	71	0
MERCER	46	8.1	6.1	6.3	8.1	50.8	72	7
MORTON	99	5.6	4.2	4.4	5	32.6	53	3
MOUNTRAIL	20	7.5	5.1	5.3	8.5	38.1	60	10
NELSON	26	5.3	4.6	4.7	3	13.9	62	0
OLIVER	19	6.4	5.9	6.1	2.9	14.4	84	0
PEMBINA	59	9.4	6.4	7.1	7.8	35	73	14
PIERCE	17	3.8	3.4	3	2.3	11.4	24	0
RAMSEY	18	6.6	5.2	5.2	4.7	16.7	78	0
RANSOM	7	8.4	5.9	10.5	6	17.4	57	0
RENVILLE	9	5.1	4.8	4.3	2.4	11.4	56	0
RICHLAND	46	7	4.5	4.8	8	48.7	57	4
ROLETTE	20	5.5	3.6	3.8	4.6	14.5	50	0
SARGENT	10	5.5	4.9	5.7	2.5	9.8	70	0
SHERIDAN	5	5	4.8	5	1.3	6.6	60	0
SIOUX	2	4.9	2.7	4.9	5.8	9	50	0
SLOPE	7	7	4.3	3.3	6.3	15.6	43	0

STARK	122	8	5.1	4.8	17	184.2	59	4
STEELE	7	5.2	3.7	3.3	5.7	17.8	43	0
STUTSMAN	40	7.8	4.1	4.6	20.7	134.4	63	3
TOWNER	10	8.1	5.2	4.8	10.5	36.8	50	10
TRAILL	26	6.8	4.4	5.3	7.2	38.2	65	4
WALSH	49	10.5	7.3	8	9.2	50.6	76	10
WARD	66	4.2	3.2	3.6	3.2	20.6	45	2
WELLS	11	5.6	2.4	2.8	7.8	22.4	27	9
WILLIAMS	23	4.6	3.9	3.8	3	13.3	48	0

TABLE 1. Screening indoor radon data from the EP A/State Residential Radon Survey of Ohio conducted during 1988-89. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAMS	10	1.9	1.1	2.1	1.5	4.8	10	0
ALLEN	28	7.2	3.6	3.9	12.9	62.6	50	7
ASHLAND	20	6	3.4	2.7	8.8	36.6	30	10
ASHTABULA	15	1.9	1.2	0.9	2.2	7.5	13	0
ATHENS	14	1.9	1	1.2	2	6.4	14	0
AUGLAIZE	10	2.8	1.5	1.6	2.6	7.9	30	0
BELMONT	12	3.3	2.3	2.2	2.9	10.1	33	0
BROWN	5	1.2	0.9	1.1	0.8	2.1	0	0
BUTLER	33	4	2.6	3	3.6	14.9	42	0
CARROLL	7	8.6	4.7	3.5	10.2	27.7	43	14
CHAMPAIGN	12	26.1	3.2	4.3	75.4	265.2	50	8
CLARK	15	7.8	3.3	2	10.6	33.7	40	13
CLERMONT	12	2.6	1.2	1.5	3.1	10.7	17	0
CLINTON	9	1.6	1.1	2.1	1.2	3.4	0	0
COLUMBIANA	13	2.7	1.7	1.9	2.3	7.8	23	0
COSHOCOTON	18	9.7	4.3	3.4	14	56.9	50	11
CRAWFORD	14	5.3	4	5.3	3.1	11.6	57	0
CUYAHOGA	120	2	1	1.1	6.8	74.5	4	1
DARKE	15	5.1	2.6	2.9	4.6	13	40	0
DEFIANCE	8	1.9	1.6	1.9	1	3.9	0	0
DELAWARE	20	6.2	4.1	5.6	5.5	21.7	55	5
ERIE	19	4.5	2.8	2.5	4.9	21.1	37	5
FAIRFIELD	31	19.9	6.1	8.1	45	238.5	61	26
FAYETTE	6	1.7	1	1.3	1.6	4.5	17	0
FRANKLIN	170	7.4	5.3	5.4	6.9	46	64	5
FULTON	6	2.5	1.9	2.3	1.6	4.8	17	0
GALLIA	11	2.2	1.4	1.2	2.5	9.2	9	0
GEauga	6	1.1	0.8	1.2	0.8	2.4	0	0
GREENE	25	4	2.5	2.7	3.5	11.1	40	0
GUERNSEY	13	1.8	1.2	1.4	1.6	4.9	15	0
HAMILTON	90	2.1	1.4	1.4	2.2	16.2	14	0
HANCOCK	15	5.6	3.6	3	5.4	16.1	47	0
HARDIN	17	6	3.2	3.7	6.7	26.2	41	6
HARRISON	7	4.5	3.5	2.7	3.8	10.1	29	0
HENRY	16	2.5	1.5	2.2	1.9	6.1	13	0
HIGHLAND	8	2.4	1.7	1.7	2.2	7.3	13	0
HOCKING	9	4.7	3.6	5.4	2.9	8.2	56	0
HOLMES	9	10.4	4.4	4.4	15.7	50.5	56	11
HURON	14	3.7	2.2	3.4	3.3	11.8	36	0
JACKSON	15	1.3	1	1.1	0.9	3.4	0	0
JEFFERSON	7	1.9	1.2	1.5	2.1	6.4	14	0
KNOX	14	7.2	4.5	5.2	7.4	28.8	57	7
LAKE	28	3.9	1.6	1.5	6.7	31.2	21	4
LAWRENCE	9	1	0.9	0.8	0.5	1.7	0	0
LICKING	29	8	5.1	5.3	6.8	28.9	72	7
LOGAN	19	5.4	2.5	2.4	6.8	24.1	37	5

LORAIN	21	2.7	1.4	1.4	4	17.1	19	0
LUCAS	71	2.6	1.8	1.8	2.9	15.8	17	0
MADISON	10	2.4	1.7	1.6	1.9	5.9	20	0
MAHONING	20	2.1	1.6	1.9	1.4	5.1	10	0
MARION	17	4.9	3.1	2.9	5.2	20.8	41	6
MEDINA	9	1.4	1.1	1.3	1	3.3	0	0
MEIGS	9	1.1	0.9	1	0.9	3.2	0	0
MERCER	12	5.6	2.4	3	9.9	36.5	42	8
MIAMI	22	8.3	4.9	5.4	10.3	46.8	55	9
MONROE	6	3.5	2.6	2.8	2.7	8.2	33	0
MONTGOMERY	67	4.3	2.5	2.5	6.8	46.8	28	3
MORGAN	2	9.2	1	9.2	12.9	18.3	50	0
MORROW	8	6.3	5.3	5.9	3.8	12.7	63	0
MUSKINGUM	24	4.6	3.1	2.9	4.6	19.4	38	0
NOBLE	6	3.2	3	2.9	1.3	4.8	33	0
OTTAWA	9	5.4	0.9	1	7.9	19.5	33	0
PAULDING	8	1.3	0.9	0.8	1.3	3.5	0	0
PERRY	12	3.8	1.9	1.8	5.3	18.8	25	0
PICKAWAY	7	4.5	3.3	4.6	3.2	8.2	57	0
PIKE	8	8.5	2.6	2.7	9.9	22.8	38	25
PORTAGE	6	4.1	2	1.8	6.3	16.8	17	0
PREBLE	4	4.1	3.1	2.7	3.6	9.3	25	0
PUTNAM	18	5.7	4.1	4.1	4.9	20.2	50	6
RICHLAND	29	5.4	3.5	2.7	6.6	32.7	41	3
ROSS	10	6.9	3.5	4	7.7	26.7	50	10
SANDUSKY	11	5.7	4.4	4	4.5	17	45	0
SCIOTO	13	2.5	1.7	1.5	2.5	9.5	15	0
SENECA	21	6	3.9	5.4	4.4	15.3	62	0
SHELBY	9	8.3	4.6	3.8	8.4	21.7	44	11
STARK	50	5.5	3.5	3.8	5.5	25	46	4
SUMMIT	60	3.2	2	2.1	4	22.7	20	3
TRUMBULL	34	2.2	1.5	1.6	2	7.9	12	0
TUSCARAWAS	13	6.5	3.4	3.5	7.5	26.2	46	8
UNION	6	1.5	0.9	1.6	1.1	2.9	0	0
VAN WERT	18	3.8	2.8	3.8	2.8	9.6	44	0
VINTON	2	2.2	2.1	2.2	0.4	2.4	0	0
WARREN	15	4.5	3.3	3.6	3.7	14.8	40	0
WASHINGTON	16	7.6	2.3	2.1	21.4	87.6	19	6
WAYNE	12	4.2	2	2.2	6.3	22.8	25	8
WILLIAMS	8	3.5	1.8	2.2	5.3	16.4	13	0
WOOD	18	4.9	2.8	2.5	6.5	27.3	28	6
WYANDOT	10	7	4.8	4.8	7.6	27.4	50	10

TABLE 1. Screening indoor radon data from the EP A/State Residential Radon Survey of Oklahoma conducted during 1989-90. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
AD AIR	4	1	0.4	0.4	1.5	3.2	0	0
ALFALFA	6	0.7	0.6	0.7	0.5	1.5	0	0
ATOKA	5	0.4	0.3	0.2	0.5	1.1	0	0
BEAVER	8	4.4	3.7	3.5	2.6	7.6	38	0
BECKHAM	15	0.8	0.4	0.5	1.1	4.2	7	0
BLAINE	13	1.5	0.9	1.1	1.3	3.7	0	0
BRYAN	21	0.4	0.3	0.2	0.9	2.6	0	0
CADDOW	26	1.1	0.7	1	1	3.3	0	0
CANADIAN	23	1.8	1.1	1.4	2.1	10.6	4	0
CARTER	28	0.5	0.3	0.3	0.6	1.8	0	0
CHEROKEE	20	3	1	1.1	4.5	16.2	20	0
CHOCTAW	13	0.6	0.3	0.5	0.7	2.3	0	0
CIMARRON	3	0.6	0.6	0.7	0.1	0.7	0	0
CLEVELAND	31	1.2	0.7	1	1	3.7	0	0
COAL	5	0.6	0.3	0.4	0.7	1.9	0	0
COMANCHE	64	1	0.7	0.8	1	3.9	0	0
COTTON	4	3.3	0.8	0.5	5.9	12.2	25	0
CRAIG	20	1.6	0.9	1.2	2	8.4	10	0
CREEK	37	0.4	0.3	0.4	0.6	1.8	0	0
CUSTER	23	1.3	1	1.1	0.9	3.3	0	0
DELAWARE	23	1.9	0.9	1	3.8	18.5	4	0
DEWEY	6	1.7	1.4	1.6	1	3.4	0	0
ELLIS	6	1.9	1.1	0.9	2.3	6.4	17	0
GARFIELD	51	1.5	1.1	1.2	1.3	7	6	0
GARVIN	25	0.7	0.3	0.3	1	2.8	0	0
GRADY	30	1.9	1	1.1	2.4	10.9	13	0
GRANT	2	0.6	0.3	0.6	1.1	1.3	0	0
GREER	1	1.7	1.7	1.7	0	1.7	0	0
HARMON	3	2	2	2.1	0.2	2.2	0	0
HARPER	7	1.8	1.6	1.6	0.7	2.8	0	0
HASKELL	6	0	0.1	0	0.3	0.5	0	0
HUGHES	12	0.4	0.3	0.5	0.5	1.8	0	0
JACKSON	16	1.6	1.2	1.1	1.2	4.6	6	0
JEFFERSON	5	1	0.4	0.7	1.2	2.6	0	0
JOHNSTON	15	0.9	0.6	0.5	0.9	3	0	0
KAY	48	2	1.1	1.7	1.8	7.2	13	0
KINGFISHER	10	1	0.7	1.1	0.8	2	0	0
KIOWA	14	2.2	1.7	1.8	1.5	5.6	14	0
LATIMER	8	0.6	0.4	0.4	0.6	1.7	0	0
LEFORE	25	0.5	0.3	0.4	0.6	1.8	0	0
LINCOLN	20	0.8	0.4	0.5	0.8	2.9	0	0
LOG AN	4	0.6	0.5	0.7	0.4	1	0	0
LOVE	8	0.7	0.4	0.5	1	2.8	0	0
MAJOR	11	1	0.6	0.6	1.1	3.5	0	0
MARSHALL	11	0.4	0.2	0.3	0.6	1.5	0	0

MA YES	30	2.6	1.3	1.5	3.4	13.2	17	0
MCCLAIN	23	1	0.5	0.7	1.3	5.8	4	0
MCCURTAIN	25	0.6	0.3	0.4	0.9	3	0	0
MCINTOSH	6	3.1	1.1	1.8	4.3	11.4	17	0
MURRAY	7	0.9	0.6	0.8	0.7	1.8	0	0
MUSKOGEE	48	0.7	0.3	0.3	1.2	6.2	4	0
NOBLE	12	0.9	0.6	0.9	0.6	1.7	0	0
NOWATA	13	0.6	0.3	0.2	0.7	2.2	0	0
OKFUSKEE	13	0.4	0.3	0.6	0.7	1.1	0	0
OKLAHOMA	155	0.9	0.5	0.6	1.1	7.5	1	0
OKMULGEE	26	0.5	0.3	0.4	0.5	2	0	0
OSAGE	27	1.1	0.6	0.9	1	3.4	0	0
OTTAWA	28	0.9	0.4	0.6	2.1	11.2	4	0
PAWNEE	10	0.6	0.4	0.5	0.6	1.8	0	0
PAYNE	38	1.8	0.5	0.7	4.1	24.6	13	3
PITTSBURG	38	0.5	0.3	0.4	0.6	2	0	0
PONTOTOC	27	0.9	0.4	0.4	1.3	5.9	7	0
POTTAWATOMffii	40	0.5	0.3	0.5	0.7	2.4	0	0
PUSHMATAHA	9	1.2	0.7	0.9	1.5	4.5	11	0
ROGER MILLS	4	0.7	0.6	0.7	0.4	1.2	0	0
ROGERS	27	1.7	0.5	1	3	15.6	7	0
SEMINOLE	8	0.2	0.1	0.1	0.5	1.2	0	0
SEQUOYAH	10	0.4	0.3	0.5	0.3	0.8	0	0
STEPHENS	24	0.7	0.4	0.7	0.5	1.8	0	0
TEXAS	20	1.9	1.2	1.6	1.8	7	15	0
TELLMAN	5	1.2	1	1.3	0.8	2.3	0	0
TULSA	127	1.1	0.5	0.7	2	17.2	3	0
WAGONER	16	0.8	0.5	0.6	0.8	3.2	0	0
WASHINGTON	51	1.2	0.7	1	1.6	11.5	2	0
WASHITA	9	1.2	0.5	1.3	1.1	2.8	0	0
WOODS	8	1.8	1.3	1.2	1.4	4.3	13	0
WOODWARD	17	1.1	0.7	0.9	1.1	4	0	0

TABLE 1. Indoor radon data from the Oregon Radon Project conducted by the Oregon Division of Health. Data represent randomly-sampled 2-month Alpha-track detector measurements collected during 1988-1990.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
BAKER	19	3.2	1.9	1.5	3.2	10	32	0
BENTON	108	1.2	0.9	0.9	1.1	6	4	0
CLACKAMAS	156	2.2	1.6	1.6	2.7	25.5	15	1
CLATSOP	29	1.4	0.8	0.5	2.4	8.7	14	0
COLUMBIA	9	2.6	2.3	2.2	1.6	6	11	0
COOS	38	1.9	1.2	1.1	2.6	15.6	11	0
CROOK	1	0.1	0.1	0.1	***	0.1	0	0
CURRY	1	0.8	0.8	0.8	***	0.8	0	0
DESCHUTES	42	0.8	0.5	0.5	1.2	7.2	2	0
DOUGLAS	21	0.7	0.6	0.4	0.9	3.4	0	0
GRANT	1	1	1	1	***	1	0	0
HARNEY	8	1.4	1	1	1.2	3.6	0	0
HOOD RIVER	21	1.5	1.1	0.8	1.1	3.3	0	0
JACKSON	135	1	0.7	0.7	1.2	6	4	0
JEFFERSON	2	0.7	0.6	0.7	0.4	0.9	0	0
JOSEPHINE	63	0.7	0.5	0.4	0.9	5.3	2	0
KLAMATH	31	0.6	0.5	0.4	0.7	3.1	0	0
LAKE	13	2.8	1.7	1.8	3.1	11.5	15	0
LANE	79	1.6	1	0.9	2.3	15.4	8	0
LINCOLN	11	1.6	1.2	0.9	2.2	7.8	9	0
LINN	57	1.3	0.9	0.9	1.4	5.9	7	0
MALHEUR	10	1.3	1.4	1.4	0.7	2.7	0	1
MARION	136	2	1.3	1.2	2.8	25.2	13	0
MORROW	2	1.4	1.3	1.4	0.5	1.7	0	1
MULTNOMAH	611	3.3	2.1	2.1	3.9	35.5	25	14
POLK	29	7.2	3.1	2.4	12.2	48.8	31	0
TILLAMOOK	9	2.3	1.7	2.4	1.7	5.7	11	0
UMATILLA	40	2.6	1.6	1.7	3	14	20	0
UNION	1	3.3	3.3	3.3	***	3.3	0	0
WALLOWA	8	2.2	0.8	0.3	3.4	9.9	13	0
WASCO	8	0.9	0.6	0.5	1.1	3.4	0	0
WASHINGTON	225	1.7	1.2	1.2	1.8	13.9	6	0
WHEELER	2	0.6	1.1	0.6	0.8	1.1	0	0
YAMhill	28	3.4	2.1	1.9	4.5	20.9	18	4

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Pennsylvania conducted during 1987-88. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAMS	26	6.8	2.7	2.4	14.9	76.8	35	4
ALLEGHENY	261	4.7	2.4	2.4	9	91.9	28	3
ARMSTRONG	15	6.2	3.8	3.6	6.5	24.7	47	7
BEAVER	120	7.9	4.3	3.7	12.5	103.5	46	11
BEDFORD	14	8.5	5.3	5.5	7.9	25.8	64	7
BERKS	40	9.9	5	5.8	12.6	68.2	63	13
BLAIR	32	4	2.4	2.4	5	26.1	28	3
BRADFORD	40	7.8	4.1	4.8	9.9	50	58	8
BUCKS	46	4.6	2.9	2.9	5.4	33.2	33	2
BUTTLER	97	8.8	4.1	4	12.3	74.5	50	16
CAMBRIA	42	3.8	2.4	2	4.4	19.2	24	0
CAMERON	5	3.7	2.1	1.4	3.9	9.5	40	0
CARBON	18	8.3	4.5	3.7	10.5	42.5	50	6
CENTRE	22	14.1	8.8	8.2	19.6	89.2	82	9
CHESTER	34	9.9	3.8	3.5	15.3	64.3	38	18
CLARION	13	4	2.5	2.9	4.6	17.8	39	0
CLEARFIELD	28	5.3	2.9	2.9	8.5	45	29	4
CLINTON	7	9.4	2.1	2.9	17.7	49	43	14
COLUMBIA	10	17.5	7.7	8.3	27.6	91.9	60	20
CRAWFORD	21	2.8	1.9	1.6	2.8	11.3	19	0
CUMBERLAND	45	20.6	10.6	11	28.8	156.3	78	29
DAUPHIN	49	22.8	7.2	9.4	46.9	273.5	61	22
DELAWARE	39	2.7	1.3	1.4	4.5	26.4	13	3
ELK	17	18.9	2.5	2.1	62.6	260.9	18	12
ERIE	70	4.8	1.8	1.4	7.9	45.9	30	6
FAYETTE	28	4.7	2.4	1.8	6.2	22	25	7
FOREST	3	1.8	1.5	1.5	1.1	3	0	0
FRANKLIN	20	12.4	7.6	10.8	11.3	45.5	65	15
FULTON	3	28.2	16.2	15.8	32.1	64.6	100	33
GREENE	7	2.7	1.5	2.3	2.2	5.8	29	0
HUNTINGDON	7	4.3	3.3	3	3.1	9.8	43	0
INDIANA	17	5.3	2.8	1.9	7	26	35	6
JEFFERSON	14	6.7	4.6	5.9	5.3	19.9	57	0
JUNIATA	5	3.3	2.2	1.7	3.7	9.7	20	0
LACKAWANNA	81	3	1.9	1.6	4.7	40	20	1
LANCASTER	69	14	9.5	9.3	16	105.7	87	16
LAWRENCE	56	3.6	2.4	2.4	3.5	18	29	0
LEBANON	21	22.8	12.6	11.5	41.3	196.7	86	24
LEHIGH	23	16.1	9.1	8.5	18.6	78	87	26
LUZERNE	118	3.5	2.4	2.3	3.7	22.2	25	1
LYCOMING	28	10.7	4.1	3.3	20	77.4	43	11
MCKEAN	15	3.2	1.5	1.9	4.7	19	27	0
MERCER	51	4.9	2.2	1.9	13.2	93.4	18	4
MIFFLIN	10	6.3	2.8	1.9	11.1	37.3	30	10
MONROE	55	8.3	4.4	4.4	10.7	63.5	53	11
MONTGOMERY	60	3.2	2.3	2.4	2.6	13.1	28	0

MONTOUR	6	15.6	6.2	4.7	28.4	73.6	67	17
NORTHAMPTON	26	12.5	8	7.5	13.1	51.9	89	15
NORTHUMBERLAND	15	11	5.2	4.8	19.7	79.7	53	7
PERRY	6	10.7	2.4	2.9	16.2	41.5	33	17
PHILADELPHIA	125	2.3	1.4	1.5	3.8	37.7	11	1
PIKE	8	5.4	2.8	4.6	5.6	16.4	50	0
POTTER	12	35.3	5.3	3.4	76.4	227.2	42	17
SCHUYLKILL	32	13.6	5	4.8	18.9	73.4	56	22
SNYDER	6	13.7	6.3	8	18.1	49.4	67	17
SOMERSET	23	3.8	2.1	2.6	5.6	27	17	4
SULLIVAN	1	6.1	6.1	6.1	***	6.1	100	0
SUSQUEHANNA	20	4.7	2.9	2.6	5	17.4	35	0
TIOGA	29	8.4	2.5	1.6	16.1	70.1	35	17
UNION	8	36.2	8.5	7.9	82.6	240.4	75	13
VENANGO	27	6.2	3	2.5	9.9	47.5	30	7
WARREN	15	5	2.2	1.8	7.6	29.9	33	7
WASHINGTON	45	3.6	2.1	1.8	4.3	20.5	22	2
WAYNE	31	3	1.4	1.3	4.6	22.8	23	3
WESTMORELAND	72	4.3	2.7	3.2	4.8	34.3	38	1
WYOMING	12	5.6	2.3	1.8	13.1	47.2	8	8
YORK	68	15.5	7.5	6.6	24.6	155.6	68	21

TABLE 2. Screening indoor radon data from the State/EPA Residential Radon Survey of Rhode Island conducted during 1987. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
BRISTOL	22	1.4	1.6	1.5	7.7	5	0
KENT	80	2.2	2	9	64.1	25	4
NEWPORT	37	1.5	1.3	5.3	29.5	16	3
PROVIDENCE	185	1.8	1.7	2.9	27.8	17	1
WASHINGTON	52	2.7	2.3	4.4	23.5	37	4

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of South Carolina conducted during 1990-91. Data represent 2-7 day charcoal canister measurement from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ABBEVILLE	7	0.6	0.3	0.5	0.6	1.5	0	0
AIKEN	49	0.8	0.5	0.7	0.9	3.4	0	0
ALLENDALE	3	1.1	0.5	0.4	1.4	2.7	0	0
ANDERSON	56	1	0.6	0.8	1	4.7	4	0
BAMBERG	2	0.2	0.2	0.2	0.6	0.6	0	0
BARNWELL	6	1	0.4	0.7	1.6	4	0	0
BEAUFORT	26	0.6	0.3	0.5	0.6	2.2	0	0
BERKELEY	24	0.5	0.3	0.5	0.5	1.7	0	0
CALHOUN	4	0.5	0.4	0.5	0.2	0.6	0	0
CHARLESTON	74	0.4	0.2	0.2	0.8	3.6	0	0
CHEROKEE	10	1.6	1	0.9	1.5	4	0	0
CHESTER	14	0.9	0.3	0.6	1.3	3.8	0	0
CHESTERFIELD	14	0.9	0.6	0.8	0.8	2.6	0	0
CLARENDON	6	0.4	0.3	0.4	0.4	0.8	0	0
COLLETON	11	0.2	0.2	0.1	0.3	0.8	0	0
DARLINGTON	23	1	0.4	0.5	1.5	6.4	4	0
DILLON	4	0.4	0.2	0.3	0.5	1.1	0	0
DORCHESTER	28	0.4	0.3	0.4	0.6	2.4	0	0
EDGEFIELD	5	0.7	0.7	0.7	0.1	0.8	0	0
FAIRFIELD	6	1.2	0.8	1	1.3	3.3	0	0
FLORENCE	37	0.5	0.3	0.4	0.5	1.9	0	0
GEORGETOWN	15	0.3	0.2	0.1	0.8	2.1	0	0
GREENVILLE	102	3	1.2	1.4	8.4	80.7	16	2
GREENWOOD	24	0.5	0.3	0.5	0.5	1.6	0	0
HAMPTON	6	0.5	0.3	0.5	0.6	1.7	0	0
HORRY	48	0.4	0.3	0.3	0.7	3.3	0	0
KERSHAW	9	1.4	1.2	1.4	0.8	2.8	0	0
LANCASTER	18	0	0.1	0	0.4	1.1	0	0
LAURENS	19	1.2	0.6	0.9	2.1	9.4	5	0
LEE	7	0.8	0.6	1	0.7	2	0	0
LEXINGTON	62	1	0.5	0.5	1.5	7.3	6	0
MARION	10	0.7	0.5	0.4	0.7	2.3	0	0
MARBORO	5	0.2	0.1	0.1	0.3	0.7	0	0
MCCORMICK	2	0.3	0.3	0.3	0.1	0.4	0	0
NEWBERRY	11	1	0.6	0.9	0.7	2.1	0	0
OCONEE	27	2.1	1	1	3.4	15.1	11	0
ORANGEBURG	27	2.4	0.5	0.5	8.8	46.2	4	4
PICKENS	31	1.6	0.8	1.1	1.7	7.8	6	0
RICHLAND	87	0.7	0.4	0.4	0.9	5.7	1	0
SALUDA	5	0.5	0.3	0.5	0.7	1.4	0	0
SPARTANBURG	78	1.5	1	1.2	1.5	9.6	6	0
SUMTER	19	1.1	0.8	0.9	1	3.9	0	0
UNION	13	1.1	0.8	1	0.9	3.5	0	0
WILLIAMSBURG	11	0.2	0.1	0.1	0.4	0.7	0	0

YORK	44	1.4	0.6	0.7	1.8	8.6	9	0
------	----	-----	-----	-----	-----	-----	---	---

TABLE 1. Screening indoor radon data for South Dakota from the EPA/Indian Health Service Residential Radon Survey and The Radon Project of the University of Pittsburgh.
 Data represent 2-7 day charcoal canister measurements. * indicates county data from The Radon Project; data for all other counties are from the EPA/IHS survey.
 - indicates no data.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
Bennett	6	1.6	1.4	1.7	0.7	2.5	0	0
Brookings*	18	6.3	~	~	~	~	61	~
Brown*	8	3.5	~	~	~	~	38	~
Buffalo	15	23.2	13	10.9	24.7	73.7	93	33
Charles Mix	26	7.8	5	6.2	6.4	22.4	62	4
Corson	37	6.9	4.1	3.8	10.8	64.9	43	5
Davison*	9	3.9	~	~	~	~	33	~
Day	5	11.2	10.5	8.8	4.9	19	80	0
Dewey	47	2.1	1.6	1.5	2.1	12.3	11	0
Gregory	3	2.7	2.6	2.1	1.1	4	33	0
Hughes*	8	6.8	~	~	~	~	63	~
Hutchinson*	4	8.4	~	~	~	~	50	~
Jackson	12	2	1.7	1.6	1	3.9	0	0
Lyman	15	29.2	5.4	3.3	80.2	315.7	40	20
Marshall	2	5.6	3.6	5.6	6	9.8	50	0
Mellette	10	1.6	1.4	1.5	0.7	3.1	0	0
Minnehaha*	18	4.2	~	~	~	~	39	~
Moody	8	4.4	2.6	2.5	4.5	12.9	38	0
Pennington	17	5	3.8	3.7	3.9	14.4	47	0
Roberts	17	3.7	2.1	2	5.5	23	24	6
Shannon	62	3.1	2.3	3	2.2	8.8	24	0
Todd	73	2	1.4	1.4	1.7	7.1	14	0
Tripp	4	2	1.8	1.7	0.9	3.3	0	0
Yankton*	5	16.2	~	~	~	~	100	0
Ziebach	17	3.5	2.2	2.2	4.1	16.2	18	~

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Tennessee conducted during 1986-87. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ANDERSON	35	3	1.5	1.7	4.1	21.2	20	3
BEDFORD	10	1.5	1.2	1.3	1.3	4.9	10	0
BENTON	2	1	0.6	1	1.1	1.7	0	0
BLEDSOE	1	0.4	0.4	0.4	0	0.4	0	0
BLOUNT	40	4.1	2.4	2.5	5.1	23.1	23	5
BRADLEY	35	1.7	1	1.2	1.5	5.7	11	0
CAMPBELL	8	5.3	3.5	4	5.5	18.1	50	0
CANNON	7	1.7	1.2	1.2	1.4	4.5	14	0
CARROLL	9	1.2	1.1	1.2	0.6	2.2	0	0
CARTER	30	3.7	2.4	3	3.4	16.1	33	0
CHEATHAM	15	1.6	0.9	1.1	1.5	5.6	7	0
CHESTER	1	0.6	0.6	0.6	0	0.6	0	0
CLAIBORNE	10	4.3	2.6	2.6	5.5	19.2	20	0
CLAY	9	2.2	1.6	1.4	2	6.8	22	0
COCKE	4	2.2	2.1	2.3	0.5	2.7	0	0
COFFEE	30	1.6	1.1	1.1	1.5	6.6	10	0
CROCKETT	6	0.7	0.5	0.5	0.6	1.6	0	0
CUMBERLAND	5	1.6	1.1	1.3	1.4	3.9	0	0
DAVIDSON	245	5.1	2.3	2	8.6	64.2	30	5
DEKALB	8	1.6	1.2	0.8	1.4	4.3	13	0
DECATUR	3	0.3	0.2	0.1	0.3	0.7	0	0
DICKSON	12	1.7	1.1	1.1	2.1	8	8	0
DYER	6	0.9	0.8	1	0.5	1.6	0	0
FAYETTE	2	2.3	1.3	2.3	2.7	4.2	50	0
FENTRESS	4	1.2	0.8	1.2	1	2.2	0	0
FRANKLIN	26	2.2	1.6	1.9	2	9.9	12	0
GIBSON	13	0.7	0.6	0.5	0.3	1.1	0	0
GILES	14	2.1	1.6	1.5	1.4	4.5	7	0
GRAINGER	3	1.1	0.6	0.3	1.3	2.6	0	0
GREENE	20	2.2	1.4	1.1	2.3	8.7	20	0
GRUNDY	3	0.9	0.8	1.1	0.3	1.1	0	0
HAMBLEN	22	7	3.2	3.6	12.4	59	45	5
HAMILTON	120	1.6	1	1.2	1.7	8	7	0
HANCOCK	4	2.3	2	1.9	1.4	4.2	25	0
HARDEMAN	5	0.9	0.7	0.5	0.9	2.6	0	0
HARDIN	6	1.1	1	1.1	0.6	1.8	0	0
HAWKINS	18	4.5	2.3	2.2	6	24	28	6
HAYWOOD	4	0.5	0.4	0.5	0.3	0.8	0	0
HENDERSON	9	0.8	0.7	0.7	0.3	1.4	0	0
HENRY	12	2	1	1	3.2	11.9	8	0
HICKMAN	12	8	2	1.8	21.7	76.8	17	8
HOUSTON	2	0.8	0.8	0.8	0.3	1	0	0
HUMPHREYS	6	2.1	1.3	1.5	2.2	6.3	17	0
JACKSON	11	2.5	2.1	2	1.5	5.1	9	0
JEFFERSON	13	3.7	2.3	2.7	4.2	15.9	31	0

JOHNSON	6	3.4	1.8	1.6	4.9	13.2	17	0
KNOX	131	2.6	1.7	1.9	3.1	26.6	18	1
LAKE	2	1.9	1.8	1.9	1	2.6	0	0
LAUDERDALE	8	0.7	0.5	0.8	0.5	1.4	0	0
LAWRENCE	6	1.9	1.4	1.3	1.9	5.7	17	0
LINCOLN	16	1.1	0.5	0.5	1.3	4.1	6	0
LOUDON	13	2.8	2.2	2.4	1.9	6.5	23	0
MACON	10	1.4	1.1	1.2	1.2	4.5	10	0
MADISON	15	0.9	0.7	0.7	0.7	2.8	0	0
MARION	5	1.2	1	0.8	0.9	2.8	0	0
MARSHALL	5	1.1	1	1	0.6	2	0	0
MAURY	39	4.1	2.6	3.1	5.3	33.2	38	3
MCMINN	18	2.7	1.7	2	2.3	8.8	28	0
MCNAIRY	5	0.5	0.4	0.4	0.2	0.7	0	0
MEIGS	3	2.2	1.7	1.5	1.9	4.4	33	0
MONROE	9	3	2.1	2.7	2.3	7.6	22	0
MONTGOMERY	18	2.8	1.7	1.5	2.6	8.8	33	0
MOORE	5	1.3	0.7	1.5	1	2.7	0	0
MORGAN	5	1.5	1.3	1.6	0.6	2.2	0	0
OBION	6	0.7	0.5	0.6	0.6	1.7	0	0
OVERTON	5	2.6	2.1	1.9	1.7	4.8	20	0
PERRY	1	0.6	0.6	0.6	0	0.6	0	0
POLK	8	2.5	1.6	1.4	3.3	10.4	13	0
PUTNAM	27	1.8	1.2	1.4	1.4	4.9	11	0
RHEA	13	3.6	2.2	2.4	4.6	18.1	31	0
ROANE	22	7.1	1.8	1.5	21	99.9	23	5
ROBERTSON	12	1.2	1	0.9	1.2	4.8	8	0
RUTHERFORD	23	3.1	2	1.6	4.1	17.5	17	0
SCOTT	5	0.5	0.4	0.5	0.2	0.6	0	0
SEQUATCHIE	2	2.8	2.6	2.8	1.6	3.9	0	0
SEVIER	16	3.2	2	2.4	3.8	16.5	13	0
SHELBY	144	1	0.8	0.8	0.8	4.4	1	0
SMITH	2	3.8	3.7	3.8	1.1	4.5	50	0
STEWART	5	2.4	2	2.2	1.3	4.3	20	0
SULLIVAN	73	5.6	2.7	2.7	9.4	67.3	36	5
SUMMER	70	2.7	1.6	1.9	2.9	17	24	0
TIPTON	6	1.1	0.7	1	0.9	2.7	0	0
TROUSDALE	3	2.2	1.4	0.8	2.5	5.1	33	0
UNICOI	14	1.9	1.6	1.8	1.1	4.9	7	0
UNION	3	2.2	1.5	1.3	2.3	4.8	33	0
WARREN	10	1.9	1.3	1.4	1.5	4.3	10	0
WASHINGTON	35	4.1	2.5	2.6	4.7	24.9	29	3
WAYNE	4	1.1	1	1.2	0.4	1.4	0	0
WEAKLEY	7	0.9	0.8	0.7	0.6	2.1	0	0
WHITE	5	13.8	5	3	22.9	54.5	40	20
WILLIAMSON	56	3.1	2.2	2.3	2.7	15.6	25	0
WILSON	17	2.6	1	0.7	3.1	9.3	29	0

TABLE 1. Screening indoor radon data from the State/EPA Residential Radon Survey of Texas conducted during 1990-91. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	AVERAGE	MEDIAN	GEOM. MEAN	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ANDERSON	3	0	0.1	0.4	1.4	0	0
ANDREWS	2	1	1	0.9	1.1	0	0
ANGELINA	12	0.3	0.3	0.3	1.3	0	0
ARANSAS	2	0	0	0	0	0	0
ARCHER	2	0.7	0.7	0.5	1.2	0	0
ARMSTRONG	3	2.9	1.5	2.4	5.8	33	0
ATASCOSA	11	0.5	0.5	0.5	1.7	0	0
AUSTIN	8	0.5	0.3	0.4	2.2	0	0
BAILEY	3	3.6	1.6	2	8.6	33	0
BANDERA	5	0.6	0.4	0.5	1	0	0
BASTROP	9	1.6	0.5	0.9	9.8	11	0
BAYLOR	2	1	1	0.9	1.4	0	0
BEE	5	0.4	0.3	0.5	0.9	0	0
BELL	18	1.2	1.1	0.9	3.9	0	0
BEXAR	57	1.1	0.8	0.8	6.7	4	0
BLANCO	3	2	2.3	1.9	2.7	0	0
BORDEN	2	0.7	0.7	0.6	1	0	0
BOSQUE	4	1.2	1.4	1.2	1.5	0	0
BOWIE	22	0.5	0.4	0.5	1.8	0	0
BRAZORIA	25	0.3	0.2	0.4	1.2	0	0
BRAZOS	19	0.8	0.5	0.5	4.2	5	0
BREWSTER	57	2.5	2.3	2	8.4	18	0
BRISCOE	2	3.3	3.3	2.8	5	50	0
BROWN	6	2.6	0.9	1.3	7.8	33	0
BURNET	97	1.3	1	0.9	13.9	5	0
CALDWELL	7	0.2	0.2	0.4	2.2	0	0
CALHOUN	1	1.2	1.2	1.2	1.2	0	0
CALLAHAN	5	0.6	0.6	0.7	1.4	0	0
CAMERON	9	0.5	0.4	0.4	1.4	0	0
CAMP	2	0.8	0.8	0.7	1	0	0
CARSON	4	8.8	2	3.3	30.1	25	25
CASS	9	0.6	0.8	0.6	1.1	0	0
CASTRO	3	1.6	1.3	1.4	2.7	0	0
CHEROKEE	7	1	0.9	0.9	1.6	0	0
CLAY	2	1.4	1.4	1.3	1.4	0	0
COCHRAN	1	1.5	1.5	1.5	1.5	0	0
COKE	1	0	0	0	0	0	0
COLEMAN	2	0.6	0.6	0.5	0.9	0	0
COLLIN	36	1	0.8	0.8	5.2	3	0
COLORADO	6	0.3	0.4	0.3	0.4	0	0
COMAL	18	1.1	0.8	0.8	3.7	0	0
COMANCHE	4	0.7	0.6	0.6	1	0	0
CONCHO	2	0.2	0.2	0.3	0.3	0	0
COOKE	7	1	0.9	1	1.8	0	0
CORYELL	6	0.9	0.8	0.6	2.2	0	0

CRANE	1	0.1	0.1	0.1	0.1	0	0
CROCKETT	2	1.1	1.1	1.1	1.2	0	0
CROSBY	3	1.2	1.2	1.1	1.8	0	0
DALLAM	1	0.1	0.1	0.1	0.1	0	0
DALLAS	85	1.2	1	0.9	6.8	4	0
DAWSON	3	1.8	1.5	1.6	2.7	0	0
DEAF SMITH	6	3.2	3.2	2.3	7.7	17	0
DELTA	1	0.6	0.6	0.6	0.6	0	0
DENTON	30	1	0.9	0.8	3	0	0
DEWITT	4	0.4	0.4	0.4	0.7	0	0
DICKENS	1	3.1	3.1	3.1	3.1	0	0
DIMMIT	2	0.5	0.5	0.5	0.5	0	0
DONLEY	1	3.2	3.2	3.2	3.2	0	0
DUVAL	3	0.7	0.4	0.9	2.1	0	0
EASTLAND	5	0.6	0.6	0.6	1.2	0	0
ECTOR	39	0.9	0.8	0.7	7.3	3	0
ELLIS	13	0.8	0.7	0.6	2.3	0	0
EL PASO	96	1	0.6	0.6	21.6	2	1
ERATH	6	0.4	0.4	0.4	0.7	0	0
FALLS	2	0.4	0.4	0.3	0.7	0	0
FANNIN	2	1	1	0.4	1.8	0	0
FAYETTE	13	1.1	0.9	0.8	3.2	0	0
FISHER	1	0	0	0	0	0	0
FLOYD	2	0.5	0.5	0.4	0.5	0	0
FORT BEND	23	0.3	0.2	0.3	2.2	0	0
FRANKLIN	2	0.2	0.2	0.5	0.5	0	0
FREESTONE	3	0.2	0.2	0.2	0.4	0	0
FRIO	3	0.7	1	0.6	1	0	0
GAINES	2	0.8	0.8	0.8	1	0	0
GALVESTON	35	0.2	0.1	0.3	0.9	0	0
GARZA	20	2.1	1.9	1.7	6.9	10	0
GILLESPI	12	1.3	0.9	0.8	4.7	8	0
GLASSCOCK	2	1.3	1.3	1.2	1.4	0	0
GOLIAD	4	0.4	0.4	0.3	0.7	0	0
GONZALES	5	1.3	0.6	0.8	3.4	0	0
GRAY	9	1.7	1.7	1.6	2.6	0	0
GRAYSON	14	1.2	0.7	0.7	5.3	7	0
GREGG	21	0.9	0.5	0.6	7.1	5	0
GRIMES	3	0.5	0.1	0.4	1.4	0	0
GUADALUPE	15	1	0.9	0.8	3.1	0	0
HALE	15	7.5	3	4.2	41.3	47	13
HALL	1	0.4	0.4	0.4	0.4	0	0
HAMILTON	1	0.4	0.4	0.4	0.4	0	0
HANSFORD	3	3.7	3.7	2.5	6.8	33	0
HARDIN	5	0.7	0.8	0.7	1.2	0	0
HARRIS	116	0.4	0.3	0.3	3.8	0	0
HARRISON	21	0.5	0.5	0.5	1.2	0	0
HARTLEY	1	0.6	0.6	0.6	0.6	0	0
HASKELL	1	0.8	0.8	0.8	0.8	0	0
HAYS	15	1.1	0.9	0.9	2.6	0	0
HEMPFILL	1	1.6	1.6	1.6	1.6	0	0
HENDERSON	14	0.7	0.3	0.4	5.1	7	0

HIDALGO	20	0.5	0.4	0.4	1.9	0	0
HILL	2	0.5	0.5	0.5	0.7	0	0
HOCKLEY	7	2.8	1	1.8	13.5	14	0
HOOD	7	1.2	1	1	3	0	0
HOPKINS	6	0.3	0.3	0.4	0.6	0	0
HOUSTON	7	0.4	0.2	0.4	1.3	0	0
HOWARD	114	1.7	0.9	0.9	65.9	4	1
HUDSPETH	2	0.6	0.6	0.6	0.8	0	0
HUNT	9	0.6	0.4	0.5	1.8	0	0
HUTCHINSON	14	1.5	1.2	1.3	6.3	7	0
JACK	1	0.3	0.3	0.3	0.3	0	0
JASPER	11	0.5	0.2	0.3	3.1	0	0
JEFF DAVIS	16	3.7	1.7	1.9	13.6	19	0
JEFFERSON	25	0.3	0.2	0.3	0.9	0	0
JIMHOGG	1	1.1	1.1	1.1	1.1	0	0
JOHNSON	7	0.7	0.7	0.7	2.1	0	0
JONES	5	1	0.7	0.9	2.8	0	0
KARNES	3	1.7	0.7	0.7	4.4	33	0
KAUFMAN	5	1.1	1.5	0.8	1.6	0	0
KENDALL	5	1	1	0.9	1.9	0	0
KERR	20	1.4	1.4	1	6	5	0
KINNEY	3	0.1	0.1	0.2	0.3	0	0
KLEBERG	1	0.5	0.5	0.5	0.5	0	0
KNOX	1	0.9	0.9	0.9	0.9	0	0
LAMAR	5	0.2	0.3	0.4	0.5	0	0
LAMB	10	2.9	2.1	2.2	6.9	30	0
LAMPASAS	2	1.9	1.9	0.8	3.5	0	0
LA SALLE	1	0.1	0.1	0.1	0.1	0	0
LAVACA	10	1.2	0.4	0.7	7.5	10	0
LEE	3	1.2	0.6	0.7	2.9	0	0
LEON	3	0.2	0.2	0.3	0.4	0	0
LIBERTY	2	0	0	0	0	0	0
LIMESTONE	4	0	0	0.2	0.3	0	0
LIPSCOMB	2	1.6	1.6	1.5	1.9	0	0
LIVE OAK	4	0.8	0.4	0.7	2.5	0	0
LLANO	47	1.7	1.3	1.3	5.4	15	0
LUBBOCK	68	2.8	1.9	1.9	23.9	18	1
LYNN	1	1.5	1.5	1.5	1.5	0	0
MCCULLOCH	26	1.2	0.8	0.7	12.5	4	0
MCLENNAN	29	1.2	0.8	0.7	5.9	3	0
MCMULLEN	1	1.5	1.5	1.5	1.5	0	0
MADISON	2	0.4	0.4	0.7	0.7	0	0
MARIION	3	0.8	1	1.1	1.3	0	0
MARTIN	3	1.8	1.2	1.3	3.8	0	0
MASON	21	1.3	0.9	0.9	7	10	0
MATAGORDA	8	0.7	0.5	0.7	2.9	0	0
MAVERICK	3	1.5	1.5	1.4	2.2	0	0
MEDINA	9	0.5 ..	0.4	0.4	1.1	0	0
MENARD	3	1	1.1	1	1.4	0	0
MIDLAND	48	1.1	1	0.9	3.4	0	0
MILAM	7	0.6	0.5	0.7	1.7	0	0
MITCHELL	34	1.4	0.9	0.9	14	6	0

MONTAGUE	3	0.7	0.5	0.6	1.3	0	0
MONTGOMERY	27	0.3	0.2	0.4	2.1	0	0
MOORE	6	3.4	3.1	3.3	5.2	33	0
MORRIS	7	0.7	0.9	0.8	1.1	0	0
NACOGDOCHES	9	0.6	0.3	0.5	1.4	0	0
NAVARRO	3	0.1	0	0.5	0.5	0	0
NEWTON	2	0.1	0.1	0.3	0.3	0	0
NOLAN	5	0.9	1.1	0.9	1.8	0	0
NUECES	17	0.7	0.5	0.7	2.1	0	0
OCHILTREE	5	3.6	3.1	3.4	5.5	40	0
ORANGE	13	0.5	0.4	0.4	1.2	0	0
PALO PINTO	6	0.7	0.6	0.6	1.9	0	0
PANOLA	9	0.3	0.2	0.3	0.7	0	0
PARKER	5	0.3	0.1	0.3	0.8	0	0
PARMER	4	3.2	3.1	2.1	6.2	50	0
PECOS	6	0.4	0.4	0.3	0.8	0	0
POLK	7	0.5	0.4	0.7	1.3	0	0
POTTER	29	3.4	3.3	2.6	11.1	34	0
PRESIDIO	43	2.6	2.3	2	7.2	19	0
RAINS	3	0.3	0.3	0.3	0.3	0	0
RAND ALL	20	5.6	3.4	3.3	33.1	35	5
REAL	2	0.2	0.2	0.4	0.4	0	0
RED RIVER	1	0	0	0	0	0	0
REEVES	9	1.2	1.2	0.8	2.8	0	0
REFUGIO	1	0.2	0.2	0.2	0.2	0	0
ROBERTSON	5	0.6	0.5	0.4	1.1	0	0
ROCKWALL	3	0.3	0.4	0.4	0.5	0	0
RUNNELS	4	0.8	0.7	0.8	1.1	0	0
RUSK	10	0.2	0.3	0.3	0.7	0	0
SABINE	3	0.5	0.5	0.5	0.8	0	0
SAN AUGUSTINE	5	0.7	0.4	0.7	1.5	0	0
SAN JACINTO	5	0.3	0.3	0.4	0.5	0	0
SAN PATRICK)	7	0.6	0.2	0.3	3.1	0	0
SAN SABA	30	1.2	0.7	0.8	9.6	3	0
SCHLEICHER	1	0.3	0.3	0.3	0.3	0	0
SCURRY	75	1.4	1.1	1	7.6	3	0
SHACKELFORD	2	0.4	0.4	0.3	0.4	0	0
SHELBY	3	0	0	0.4	0.4	0	0
SHERMAN	3	11.7	15.3	10.1	15.6	67	0
SMITH	46	0.5	0.4	0.4	3.7	0	0
STARR	1	0.8	0.8	0.8	0.8	0	0
STEPHENS	3	2.3	2.1	2.2	3.4	0	0
STERLING	1	3.6	3.6	3.6	3.6	0	0
STONEWALL	1	0.7	0.7	0.7	0.7	0	0
SUTTON	1	0.4	0.4	0.4	0.4	0	0
SWISHER	5	6.3	1.9	2.8	15.4	40	0
TARRANT	84	1.1	0.7	0.8	7.4	4	0
TAYLOR	26	1.4	0.9	1	5.7	12	0
TERRY	5	1.6	1.5	1.1	3.3	0	0
THROCKMORTON	1	2	2	2	2	0	0
TITUS	7	0.4	0.4	0.5	1	0	0
TOM GREEN	15	0.9	0.7	0.7	3.3	0	0

TRAVIS	53	1.4	0.8	0.9	7	8	0
TRINITY	1	0.6	0.6	0.6	0.6	0	0
TYLER	4	0.5	0.6	0.7	1	0	0
UPSHUR	9	0.4	0.1	0.4	1.1	0	0
UPTON	1	2	2	2	2	0	0
UVALDE	6	0.8	0.6	0.8	1.9	0	0
VAL VERDE	8	0.5	0.4	0.4	1	0	0
VANZANDT	8	0.3	0.3	0.3	0.7	0	0
VICTORIA	9	1.4	0.4	0.7	9.5	11	0
WALKER	12	0.6	0.2	0.5	2.8	0	0
WALLER	6	0.2	0.3	0.4	0.6	0	0
WARD	6	0.5	0.7	0.7	1	0	0
WASHINGTON	5	0.4	0.3	0.5	1.1	0	0
WEBB	19	0.4	0.4	0.4	1.5	0	0
WHARTON	3	0.6	0	1.9	1.9	0	0
WHEELER	4	1.8	2	1.2	3.2	0	0
WICHITA	13	1.5	1.3	1.2	4.3	8	0
WILLACY	2	0.5	0.5	0.5	0.6	0	0
WILLIAMSON	38	1.4	1.1	1	6.4	3	0
WILSON	6	0.2	0.1	0.3	1	0	0
WINKLER	3	0.2	0	1	1	0	0
WISE	3	0.6	0.6	0.9	1.5	0	0
WOOD	16	0.3	0.3	0.3	0.8	0	0
YOAKUM	4	3.2	2.7	1.8	7.3	25	0
YOUNG	2	0.9	0.9	0.9	1.1	0	0
ZAVALA	4	0.6	0.6	0.6	1.1	0	0

TABLE 1. Screening indoor radon data from the State of Utah's indoor radon survey. Data represent long-term alpha-track detector readings collected during 1987-88. Compiled from data in Sprinkel and Solomon (1990).

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
BEAVER	2	6.7	5.4	6.7	5.5	10.5	50	0
BOX ELDER	16	5.9	12.4	2.2	2.9	52	19	6
CACHE	17	2.6	1.9	2.2	2	7.1	24	0
CARBON	1	0.4	***	0.4	0.4	0.4	0	0
DAVIS	38	1.5	1	1.2	1.2	4.3	3	0
DUCHESNE	14	1.8	1.5	1.4	1.2	5.7	7	0
GARFIELD	2	4.8	2.3	4.8	4.5	6.4	50	0
GRAND	2	3.2	3.5	3.2	2	5.6	50	0
IRON	6	1.8	1.1	1.7	1.6	3.8	0	0
KANE	2	1.2	1	1.2	1	1.9	0	0
MILLARD	2	0.7	0.5	0.7	0.5	1	0	0
MORGAN	3	3.7	1.8	3.3	3.5	5.7	33	0
PIUTE	1	2.1	***	2.1	2.1	2.1	0	0
RICH	10	3.5	3.4	2.2	2.7	12.1	20	0
SALT LAKE	268	2.4	2.5	1.7	1.7	26.2	13	0
SANPETE	6	3.1	1.2	2.9	2.9	4.6	33	0
SEVIER	14	5.8	7.2	2.4	3.3	22.4	43	14
SUMMIT	14	3	1.5	3.2	2.6	4.9	29	0
TOOELE	2	0.8	0.3	0.8	0.8	1	0	0
UINTAH	10	3.4	3	2.2	2.3	8.5	30	0
UTAH	127	2.7	2.3	2.1	2	13.6	14	0
WASATCH	1	3.6	***	3.6	3.6	3.6	0	0
WASHINGTON	8	4.5	4.7	2.8	2.7	14.3	50	0
WEBER	65	3.5	8.9	1.3	1.6	68.2	12	2

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Vermont conducted during 1988-89. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADDISON	26	5	1.5	1.1	10.3	47	23	8
BENNINGTON	58	2.7	1.5	1.7	2.8	12.8	24	0
CALEDONIA	51	4.2	2.2	2.1	7.1	41.8	22	4
CHTTTENDEN	102	1.4	0.8	0.8	1.8	10.6	8	0
ESSEX	14	2.3	1.3	1.1	3.6	14.5	7	0
FRANKLIN	24	1.7	0.8	0.7	3.4	15.6	8	0
GRAND ISLE	12	1.7	0.7	1	2.3	7.5	17	0
LAMOILLE	29	2.2	1.5	1.5	2	7.5	17	0
ORANGE	43	3.5	2	2.1	3.9	17.4	28	0
ORLEANS	50	2.2	1.3	1.3	2.7	15.1	8	0
RUTLAND	70	2	1.1	1.1	2.7	16.5	16	0
WASHINGTON	101	2.8	1.7	1.7	4	35.2	17	1
WINDHAM	51	3	1.8	1.8	3.3	17.9	18	0
WINDSOR	79	2.8	1.4	1.7	3.8	23.9	20	1

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Virginia conducted during 1991-92. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ACCOMACK	5	0.3	0.2	0.2	0.3	0.8	0	0
ALBEMARLE	12	4.5	1.7	1.8	8.5	30.7	25	8
ALLEGHANY	5	1.6	1.4	1.7	0.7	2.3	0	0
AMELIA	4	1.2	0.6	1.2	1	2.5	0	0
AMHERST	14	1.9	1.1	1	2.1	7.4	14	0
APPOMATTOX	5	2.3	1.5	0.9	2.4	6.1	20	0
ARLINGTON	14	1.7	1.1	1.3	1.5	4.9	14	0
AUGUSTA	19	3	1.8	2	3.1	13.4	32	0
BATH	2	4	3.3	4	3	6.1	50	0
BEDFORD	15	1.8	-1	1.8	1.9	7.8	7	0
BOTETOURT	9	6.6	4.2	3.7	6.7	20.8	44	11
BRUNSWICK	3	1.7	1.6	1.6	0.7	2.4	0	0
BUCHANAN	3	1.3	1.2	1.3	0.7	2	0	0
BUCKINGHAM	4	1	0.5	0.7	1	2.4	0	0
CAMPBELL	17	2.4	1.5	1.8	2.5	9.7	12	0
CAROLINE	3	0.8	0.5	0.8	0.7	1.5	0	0
CARROLL	11	1.5	0.9	0.7	1.3	4.3	9	0
CHARLES CITY	1	1.1	1.1	1.1	0	1.1	0	0
CHARLOTTE	4	1	0.7	0.7	1.1	2.6	0	0
CHESTERFIELD	59	3.1	1.1	1.1	7.2	49.9	17	3
CLARKE	3	2.8	1.8	2.1	2.7	5.7	33	0
CRAIG	2	2.3	0.7	2.3	3.1	4.5	50	0
CULPEPER	6	1.5	0.9	1.7	1.2	3.4	0	0
CUMBERLAND	2	1	1	1	0	1	0	0
DICKENSON	6	0.6	0.4	0.6	0.4	1.1	0	0
DINWIDDIE	6	13.9	1.3	0.6	31.7	78.6	17	17
ESSEX	2	1.9	1.6	1.9	1.2	2.7	0	0
FAIRFAX	70	2.1	1.4	1.6	2	9.2	10	0
FAUQUIER	9	1.9	1.2	1.2	2.4	7.9	11	0
FLOYD	5	2.9	2.6	2.9	1.3	4.9	20	0
FLUVANNA	2	2.3	2.3	2.3	0	2.3	0	0
FRANKLIN	7	2	1.1	1	2.9	8.5	14	0
FREDERICK	9	6.3	2.1	2.2	12.2	38.5	33	11
GILES	8	3.2	1.1	0.9	4.8	12	25	0
GLOUCESTER	3	0.4	0.4	0.4	0.2	0.6	0	0
GOOCHLAND	3	3.1	1.3	0.6	4.4	8.1	33	0
GRAYSON	6	2.3	1.3	1.1	2.8	7.6	17	0
GREENE	1	1.3	1.3	1.3	0	1.3	0	0
GREENSVILLE	2	0.5	0.2	0.5	0.6	0.9	0	0
HALIFAX	2	1.5	1.4	1.5	0.5	1.8	0	0
HANOVER	13	0.9	0.7	0.6	0.7	2	0	0
HENRICO	30	1.7	0.9	0.8	2.7	14.9	7	0
HENRY	13	2	1.5	1.6	1.5	5.7	8	0
ISLE OF WIGHT	1	0.9	0.9	0.9	0	0.9	0	0
JAMES CITY	1	1	1	1	0	1	0	0
KING GEORGE	1	3.5	3.5	3.5	0	3.5	0	0

KING WILLIAM	3	0.6	0.4	0.7	0.5	1	0	0
LANCASTER	2	1.5	1.2	1.5	1.3	2.4	0	0
LEE	3	4.3	2.5	1.3	5.2	10.3	33	0
LOUDOUN	13	2	1.3	2	1.4	4.1	8	0
LOUISA	5	0.9	0.8	0.8	0.4	1.4	0	0
LUNENBURG	3	2.1	0.7	1.4	2.6	5	33	0
MADISON	6	2.4	1.3	2.1	1.8	4.8	33	0
MATHEWS	1	0.4	0.4	0.4	0	0.4	0	0
MECKLENBURG	13	2.5	1.4	2.1	2.5	8.5	23	0
MIDDLESEX	1	1.3	1.3	1.3	0	1.3	0	0
MONTGOMERY	11	3.3	1.7	2.1	3.4	10.9	36	0
NELSON	10	1.8	1.4	1.6	1.3	5.1	10	0
NEW KENT	6	2.1	1.7	2	1.4	4.5	17	0
NORTHAMPTON	2	0.5	0.4	0.5	0.2	0.6	0	0
NORTHUMBERLAND	2	1.4	1.3	1.4	0.1	1.4	0	0
NOTTOWAY	1	0.8	0.8	0.8	0	0.8	0	0
ORANGE	7	4.2	1.7	1.5	6.8	19.4	14	0
PAGE	5	2.2	1.9	1.9	1	3.5	0	0
PATRICK	8	7.7	5.7	7	6.6	21.8	63	13
PITTSYLVANIA	21	2.8	1.8	2.1	2.7	12.2	24	0
POWHATAN	3	0.4	0.4	0.5	0.2	0.6	0	0
PRINCE EDWARD	4	1.4	0.8	1.1	1.3	3.1	0	0
PRINCE GEORGE	3	0.3	0.2	0.2	0.4	0.8	0	0
PRINCE WILLIAM	16	1.5	1	1.5	1.1	4.1	6	0
PULASKI	11	4.8	2.8	3.3	4.8	15.3	36	0
RAPPAHANNOCK	7	3.7	2.4	2.2	3.9	11.9	29	0
ROANOKE	12	2.2	1.1	0.8	2.3	6.1	25	0
ROCKBRIDGE	6	4	3	4.3	2.5	6.7	50	0
ROCKINGHAM	15	2.7	1.6	1.8	3	11.7	13	0
RUSSELL	9	7	2.3	3.2	13.4	42.4	44	11
SCOTT	4	5.7	2.7	3.1	7.1	15.8	50	0
SHENANDOAH	15	10.1	3.2	2.7	19.7	77.2	40	13
SMYTH	14	5.8	2.6	2.9	8.5	33.1	43	7
SOUTHAMPTON	2	0.5	0.4	0.5	0.1	0.5	0	0
SPOTSYLVANIA	7	0.9	0.5	0.8	0.8	2	0	0
STAFFORD	11	2.3	1.3	1.3	2.5	8.2	27	0
SURRY	1	0.6	0.6	0.6	0	0.6	0	0
SUSSEX	2	0.7	0.7	0.7	0.1	0.8	0	0
TAZEWELL	20	5.2	2.9	2.8	6.2	23.1	35	10
WARREN	7	2.6	1.6	1.1	2.6	7.2	29	0
WASHINGTON	20	3.4	2.1	2.1	3.3	12.3	35	0
WESTMORELAND	1	1.5	1.5	1.5	0	1.5	0	0
WISE	5	5.8	1.7	1	10.9	25.2	20	20
WYTHE	7	4.9	3.4	2.9	5.4	16.5	29	0
YORK CITY	3	0.6	0.3	0.4	0.8	1.5	0	0
ALEXANDRIA CITY	12	1	0.5	0.5	1.2	4	0	0
BEDFORD CITY	5	1.2	1	1.1	0.8	2.6	0	0
BRISTOL	6	7	2.5	2.2	11.4	30	33	17
BUENA VISTA	5	3	2.3	2.7	2.7	7.6	20	0
CHARLOTTESVILLE	15	1.3	0.8	1	1.2	4.8	7	0
CHESAPEAKE	23	0.3	0.2	0.2	0.3	1.1	0	0
CLIFTON FORGE	1	0.8	0.8	0.8	0	0.8	0	0

COLONIAL HEIGHTS	5	2.4	2	2	1.9	5.7	20	0
COVINGTON	1	3.1	3.1	3.1	0	3.1	0	0
DANVILLE	14	8.7	2.3	2.3	21.1	81.5	36	7
EMPORIA	2	0.5	0.4	0.5	0.4	0.8	0	0
FAIRFAX-CITY	21	2.1	1.3	1.6	2	8.5	10	0
FALLS CHURCH	2	1.3	1.2	1.3	0.1	1.3	0	0
FREDERICKSBURG	7	2.8	2.1	2.7	2	6	29	0
GALAX	3	5.8	4.8	6.8	3.6	8.9	67	0
HAMPTON	7	0.3	0.3	0.3	0.2	0.6	0	0
HARRISONBURG	5	1.8	1.4	1.1	1.3	4	0	0
HOPEWELL	5	0.6	0.4	0.4	0.6	1.5	0	0
LEXINGTON	3	4	3.9	4.2	1.3	5.2	67	0
LYNCHBURG	20	2.9	2.3	2.6	1.7	6	30	0
MANASSAS	7	1.7	1.3	1.1	1.3	3.8	0	0
MARTINSVILLE	7	2.3	1.2	1.6	2.2	6.1	29	0
NEWPORT NEWS	13	0.7	0.5	0.5	0.6	1.6	0	0
NORFOLK	14	0.8	0.4	0.6	1	3.7	0	0
PETERSBURG	5	1.1	1	1.2	0.6	1.9	0	0
POQUOSON	1	0.4	0.4	0.4	0	0.4	0	0
PORTSMOUTH	6	0.4	0.2	0.4	0.5	1.2	0	0
RADFORD	2	3.9	2.1	3.9	4.7	7.2	50	0
RICHMOND-CITY	73	1.4	0.9	0.9	1.4	7.6	7	0
ROANOKE-CITY	45	4.3	3	3	4.4	27.1	36	2
SALEM	6	5.5	2.8	2.2	8.3	22.2	33	17
SOUTH BOSTON	3	1.1	0.5	0.4	1.4	2.7	0	0
STAUNTON	4	7.3	5.8	7.9	4.7	11.3	75	0
SUFFOLK	3	0.1	0.1	0	0.2	0.4	0	0
VIRGINIA BEACH	39	0.5	0.3	0.2	0.9	4.7	3	0
WAYNESBORO	6	5.7	4.5	4.2	4.7	14.5	50	0
WILLIAMSBURG	1	1	1	1	0	1	0	0
WINCHESTER	9	3	2.1	2.4	2.7	8.9	33	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Washington conducted during 1991-92. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAMS	11	3.5	2.3	2	4.4	15.9	18	0
ASOTIN	18	2.9	1.5	1.3	6.3	27.8	6	6
BENTON	106	1.8	1	1.1	3.5	28.1	7	2
CHELAN	9	2.2	1.4	1.8	2.2	7.4	11	0
CLALLAM	22	0.3	0.1	0.2	0.4	1.6	0	0
CLARK	69	2.4	1.1	1.3	3.5	23	12	1
COLUMBIA	5	3.4	3	4	1.7	5.4	40	0
COWLITZ	35	0.5	0.2	0.2	1.4	8.2	3	0
DOUGLAS	17	1.6	1	1.2	1.3	4	0	0
FERRY	28	3.2	1.5	1.3	3.9	10.8	25	0
FRANKLIN	26	1.6	1.1	1.2	1.4	5.1	12	0
GARFIELD	5	0.8	0.5	0.6	0.7	1.9	0	0
GRANT	54	1.9	0.9	1	2.9	17.7	9	0
GRAYS HARBOR	29	0.7	0.2	0.2	1.4	6.8	3	0
ISLAND	10	0.1	0.1	0.2	0.2	0.4	0	0
JEFFERSON	11	0.3	0.2	0.2	0.4	1.1	0	0
KING	215	0.4	0.2	0.3	0.8	6.2	2	0
KITSAP	34	0.4	0.3	0.3	0.5	1.8	0	0
KmTTAS	4	1.2	0.9	1.4	0.7	1.9	0	0
KLICKITAT	22	1.7	1.1	0.8	2.3	10.1	14	0
LEWIS	24	0.7	0.4	0.5	0.7	2.8	0	0
LINCOLN	15	2.2	1.7	1.8	1.6	5.7	7	0
MASON	18	0.6	0.3	0.3	0.7	2.5	0	0
OKANOGAN	43	2.8	1.5	1.3	3.7	18.7	21	0
PACIFIC	11	0.2	0.1	0.1	0.2	0.6	0	0
PEND OREILLE	55	7.2	2.2	2	19.1	136.9	31	5
PIERCE	132	0.8	0.3	0.4	1.7	13.6	5	0
SKAGIT	9	0.4	0.2	0	0.6	1.3	0	0
SKAMANIA	35	8.3	1.9	1.4	17.4	79.5	34	11
SNOHOMISH	63	0.2	0.1	0.1	0.3	1.4	0	0
SPOKANE	449	9.9	5.1	4.9	14.2	152.2	59	13
STEVENS	47	5.1	2.1	1.7	11.3	73.7	32	4
THURSTON	45	0.8	0.3	0.3	1.8	9.1	4	0
WAHKIAKUM	21	1	0.4	0.4	1.8	6.7	10	0
WALLA WALLA	56	2.6	1.7	1.9	2.3	9.4	23	0
WHATCOM	17	0.4	0.3	0.3	0.3	1.3	0	0
WHITMAN	31	5.9	2.2	2.3	14	79.2	39	3
YAKIMA	134	1.8	1.1	1.1	2.5	17.8	6	0

TABLE 1. Screening indoor radon data from the State/EPA Residential Radon Survey of West Virginia conducted during 1989-90. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
BARBOUR	21	3.6	2.3	1.9	4.2	15.3	24	0
BERKELEY	19	7.3	4	3.6	9.6	41.8	47	5
BOONE	15	1.8	0.7	0.8	2.9	11	13	0
BRAXTON	15	2.3	1.7	1.8	1.9	7.3	13	0
BROOKE	25	5.5	3.5	3.7	6	25	40	4
CABELL	43	1.6	1.1	1	1.6	6.7	12	0
CALHOUN	3	0.9	0.8	0.8	0.6	1.5	0	0
CLAY	7	2.8	1.9	1.3	2.7	8	29	0
FAYETTE	24	1	0.7	0.7	0.8	3.3	0	0
GILMER	8	2.3	1.2	1.1	2.4	7	25	0
GRANT	10	2.9	1.5	1.6	2.9	8.7	30	0
GREENBRIER	18	8.2	2.4	2.2	19.1	82.1	33	11
HAMPSHIRE	12	5.7	3.8	3.7	7.8	29.9	33	8
HANCOCK	34	4.4	2.6	3	4.7	20.8	38	3
HARDY	9	1.3	1	1	0.7	2.4	0	0
HARRISON	37	2.4	1.2	1.4	3	14.6	22	0
JACKSON	11	2.1	1.9	2.1	1.1	4.6	9	0
JEFFERSON	13	9.2	5.9	7.2	8.2	27.4	69	8
KANAWHA	108	1.9	1.3	1.3	1.9	13.5	8	0
LEWIS	15	2.2	1.3	1.4	2.2	8.2	13	0
LINCOLN	11	1.5	1.1	0.9	1.4	5.4	9	0
LOGAN	16	1.2	0.9	0.8	0.9	3.5	0	0
MARION	36	1.7	1.3	1.3	1.2	4.8	6	0
MARSHALL	18	3	1.9	1.8	3.6	13.9	17	0
MASON	7	2.5	1.6	2	2.4	7.3	14	0
MCDOWELL	8	1.1	0.9	1.3	0.5	1.5	0	0
MERCER	20	2.8	1.7	1.5	3	12.7	30	0
MINERAL	15	3.5	2.4	2	3.2	12	33	0
MINGO	10	1.3	1	1.1	0.8	3	0	0
MONONGALIA	20	2.4	1.2	1.5	4.3	20.4	5	5
MONROE	20	2.1	1.4	1.8	1.9	7	10	0
MORGAN	13	4.7	2.7	2.8	6.1	22.9	38	8
NICHOLAS	16	2.3	1.6	1.9	2	6.9	19	0
OHIO	47	3.4	2.1	1.9	3.6	14.1	26	0
PENDLETON	8	5:02	2.6	3.4	6.2	19.7	38	0
PLEASANTS	6	1.4	0.9	0.9	1.2	3.4	0	0
POCAHONTAS	18	1.8	1	1.3	1.8	7.2	11	0
PRESTON	31	3.1	1.7	1.5	3.9	15.8	16	0
PUTNAM	20	1.5	0.8	0.9	1.8	6.7	10	0
RALEIGH	38	1.5	1	1.1	1.5	6.8	8	0
RANDOLPH	25	2.4	1.4	2.1	2.4	9.9	12	0
RITCffIE	8	0.8	0.7	0.8	0.5	1.4	0	0
ROANE	6	1.6	1.2	1.2	1.2	3.7	0	0
SUMMERS	11	1.2	1	1.1	0.8	3.1	0	0
TAYLOR	11	2	0.9	1	2.8	9.8	9	0

TUCKER	6	4.8	2.7	2.2	6.9	18.7	17	0
TYLER	8	2.4	1.6	2.6	1.4	4.1	13	0
UPSHUR	7	2.4	1.7	2.4	1.6	4.7	14	0
WAYNE	16	2.7	1.6	1.8	2.7	10.8	19	0
WEBSTER	5	1	0.8	0.8	0.6	1.6	0	0
WETZEL	12	2.6	1.4	1.7	3.2	12.1	17	0
WIRT	3	1.6	0.8	0.6	2.1	4	0	0
WOOD	44	1.9	1.2	1.2	2.6	16.4	14	0
WYOMING	19	2.7	1.4	1.6	3.2	13.7	21	0

TABLE 1. Screening indoor radon data from the State/EPA Residential Radon Survey of Wisconsin conducted during 1986-87. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ADAMS	2	2.6	2.4	2.6	1.4	3.6	0	0
ASHLAND	8	1	0.8	1.1	0.5	1.8	0	0
BARRON	14	1.7	1.3	1.8	0.9	3.8	0	0
BAYHELD	8	1.1	0.9	1.1	0.6	2.2	0	0
BROWN	28	2.2	1.7	1.6	1.6	7.3	11	0
BUFFALO	8	3.2	2.9	3	1.6	6.4	25	0
BURNETT	9	2.1	1.4	1.7	1.5	4.6	11	0
CALUMET	3	3.3	3.2	3.1	1.3	4.7	33	0
CFLIPPEWA	18	3.7	2.3	2.7	4.3	18.5	33	0
CLARK	4	1.4	1.2	1.6	0.6	1.8	0	0
COLUMBIA	8	2.1	1.8	2	1.2	4.6	13	0
CRAWFORD	5	3.8	3	3.7	2.3	6.3	40	0
DANE	87	3.2	2	2.2	2.9	12.9	25	0
DODGE	12	4.8	4	4	3.6	14.8	50	0
DOOR	8	6.5	2.7	2.4	8.8	25.1	38	13
DOUGLAS	9	2.3	1	1.2	3	9.6	22	0
DUNN	13	2.1	2.1	2	0.6	3.1	0	0
EAU CLAIRE	20	3.5	2.8	3.2	2.5	11.3	20	0
FLORENCE	13	2.4	1.5	1.8	2.3	7.5	15	0
FOND DU LAC	22	3.2	2.5	2.7	2.1	7.2	41	0
FOREST	6	2.4	1	1.4	3.1	8.4	17	0
GRANT	10	13.4	4.9	3.7	26.9	89.1	40	10
GREEN	6	3.3	2.4	3.2	2.4	7	33	0
GREEN LAKE	2	10.3	2.5	10.3	14.1	20.2	50	50
IOWA	1	0.9	0.9	0.9	0	0.9	0	0
IRON	5	4.4	2.3	1.4	5.8	14.5	40	0
JACKSON	2	1.6	1.2	1.6	1.3	2.5	0	0
JEFFERSON	15	2.2	1.9	2.2	1.2	5.1	7	0
JUNEAU	2	2.6	2.3	2.6	1.6	3.7	0	0
KENOSHA	21	1.9	1.5	1.3	1.6	5.5	14	0
KEWAUNEE	5	1.3	0.8	1.3	1.1	2.8	0	0
LACROSSE	26	2.5	2.2	2.5	1.2	6.4	8	0
LAFAYETTE	4	3.2	2.9	3.5	1.3	4.5	25	0
LANGLADE	19	4	2.8	2.9	3	11.9	26	0
LINCOLN	4	3.2	2.4	2.3	2.7	6.9	25	0
MANITOWOC	18	1.4	1.2	1.1	0.9	3.7	0	0
MARATHON	71	5.2	3	3.2	6.5	37.1	38	3
MARINETTE	13	2.4	1.4	1.1	2.8	10.1	23	0
MARQUETTE	4	2.1	1.3	2	1.9	4.3	25	0
MENOMINEE	2	4.5	3.4	4.5	4.2	7.5	50	0
MILWAUKEE	124	3.1	2.1	2.4	2.6	15.3	27	0
MONROE	7	1.2	1	1	0.8	2.6	0	0
OCONTO	30	1.6	0.9	0.8	1.8	7.2	13	0
ONEIDA	8	3	2.6	2.7	1.6	6.1	25	0
OUTAGAMFFI	23	2.7	2.2	2.1	1.6	6.2	22	0
OZAUKEE	12	3.2	3	3	1.4	5.9	17	0

PEPIN	4	3.8	3.4	2.9	2.2	7	25	0
PIERCE	6	2.4	1.4	2.6	1.5	4.1	17	0
POLK	9	4.5	2.9	3.2	5.1	17.1	22	0
PORTAGE	30	4.1	2.9	2.7	3.8	16.7	30	0
PRICE	10	5.1	2.6	3.5	6.4	21.5	30	10
RACINE	31	2.6	1.9	2	2.3	10.7	26	0
RICHLAND	3	1.4	1.2	1.5	0.8	2.1	0	0
ROCK	18	4.5	3	4.4	3.3	14.3	56	0
RUSK	4	1.7	1.6	1.6	0.5	2.4	0	0
SAUK	7	3.7	2.8	3.4	2.6	7.5	29	0
SAWYER	34	2.5	1.9	2.6	1.6	6	24	0
SHAWANO	30	4.2	2.8	2.6	4.3	20.5	33	3
SHEBOYGAN	20	2.1	1.6	1.5	1.6	5.2	20	0
ST. CROIX	10	4	1.8	2.1	4.5	13.3	30	0
TAYLOR	11	1.7	1.2	1	1.7	6.3	9	0
TREMPEALEAU	8	3.8	1.8	1.1	5	14.9	38	0
VERNON	2	5.1	4	5.1	4.4	8.2	50	0
VILAS	45	3.2	1.7	1.5	7.1	48.2	13	2
WALWORTH	8	5.8	4.2	4.2	6.3	21	50	13
WASHBURN	1	5.8	5.8	5.8	0	5.8	100	0
WASHINGTON	16	4.9	1.8	1.4	9.2	37.3	25	6
WAUKESHA	58	6.3	4.4	4.5	5.4	33	64	2
WAUPACA	39	4.7	2.8	3.2	4.6	21.2	46	3
WAUSHARA	7	0.9	0.6	1.3	0.6	1.3	0	0
WINNEBAGO	25	3	2.2	2.2	2.2	8.7	20	0
WOOD	16	2	1.6	1.7	1.2	4.3	6	0

TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Wyoming conducted during 1987-88. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

COUNTY	NO. OF MEAS.	MEAN	GEOM. MEAN	MEDIAN	STD. DEV.	MAXIMUM	%>4 pCi/L	%>20 pCi/L
ALBANY	52	4.3	2.8	3	4.4	26.2	37	2
BIG HORN	26	2.2	1.8	1.8	1.6	6.8	12	0
CAMPBELL	76	3.1	2	1.9	3.7	21.6	18	3
CARBON	48	3.2	2.2	2.3	3.2	13.5	21	0
CONVERSE	28	3.6	2.9	3	2.5	12.6	36	0
CROOK	20	3.4	2.5	2.5	2.9	12	25	0
FREMONT	50	3.6	2.1	2	4.3	17.7	24	0
GOSHEN	28	6.1	3.2	3.2	10.7	54.6	36	7
HOT SPRINGS	5	2.6	2.2	1.5	1.7	4.9	40	0
JOHNSON	25	3.1	2.2	1.8	3.1	15.2	20	0
LARAM ^{ff1}	67	2.9	2	2	2.9	20.3	22	1
LINCOLN	35	7.7	3.9	4.5	8.6	34.1	51	9
NATRONA	31	2.2	1.8	1.8	1.7	7.8	10	0
NIOBRARA	15	4.9	4.3	3.2	2.7	10.8	47	0
PARK	41	3	1.7	1.8	4.6	26.8	12	2
PLATTE	14	2.5	1.5	1.8	2.5	9.3	21	0
SHERIDAN	69	4.3	3	3.9	3.3	18.2	49	0
SUBLETTE	21	2.1	1.1	0.9	2.9	12.6	14	0
SWEETWATER	67	3.9	2.6	2.6	4.5	23.3	27	3
TETON	18	3.9	2	1.9	6.7	30	17	6
UINTA	7	2	1.1	0.9	3.2	9.3	14	0
WASHAK ^{ff1}	18	3.6	1.7	1.5	6.8	30.1	22	6
WESTON	16	5.9	3.9	4.8	6.1	24.4	63	6